

www.lloyds-rlt.com
sales@lloyds-rlt.com

LRLT Lifting & Fall Arrest Products Price List

Edition D1



Contents

- 6** **Section 1**
Grade 8 Chain & Fittings
- 12** **Section 2**
Grade 80 Chain & Fittings
- 17** **Section 3**
Grade 10 Chain & Fittings
- 21** **Section 4**
Grade 6 Stainless Steel Chain & Fittings
- 24** **Section 5**
Hoisting & Material Handling
- 28** **Section 6**
Shackles
- 36** **Section 7**
Polyester Slings & Ratchet Lashings
- 38** **Section 8**
Theatre Rigging
- 39** **Section 9**
Wire Rope Fittings
- 41** **Section 10**
Lifting Points
- 45** **Section 11**
Chain
- 46** **Section 12**
Loadbinding Equipment
- 47** **Section 13**
Fishing Equipment
- 49** **Section 14**
Turnbuckles, Rigging & Straining Screws
- 51** **Section 15**
Deck Plates, Test Weights,
Lashing Equipment & Miscellaneous
- 52** **Section 16**
Stainless Steel Equipment
- 54** **Section 17**
Tecpos Hydraulic Equipment
- 56** **Section 18**
Kratos Safety Equipment





Contact Details

Direct Dial Numbers

Office Telephone No.:

+44 (0) 01752 367296

Derek Foster, Managing Director

+44 (0) 7736 307772

Andrew Horton, Sales Director

+44 (0) 7967 123201

Paige Foster,

Senior Sales Administrator

+44 (0) 01752 367296

LLOYDS RIGGING LIFTING TESTING LTD

Lloyds Rigging Lifting Testing Ltd (LRLT) was established in 2017 specifically to meet the demands for equipment and support services required by the Marine and Commercial industries plus those generated by the ever-increasing commercialisation of the Defence Sector.

Since 1985, in one way or another, our Staff (with over 100 years of experience between them) have been involved with providing Services and Procurement for Defence, Marine and Industrial-related projects.

We can project manage the Loler 98 & 2006, BR3027, Survey, Inspections and Tests on Naval - Marine - Ships, Shore Establishments and Commercial/Industrial Sites.

We have invested in our own rigging house where we manufacture those unusual or hard to find items, such as Ships Lead Lines to MoD spec. and fenders ranging from thirty inch Applerings to seven tonne stern fenders for Devonport Dockyard tugs.

All our work is backed up with:

- Extensive technical expertise
- Highly experienced personnel
- A customer-focused approach

LRLT also offer a comprehensive range of Ropes, Ladders & Nets such as:-

- **Steel Wire Rope**
- **Man Made Fibre Cordage**
- **Natural Fibre Cordage**
- **HMPE (Dyneemas)**
- **Specialist Ropes**
- **Cargo, Helicopter, Gangway & Flight Deck Nets**
- **Pilot, Embarkation & Lifeboat Ladders**

COMING
SOON

Please Note:-

These Items will be in their own catalogues shortly so please keep an eye out for them.

Grade 8 Chain Sling Working Load Chart - **BS-EN 818-4**

Safety factor	1 leg	2 legs		3 or 4 legs		Choker endless sling	Basket Sling			
4										
	Working angles	90°	0° $\beta \le 45^\circ$	45° $\beta \le 60^\circ$	0° $\beta \le 45^\circ$	45° $\beta \le 60^\circ$	-	0° $\beta \le 45^\circ$	0° $\beta \le 45^\circ$	0° $\beta \le 45^\circ$
Load factor	1	1.4	1	2.1	1.5	1.6	1.4	2.1	1	1.4
d mm	Working Load Limit in tonnes									
7	1.50	2.12	1.50	3.15	2.24	2.50	2.12	3.15	1.50	2.12
8	2.00	2.80	2.00	4.25	3.00	3.15	2.80	4.25	2.00	2.80
10	3.15	4.25	3.15	6.70	4.75	5.00	4.25	6.70	3.15	4.25
13	5.30	7.50	5.30	11.20	8.00	8.50	7.50	11.20	5.30	7.50
16	8.00	11.20	8.00	17.00	11.80	12.50	11.20	17.00	8.00	11.20
20	12.50	17.00	12.50	26.50	19.00	20.00	17.00	26.50	12.50	17.00
22	15.00	21.20	15.00	31.50	22.40	23.60	21.20	31.50	15.00	21.20
26	21.20	30.00	21.20	45.00	31.50	33.50	30.00	45.00	21.20	30.00
32	31.50	45.00	31.50	67.00	47.50	50.00	45.00	67.00	31.50	45.00

ADVICE FOR USE






DO'S ...


- **Do** check the condition of the slings before each load
- **Do** check the chain legs are not twisted
- **Do** check that the load is on the centre of the hook and not on the tip

DON'TS ...

- **Don't** use the sling over the maximum working load limit
- **Don't** load with the convergence angle over 120°
- **Don't** shock load
- **Don't** use Grade 8 chains in pickling or acid baths
- **Don't** submit the chains to heat treatment
- **Don't** utilise the chains and accessories outside the temperature range -40° and +200°C

Grade 8 Chain Sling Price List (Prices based on 2 metres bearing to bearing)
BS-EN 818-4

Chain Dia. mm	Sling Type	WLL tonnes					
			Sling Hook c/w Catch £/Sling	Self Locking Hook £/Sling	Swivel Self Locking Hook £/Sling	Extra for Grab Hook £/Sling	Extra per Metre £/Sling
7	Single	1.50	46.71	60.81	99.97	4.97	5.80
	Double	2.12	81.33	109.52	-	9.93	11.60
	3 Leg	3.15	133.16	175.43	-	14.91	17.40
	4 Leg	3.15	164.50	220.86	-	19.87	23.20
8	Single	2.00	48.97	63.06	102.22	4.97	7.16
	Double	2.80	86.59	114.77	-	9.93	14.32
	3 Leg	4.25	141.94	184.22	-	14.91	21.48
	4 Leg	4.25	174.71	231.07	-	19.87	28.64
10	Single	3.15	64.11	80.47	129.86	8.99	9.58
	Double	4.25	115.23	147.94	-	17.97	19.16
	3 Leg	6.70	184.56	233.62	-	26.96	28.74
	4 Leg	6.70	230.92	296.35	-	35.95	38.32
13	Single	5.30	100.91	122.28	199.78	17.74	15.96
	Double	7.50	181.09	223.82	-	35.49	31.92
	3 Leg	11.20	296.47	360.57	-	53.22	47.88
	4 Leg	11.20	369.51	454.98	-	70.96	63.84
16	Single	8.00	155.62	209.04	317.32	30.42	23.80
	Double	11.20	297.18	404.01	-	60.82	47.60
	3 Leg	17.00	486.35	646.60	-	91.23	71.40
	4 Leg	17.00	604.90	818.58	-	121.65	95.20
20	Single	12.50	277.30	365.80	-	72.00	40.56
	Double	17.00	519.80	695.60	-	144.00	81.12
	3 Leg	26.50	837.96	1,096.00	-	216.00	121.68
	4 Leg	26.50	1,053.60	1,409.08	-	288.00	162.24
22	Single	15.00	457.40	-	-	107.80	55.90
	Double	21.20	768.34	-	-	215.60	111.80
	3 Leg	31.50	1,421.00	-	-	323.40	167.70
	4 Leg	31.50	1,757.90	-	-	431.20	223.60
26	Single	21.20	676.00	-	-	420.00	77.00
	Double	30.00	1,260.00	-	-	840.00	154.00
	3 Leg	45.00	2,072.00	-	-	1,260.00	231.00
	4 Leg	45.00	2,637.76	-	-	1,680.00	308.00
32	Single	31.50	1,157.00	-	-	-	138.00
	Double	45.00	2,140.00	-	-	-	276.00
	3 Leg	67.00	3,871.90	-	-	-	414.00
	4 Leg	67.00	4,876.08	-	-	-	552.00



Short Link Chain

BS-EN 818-2

Chain Dia. mm	Code	£/Mtr
7	LRG8C7	5.80
8	LRG8C8	7.16
10	LRG8C10	9.58
13	LRG8C13	15.96
16	LRG8C16	23.80
20	LRG8C20	40.56
22	LRG8C22	55.90
26	LRG8C26	77.00
32	LRG8C32	138.00



Master Link

BS-EN 1677-4

WLL tonnes	Code	£/Each
2.12	LRG8ML87W	6.10
2.75	LRG8ML87T	6.76
3.55	LRG8ML108T	9.00
5.5	LRG8ML1310T	13.90
8.0	LRG8ML1613V	19.12
9.45	LRG8ML1613T	22.50
14.2	LRG8ML2016T	43.80
22.3	LRG8ML2220T	51.00



Quad Assembly

BS-EN 1677-4

WLL tonnes	Code	£/Each
3.15	LRG8QA7W	22.00
4.15	LRG8QA7T	33.00
4.25	LRG8QA8W	28.00
5.35	LRG8QA8T	39.60
6.7	LRG8QA10W	35.00
9.4	LRG8QA10T	50.10
11.2	LRG8QA13W	55.00
14.2	LRG8QA13T	99.00
17.0	LRG8QA16W	115.00
22.3	LRG8QA16T	138.60
26.5	LRG8QA20W	142.80
40.3	LRG8QA22T	480.60



Component Connector

BS-EN 1677-1


Chain Dia. mm	Code	£/Each
6	LRG8CC6	6.45
7	LRG8CC7	6.70
8	LRG8CC8	6.82
10	LRG8CC10	8.66
13	LRG8CC13	14.56
16	LRG8CC16	21.30
20	LRG8CC20	33.90
22	LRG8CC22	55.00
26	LRG8CC26	93.00
32	LRG8CC32	165.00



Clevis Self Locking Hook

BS-EN 1677-3

Chain Dia. mm	Code	£/Each
6	LRG8CSLH6	26.56
7-8	LRG8CSLH8	27.00
10	LRG8CSLH10	36.10
13	LRG8CSLH13	53.80
16	LRG8CSLH16	113.90



Clevis Self Locking Hook

Large Style BS-EN 1677-3

Chain Dia. mm	Code	£/Each
7-8	LRG8CSLHL8	36.00
10	LRG8CSLHL10	47.40
13	LRG8CSLHL13	74.10
16	LRG8CSLHL16	129.36
20	LRG8CSLHL20	308.94



Eye Type Self Locking Hook

BS-EN 1677-3


Chain Dia. mm	Code	£/Each
7-8	LRG8ESLH8	23.40
10	LRG8ESLH10	31.20
13	LRG8ESLH13	54.20
16	LRG8ESLH16	93.60



Eye Type Self Locking Hook

Large Style BS-EN 1677-3


Chain Dia. mm	Code	£/Each
6	LRG8ESLHL6	28.44
7-8	LRG8ESLHL8	35.88
10	LRG8ESLHL10	47.80
13	LRG8ESLHL13	78.56
16	LRG8ESLHL16	128.68



Swivel Self Locking Hook

BS-EN 1677-3

Chain Dia. mm	Code	£/Each
6	LRG8SSLH6	49.90
7-8	LRG8SSLH8	52.24
10	LRG8SSLH10	65.60
13	LRG8SSLH13	91.96
16	LRG8SSLH16	179.42
20	LRG8SSLH20	331.60



Clevis Sling Hook with Safety Catch

BS-EN 1677-2

Chain Dia. mm	Code	£/Each
6	LRG8CSH6	11.90
7-8	LRG8CSH8	12.30
10	LRG8CSH10	19.52
13	LRG8CSH13	31.00
16	LRG8CSH16	57.80
20	LRG8CSH20	105.00
22	LRG8CSH22	189.40



Eye Type Sling Hook
with Heavy Duty Catch **BS-EN 1677-2**

Chain Dia. mm	Code	£/Each
7-8	LRG8ESH8	10.20
10	LRG8ESH10	13.00
13	LRG8ESH13	23.00
16	LRG8ESH16	39.00
20	LRG8ESH20	83.00
22	LRG8ESH22	141.00
26	LRG8ESH26	425.78
32	LRG8ESH32	805.32



Clevis Grab Hook
BS-EN 1677-1

Chain Dia. mm	Code	£/Each
7-8	LRG8CGH8	6.28
10	LRG8CGH10	12.80
13	LRG8CGH13	21.90
16	LRG8CGH16	44.60
20	LRG8CGH20	51.00
22	LRG8CGH22	72.00



Eye Type Grab Hook
BS-EN 1677-1

Chain Dia. mm	Code	£/Each
7-8	LRG8EGH8	4.96
10	LRG8EGH10	9.20
13	LRG8EGH13	17.80
16	LRG8EGH16	28.10
20	LRG8EGH20	78.10
22	LRG8EGH22	110.20
26	LRG8EGH26	229.80



Clevis 'C' Hook
BS-EN 1677-1

Chain Dia. mm	Code	£/Each
7-8	LRG8CH8	19.14
10	LRG8CH10	31.33
13	LRG8CH13	60.80



Chain Tag
BS-EN 818

	Code	£/Each
Single/Multi Leg	LRG8TAGX	2.14



Spare Trigger Kit
to suit KITO Self Locking Hook

Size mm	Code	£/Each
7-8	LRX1701	14.25
10	LRX1702	16.02
13	LRX1703	18.40
16	LRX1704	21.26

Suits Clevis & Eye Type



Spare Trigger Kit
to suit ELD Self Locking Hook

Size mm	Code	£/Each
6	LRX1750	13.76
7-8	LRX1751	14.26
10	LRX1752	16.16
13	LRX1753	18.22
16	LRX1754	21.26

Suits Clevis, Eye & Swivel Type



Spare Catch Kit
to suit KITO Sling Hook

Size mm	Code	£/Each
6	LRS2911	6.10
7-8	LRS2912	6.70
10	LRS2913	8.48
13	LRS2914	12.78
16	LRS2915	16.46
20	LRS2916	26.76
22	LRS2917	27.34




Spare Catch Kit
to suit CARTEC Sling Hook

Size mm	Code	£/Each
7-8	LRK0691	6.40
10	LRK0692	8.20
13	LRK0693	12.60
16	LRK0694	15.80
20	LRK0695	25.40
22	LRK0696	28.70



Spare Load & Retaining Pin Set
to suit KITO Clevis Hook

Size mm	Large Self Locking Hooks	£/Each	Standard Hooks	£/Each
7-8	LRX0781	4.40	LRX0771	4.40
10	LRX0782	5.50	LRX0772	5.50
13	LRX0783	6.60	LRX0773	6.60
16	LRX0784	7.90	LRX0774	7.90
20	LRX0785	9.80	LRX0775	9.80
22	N/A		LRX0776	POA



Spare Centre Pin & Bush
to suit KITO Connector

To suit Dia.	Code	£/Each
6	LRS2901	2.60
7	LRS2902	3.00
8	LRS2903	3.50
10	LRS2904	3.70
13	LRS2905	4.80
16	LRS2906	7.60
19-20	LRS2907	9.20
22	LRS2908	11.80




Fram Master Link
BS-EN 1677-4

Part No.	WLL tonnes	Code	£/Each
13B5	2.7	LRFML13B5	13.25
13B6	2.7	LRFML13B6	13.80
16B6	4.1	LRFML16B6	17.25
16B7	3.2	LRFML16B7	22.90
20B6	6.7	LRFML20B6	25.12
20B7	6.5	LRFML20B7	26.74
22B6	8.2	LRFML22B6	35.19
22B7	7.2	LRFML22B7	35.55
22B8	5.8	LRFML22B8	45.13
25B6	10.7	LRFML25B6	39.16
28B6	12.9	LRFML28B6	46.71
28B7	11.8	LRFML28B7	59.00
32B6	17.1	LRFML32B6	79.35
38B6	28.1	LRFML38B6	98.33
38B7	19.1	LRFML38B7	144.90
45B6	38.3	LRFML45B6	160.43
45B7	27.6	LRFML45B7	270.65
50B6	45.0	LRFML50B6	246.20
60B6	65.3	LRFML60B6	486.45
70B6	84.4	LRFML70B6	1,384.30



Lifting sets components for offshore containers

Individual or Type approved according to DNV 2.7-1 and BS-EN12079-2. Specially designed for use on offshore containers. Manufactured with special alloy steels having good ductility (42J min.) at low temperatures (-40°C).




Master Link
BS-EN 1677-4

Part No. & Code	Dimension mm			Weight Approx kg	WLL ⁽¹⁾ max t	£/Each
	D	P	L			
LRF22	23	270	140	2.5	5.8	25.59
LRF25	25	270	140	3.0	8.83	31.65
LRF28	27	270	140	3.5	11.8	35.79
LRF32	33	270	140	5.4	17.1	51.00
LRF36	36	270	140	6.5	23	58.35
LRF40	40	275	150	8.3	28.1	83.67
LRF45	45	340	180	12.8	38.3	112.02
LRF50	50	350	190	16.5	45	158.31
LRF60	60	430	230	29.1	65	305.91
LRF70	70	480	260	44.6	85	744.18



Fram Quad Assembly
BS-EN 1677-4

Part No.	WLL tonnes	Code	£/Each
Q16B	4.1	LRFQAQ16B	52.20
Q20B	6.5	LRFQAQ20B	65.55
Q22B	8.2	LRFQAQ22B	91.74
Q22B8	5.8	LRFQAQ22B8	96.46
Q25B	10.7	LRFQAQ25B	108.54
Q28B	12.9	LRFQAQ28B	128.51
Q32B	17.1	LRFQAQ32B	158.94
Q38B	28.1	LRFQAQ38B	295.70
Q45B	38.3	LRFQAQ45B	517.50
Q50B	45.0	LRFQAQ50B	629.59
Q60B	65.3	LRFQAQ60B	1,407.60
Q70B	84.4	LRFQAQ70B	3,208.00



Quad Assembly
BS-EN 1677-4

Part No. & Code	Dimension mm						Weight Approx kg	WLL ⁽¹⁾ max t	£/Each
	D	P	L	D1	P1	L1			
LRF22M16	23	270	140	17	140	80	4.0	5.8	51.78
LRF25M18	25	270	140	19	135	75	4.8	8.83	60.33
LRF28M20	27	270	140	20	135	75	5.7	11.8	65.94
LRF32M26	33	270	140	27	180	100	10.4	17.1	103.35
LRF36M30	36	270	140	30	190	110	13.1	23	132.60
LRF40M32	40	275	150	33	200	110	16.7	28.1	189.69
LRF45M36	45	340	180	36	225	125	24.0	38.3	269.70
LRF50F40	50	350	190	40	275	150	33.1	45	367.17
LRF60F50	60	430	230	50	350	190	62.1	65	820.08
LRF70M56	70	480	260	56	400	200	91.2	85	1339.26

(1) WLL for Master link or Quad assembly only, for WLL of slings please refer to norms DNV 2.7-1 and BS-EN12079-2.



Fram Round Ring

Part No.	WLL tonnes	Code	£/Each
2206	5.2	LRFRR2206	POA
2506	6.9	LRFRR2506	POA
2806	8.6	LRFRR2806	POA
3206	10.2	LRFRR3206	POA



Fram Pipe Hook

Part No.	WLL tonnes	Code	£/Each
PH1	6.8	LRFPH	POA



Lifting sets for offshore containers (Welded Chain Slings)

Individual or Type approved according to DNV 2.7-1 and BS-EN12079-2.

Specially designed for use on offshore containers.

Welded chain slings available on different lengths (on custom request).

Manufactured with special alloy steels having good ductility (42J min.) at low temperatures (-40°C).




5L-OF 4-Legged Sling with Forerunner

BS-EN 818-4

Part No.	Chain dia. mm	Top Link (forerunner) Part No.	45° to the Vertical for Containers with rating up to (kg)	30° to the Vertical for Containers with rating up to (kg)
5L-10-16-OR	10 - 16	F25	-	3150
5L-10-18-OF	10 - 18	F25	-	3300
5L-13-16-OF	13 - 16	F25	3150	-
5L-13-18-OF	13 - 18	F28	5650	5650
5L-13-19-OF	13 - 19	F28	6450	6450
5L-13-20-OF	13 - 20	F32	-	7450
5L-16-20-OF	16 - 20	F32	7450	-

Available, on request, with further angles smaller than 45° from the vertical.




4L-OF 4-Legged Sling 2x2L-OF (used in pairs as 4-Leg Sling)

BS-EN 818-4

Part No.	Chain dia. mm	Part No. <small>Two 2-legged slings used in pairs as 4-leg sling</small>	45° to the Vertical for Containers with rating up to (kg)	30° to the Vertical for Containers with rating up to (kg)
4L-10-OF	10	2x2L-10-OF	-	3300
4L-13-OF	13	2x1L-13-OF	6450	8650
4L-16-OF	16	2x2L-16-OF	12000	16900
4L-18-OF	18	2x2L-18-OF	17450	23200
4L-19-OF	19	2x2L-19-OF	20800	25000
4L-20-OF	20	2x2L-20-OF	23750	-


Available, on request, with further angles smaller than 45° from the vertical.



1L-OF Single Leg Sling

BS-EN 818-4

Part No.	Chain dia. mm	for Containers with rating up to (kg)
1L-16-OF	16	3150
1L-18-OF	18	5650
1L-19-OF	19	6450
1L-20-OF	20	7450



2L-OF 2-Legged Sling

BS-EN 818-4

Part No.	Chain dia. mm	45° to the Vertical for Containers with rating up to (kg)	30° to the Vertical for Containers with rating up to (kg)
2L-13-OF	13	2700	5150
2L-16-OF	16	6500	8750
2L-18-OF	18	9000	12400
2L-19-OF	19	10800	15200
2L-20-OF	20	12850	18050

Available, on request, with further angles smaller than 45° from the vertical.

GT Cobra Grade 80 Chain Sling Working Load Chart

Safety factor	1 leg	2 legs		3 or 4 legs		Choker endless sling	Basket Sling			
4										
	Working angles	90°	0° $\beta \le 45^\circ$	45° $\beta \le 60^\circ$	0° $\beta \le 45^\circ$	45° $\beta \le 60^\circ$	-	0° $\beta \le 45^\circ$	0° $\beta \le 45^\circ$	0° $\beta \le 45^\circ$
Load factor	1	1.4	1	2.1	1.5	1.6	1.4	2.1	1	1.4
d mm	Working Load Limit in tonnes									
7	1.50	2.12	1.50	3.15	2.24	2.50	2.12	3.15	1.50	2.12
8	2.00	2.80	2.00	4.25	3.00	3.15	2.80	4.25	2.00	2.80
10	3.15	4.25	3.15	6.70	4.75	5.00	4.25	6.70	3.15	4.25
13	5.30	7.50	5.30	11.20	8.00	8.50	7.50	11.20	5.30	7.50
16	8.00	11.20	8.00	17.00	11.80	12.50	11.20	17.00	8.00	11.20
20	12.50	17.00	12.50	26.50	19.00	20.00	17.00	26.50	12.50	17.00
22	15.00	21.20	15.00	31.50	22.40	23.60	21.20	31.50	15.00	21.20
26	21.20	30.00	21.20	45.00	31.50	33.50	30.00	45.00	21.20	30.00
32	31.50	45.00	31.50	67.00	47.50	50.00	45.00	67.00	31.50	45.00

ADVICE FOR USE







DO'S ...


- **Do** check the condition of the slings before each load
- **Do** check the chain legs are not twisted
- **Do** check that the load is on the centre of the hook and not on the tip

DON'TS ...

- **Don't** use the sling over the maximum working load limit
- **Don't** load with the convergence angle over 120°
- **Don't** shock load
- **Don't** use Grade 80 chains in pickling or acid baths
- **Don't** submit the chains to heat treatment
- **Don't** utilise the chains and accessories outside the temperature range -20° and +200°C

GT Cobra Grade 80 Chain Sling Price List (Prices based on 2 metres bearing to bearing)

Chain Dia. mm	Sling Type	WLL tonnes						
			Sling Hook c/w Catch £/Sling	C Hook £/Sling	Self Locking Hook £/Sling	Swivel Self Locking Hook £/Sling	Extra for Grab Hook £/Sling	Extra per Metre £/Sling
7	Single	1.50	45.92	56.71	58.02	79.40	3.79	5.60
	Double	2.12	79.10	83.42	101.52	128.93	7.58	11.20
	3 Leg	3.15	115.68	119.52	146.58	187.73	11.37	16.80
	4 Leg	3.15	141.17	146.18	182.40	237.18	15.16	22.40
8	Single	2.00	47.10	59.52	60.28	82.27	3.79	6.41
	Double	2.80	83.96	93.67	109.98	143.05	7.58	12.82
	3 Leg	4.25	127.94	141.34	148.56	181.78	11.37	19.23
	4 Leg	4.25	162.02	167.04	203.21	258.02	15.16	25.64
10	Single	3.15	63.19	81.26	78.98	119.42	8.50	8.40
	Double	4.25	109.98	131.66	139.10	200.57	17.00	16.80
	3 Leg	6.70	171.12	207.72	214.80	311.06	25.50	25.20
	4 Leg	6.70	220.05	254.44	274.20	392.21	34.00	35.60
13	Single	5.30	98.02	123.48	121.12	189.38	15.94	14.59
	Double	7.50	169.95	211.32	208.92	347.11	31.88	29.18
	3 Leg	11.20	284.84	370.08	348.88	573.79	47.82	43.77
	4 Leg	11.20	347.11	454.90	444.00	727.68	63.76	58.36
16	Single	8.00	126.74	150.36	198.52	275.95	26.96	22.49
	Double	11.20	299.93	347.16	399.06	599.42	53.92	44.98
	3 Leg	17.00	473.78	544.63	626.19	729.59	80.88	67.47
	4 Leg	17.00	583.52	687.96	794.10	934.58	107.84	89.96



Short Link Chain

Chain Dia. mm	Code	£/Mtr
7	LRG80C7	5.28
8	LRG80C8	6.41
10	LRG80C10	8.40
13	LRG80C13	14.59
16	LRG80C16	22.49
19	LRG80C19	POA
20	LRG80C20	POA
22	LRG80C22	POA
26	LRG80C26	POA
32	LRG80C32	POA



Master Link

WLL tonnes	Code	£/Each
2.7	LRG80ML13B5	4.99
4.1	LRG80ML16B6	7.42
3.2	LRG80ML16B7	9.67
6.7	LRG80ML20B6	11.22
6.5	LRG80ML20B7	10.58
8.2	LRG80ML22B6	13.08
7.2	LRG80ML22B7	11.90
5.8	LRG80ML22B8	19.04
10.7	LRG80ML25B6	17.97
11.8	LRG80ML28B6	21.66
12.9	LRG80ML28B7	25.79
19.1	LRG80ML38B7	54.78
45	LRG80ML50B6	153.78



Quad Assembly

WLL tonnes	Code	£/Each
4.1	LRG80QAQ16B	15.99
6.5	LRG80QAQ20B	29.79
8.2	LRG80QAQ22B	37.40
5.8	LRG80QAQ23B	25.62
10.7	LRG80QAQ25B	41.58
11.8	LRG80QAQ29B	55.16
17.1	LRG80QAQ32B	77.29



Component Connector

Chain Dia. mm	Code	£/Each
7-8	LRG80CC8	5.41
10	LRG80CC10	7.34
13	LRG80CC13	10.46
16	LRG80CC16	15.81
20	LRG80CC20	20.39
22	LRG80CC22	42.76



Clevis Self Locking Hook

Chain Dia. mm	Code	£/Each
7-8	LRG80CSLH8	22.91
10	LRG80CSLH10	26.04
13	LRG80CSLH13	51.20
16	LRG80CSLH16	90.95




Eye Type Self Locking Hook

Chain Dia. mm	Code	£/Each
7-8	LRG80ESLH8	18.57
10	LRG80ESLH10	28.12
13	LRG80ESLH13	48.35
16	LRG80ESLH16	79.82




Swivel Self Locking Hook

Chain Dia. mm	Code	£/Each
7-8	LRG80SSLH8	40.74
10	LRG80SSLH10	49.23
13	LRG80SSLH13	79.15
16	LRG80SSLH16	140.94
20	LRG80SSLH20	299.38



Swivel Sling Hook with Safety Catch (Ball Bearing) Rotation under Load

Chain Dia. mm	Code	£/Each
7-8	LRG80SSH8	52.16
10	LRG80SSH10	58.97
13	LRG80SSH13	81.65
16	LRG80SSH16	111.13




Clevis Sling Hook with Safety Catch

Chain Dia. mm	Code	£/Each
7/8	LRG80CSH8	8.69
10	LRG80CSH10	12.99
13	LRG80CSH13	20.92
16	LRG80CSH16	40.27



Eye Type Sling Hook with Safety Catch

Chain Dia. mm	Code	£/Each
7-8	LRG80ESH8	6.89
10	LRG80ESH10	9.52
13	LRG80ESH13	17.09
16	LRG80ESH16	30.63
20	LRG80ESH20	57.95
22	LRG80ESH22	138.79
26	LRG80ESH26	161.30
32	LRG80ESH32	218.89



Clevis 'C' Hook

Chain Dia. mm	Code	£/Each
7-8	LRG80CCH8	7.46
10	LRG80CCH10	12.38
13	LRG80CCH13	30.00
16	LRG80CCH16	58.00



Joker Hook

WLL tonnes	Code	£/Each
1 - Violet	LRG80JH1	11.92
2 - Green	LRG80JH2	19.10
3 - Yellow	LRG80JH3	34.38
4 - Grey	LRG80JH4	74.84
5 - Red	LRG80JH5	74.84
6 - Brown	LRG80JH6	74.84
8 - Blue	LRG80JH8	220.00
10 - Orange	LRG80JH10	POA



Clevis Grab Hook

Chain Dia. mm	Code	£/Each
7-8	LRG80CGH8	4.19
10	LRG80CGH10	8.54
13	LRG80CGH13	14.21
16	LRG80CGH16	20.43



Container Lifting Lug (Left & Right Type)

WLL tonnes	Code	£/Each
12.50 - Left	LRG80CLLL12.5	68.00
12.50 - Right	LRG80CLLR12.5	68.00



Eye Type Grab Hook

Chain Dia. mm	Code	£/Each
7-8	LRG80EGH8	3.39
10	LRG80EGH10	6.04
13	LRG80EGH13	11.39
16	LRG80EGH16	20.98
20	LRG80EGH20	30.82



Chain Tag

	Code	£/Each
Single/Multi Leg	LRG80TAGX	2.14




Clevis Reeveable Egg Link

Chain Dia. mm	Code	£/Each
7-8	LRG80REL8	9.67
10	LRG80REL10	15.39
13	LRG80REL13	23.75
16	LRG80REL16	35.94




Spare Trigger Kit to suit GT COBRA Self Locking Hook

Size mm	Code	£/Each
7-8	LRX1711	12.64
10	LRX1712	13.16
13	LRX1713	13.98
16	LRX1714	16.62
20	LRX1715	34.75



Weld On Pivoting 'D' Ring with Spring

WLL tonnes	Code	£/Each
1.12	LRG80WDR1	8.25
2.00	LRG80WDR2	10.10
3.15	LRG80WDR3	12.20
5.30	LRG80WDR5	21.50
8.00	LRG80WDR8	31.95
15.00	LRG80WDR15	62.25



Spare Catch Kit to suit GT COBRA Sling Hook

Size mm	Code	£/Each
7-8	LRK0661	3.65
10	LRK0662	4.10
13	LRK0663	5.04
16	LRK0664	6.80
20	LRK0665	11.80




Weld On Hook

WLL tonnes	Code	£/Each
2.00	LRG80WH2	12.39
3.00	LRG80WH3	14.68
5.00	LRG80WH5	28.25
8.00	LRG80WH8	34.76
10.00	LRG80WH10	44.64




Spare Load & Retaining Pin Set to suit GT COBRA Clevis Hook

Size mm	Self Locking Hook	Sling Hook	Grab Hook	£/Each
7/8	LRX0501	LRX0511	LRX0521	3.98
10	LRX0502	LRX0512	LRX0522	4.93
13	LRX0503	LRX0513	LRX0523	5.95
16	LRX0504	LRX0514	LRX0524	POA
20	LRX0505	LRX0515	LRX0525	POA



Ring Clutch

WLL tonnes	Code	£/Each
0.70-2.50	LRG80RC2.5	32.00
3.00-5.00	LRG80RC5	58.00



Spare Centre Pin & Bush

Size mm	Code	£/Each
7-8	LRX0762	2.56
10	LRX0763	2.84
13	LRX0764	3.80
16	LRX0765	6.16
20	LRX0766	9.40

Grade 10 Chain Sling Working Load Chart

Safety factor	1 leg	2 legs		3 or 4 legs		Choker endless sling	Basket Sling			
4										
	Working angles	90°	0° $\beta \le 45^\circ$	45° $\beta \le 60^\circ$	0° $\beta \le 45^\circ$	45° $\beta \le 60^\circ$	-	0° $\beta \le 45^\circ$	0° $\beta \le 45^\circ$	0° $\beta \le 45^\circ$
Load factor	1	1.4	1	2.1	1.5	1.6	1.4	2.1	1	1.4
d mm	Working Load Limit in tonnes									
6	1.40	2.00	1.40	3.00	2.12	2.24	2.00	3.00	1.40	2.00
7	1.90	2.65	1.90	4.00	2.80	3.00	2.65	4.00	1.90	2.65
8	2.50	3.55	2.50	5.30	3.75	4.00	3.55	5.30	2.50	3.55
10	4.00	5.60	4.00	8.40	6.00	6.30	5.60	8.00	4.00	5.60
13	6.70	9.50	6.70	14.00	10.00	10.60	9.50	14.00	6.70	9.50
16	10.00	14.00	10.00	21.20	15.00	16.00	14.00	21.20	10.00	14.00
19	14.00	20.00	14.00	30.00	21.20	22.40	20.00	30.00	14.00	20.00
22	19.00	26.50	19.00	40.00	28.00	30.00	26.50	40.00	19.00	26.50
26	26.50	37.50	26.50	56.00	40.00	42.50	37.50	56.00	26.50	37.50

ADVICE FOR USE







DO'S ...

- **Do** check the condition of the slings before Each load
- **Do** check the chain legs are not twisted
- **Do** check that the load is on the centre of the hook and not on the tip


DON'TS ...

- **Don't** use the sling over the maximum working load limit
- **Don't** load with the convergence angle over 120°
- **Don't** shock load
- **Don't** use Grade 10 chains in pickling or acid baths
- **Don't** submit the chains to heat treatment
- **Don't** utilise the chains and accessories outside the temperature range -40° and +200°C

Grade 10 Chain Sling Price List (Prices based on 2 metres bearing to bearing)

Chain Dia. mm	Sling Type	WLL tonnes						
			Sling Hook c/w Catch £/Sling	'C' Hook £/Sling	Self Locking Hook £/Sling	Swivel Self Locking Hook £/Sling	Extra for Grab Hook £/Sling	Extra per Metre £/Sling
6	Single	1.40	40.76	-	58.38	-	5.44	5.36
	Double	2.00	75.88	-	111.12	-	10.88	10.72
	3 Leg	3.00	125.47	-	176.68	-	16.32	16.08
	4 Leg	3.00	160.58	-	233.74	-	21.76	21.44
7	Single	1.90	49.80	50.40	63.76	96.81	6.16	7.12
	Double	2.65	86.20	88.60	112.48	-	12.32	14.24
	3 Leg	4.00	130.30	133.90	173.00	-	18.48	21.36
	4 Leg	4.00	165.80	170.60	231.96	-	24.64	28.48
8	Single	2.50	51.86	53.06	70.91	103.96	6.16	8.61
	Double	3.55	92.96	95.36	131.07	-	12.32	17.22
	3 Leg	5.30	153.41	157.01	210.56	-	18.48	25.83
	4 Leg	5.30	189.77	194.57	265.98	-	24.64	34.44
10	Single	4.00	69.54	72.14	86.88	133.01	9.80	17.00
	Double	5.60	125.97	131.17	160.67	-	19.60	34.00
	3 Leg	8.40	201.46	209.26	253.50	-	29.40	51.00
	4 Leg	8.40	253.31	263.71	322.69	-	39.20	68.00
13	Single	6.70	108.04	119.54	139.40	213.15	19.76	31.98
	Double	9.50	195.11	218.11	257.84	-	39.52	63.96
	3 Leg	14.00	318.51	353.01	412.60	-	59.28	95.94
	4 Leg	14.00	398.72	444.72	524.18	-	79.04	127.92
16	Single	10.00	165.17	-	229.26	331.30	33.00	53.95
	Double	14.00	316.97	-	445.15	-	66.00	107.90
	3 Leg	21.20	516.03	-	708.30	-	99.00	161.85
	4 Leg	21.20	644.01	-	900.38	-	132.00	84.00
19	Single	14.00	289.48	-	-	-	-	57.84
	Double	20.00	559.96	-	-	-	-	115.68
	3 Leg	30.00	897.14	-	-	-	-	179.52
	4 Leg	30.00	1131.56	-	-	-	-	231.36
20	Single	16.00	304.10	-	-	-	-	86.26
	Double	22.40	571.90	-	-	-	-	172.52
	3 Leg	33.60	909.76	-	-	-	-	258.78
	4 Leg	33.60	1151.80	-	-	-	-	345.04
22	Single	19.00	455.66	-	-	-	-	POA
	Double	26.50	794.04	-	-	-	-	POA
	3 Leg	40.00	1577.88	-	-	-	-	POA
	4 Leg	40.00	1966.44	-	-	-	-	POA
26	Single	26.50	POA	-	-	-	-	POA
	Double	37.50	POA	-	-	-	-	POA
	3 Leg	56.00	POA	-	-	-	-	POA
	4 Leg	56.00	POA	-	-	-	-	POA

PLEASE NOTE: FOR GRADE 10 MADE UP SLINGS C/W AN ALTERNATIVE RANGE OF MASTER LINKS AND SUB-ASSEMBLIES, PLEASE CONTACT OUR SALES OFFICE, WHO WILL BE HAPPY TO PROVIDE A FULL COMPREHENSIVE LIST.



Short Link Chain

BS-EN 818-2 + 25% of Load Capacity

Chain Dia. mm	Code	£/Mtr
6	LRG10C6	5.36
7	LRG10C7	7.12
8	LRG10C8	8.61
10	LRG10C10	13.00
13	LRG10C13	20.67
16	LRG10C16	31.98
19	LRG10C19	53.95
20	LRG10C20	57.84
22	LRG10C22	86.26
26	LRG10C26	POA



Master Link

BS-EN 1677-4

WLL tonnes	Code	£/Each
2.4	LRG10ML76	5.13
3.4	LRG10ML87	6.15
5.05	LRG10ML108	8.55
6.95	LRG10ML1310	13.56
12.00	LRG10ML1613	19.17
18.00	LRG10ML2016	31.26
27.70	LRG10ML2220	76.53
36.00	LRG10ML2622	POA
47.00	LRG10MLD50	POA
60.00	LRG10MLD60	POA
102.00	LRG10MLD70	POA



Quad Assembly

BS-EN 1677-4

WLL tonnes	Code	£/Each
5.05	LRG10QA7	18.30
6.95	LRG10QA8	27.45
10.4	LRG10QA10	36.39
18.00	LRG10QA13	57.33
27.70	LRG10QA16	93.24
41.55	LRG10QA20	255.60
50.25	LRG10QA22	POA
60.00	LRG10QA26	POA



Quad Assembly with Large Sub-Links

BS-EN 1677-4

WLL tonnes	Code	£/Each
5.05	LRG10QAL7	33.78
6.95	LRG10QAL8	45.60
10.4	LRG10QAL10	57.03
18.00	LRG10QAL13	116.52
27.70	LRG10QAL16	POA
41.55	LRG10QAL20	POA
50.25	LRG10QAL22	POA
60.00	LRG10QAL26	POA



Master Link Assembly with Integrated Shortening Hook 1 Leg

BS-EN 1677-4


Chain Dia. mm	Code	£/Each
6	LRG10QASH16	26.07
7-8	LRG10QASH18	29.49
10	LRG10QASH110	44.37
13	LRG10QASH113	70.11
16	LRG10QASH116	116.46



Master Link Assembly with Integrated Shortening Hooks 2 Leg

BS-EN 1677-4

Chain Dia. mm	Code	£/Each
6	LRG10QASH26	37.20
7-8	LRG10QASH28	46.17
10	LRG10QASH210	78.43
13	LRG10QASH213	117.66
16	LRG10QASH216	211.12



Master Link Assembly with Integrated Shortening Hooks 4 Leg

BS-EN 1677-4

Chain Dia. mm	Code	£/Each
6	LRG10QASH46	79.50
7-8	LRG10QASH48	102.73
10	LRG10QASH410	158.98
13	LRG10QASH413	286.10
16	LRG10QASH416	451.61



Component Connector

BS-EN 1677-1

Chain Dia. mm	Code	£/Each
6	LRG10CC6	6.94
7	LRG10CC7	8.06
8	LRG10CC8	8.32
10	LRG10CC10	11.02
13	LRG10CC13	16.38
16	LRG10CC16	24.77
20	LRG10CC20	38.08
22	LRG10CC22	53.00
26	LRG10CC26	POA



Clevis Self Locking Hook

BS-EN 1677-3

Chain Dia. mm	Code	£/Each
6	LRG10CSLH6	27.39
7-8	LRG10CSLH8	33.03
10	LRG10CSLH10	46.44
13	LRG10CSLH13	67.76
16	LRG10CSLH16	112.64
20	LRG10CSLH20	POA
22	LRG10CSLH22	POA



Eye Type Self Locking Hook

BS-EN 1677-3

Part No.	Code	£/Each
6	LRG10ESLH6	24.22
7-8	LRG10ESLH8	28.67
10	LRG10ESLH10	42.19
13	LRG10ESLH13	65.33
16	LRG10ESLH16	109.82
20	LRG10ESLH20	POA
22	LRG10ESLH22	POA



Swivel Self Locking Hook
BS-EN 1677-3

Chain Dia. mm	Code	£/Each
6	LRG10SSLH6	56.22
7-8	LRG10SSLH8	66.08
10	LRG10SSLH10	92.57
13	LRG10SSLH13	141.51
16	LRG10SSLH16	214.68
20	LRG10SSLH20	POA
22	LRG10SSLH22	POA



Swivel Self Locking Hook (Ball Bearing) Rotation under Load
BS-EN 1677-3

Chain Dia. mm	Code	£/Each
6	LRG10SSLH6U	80.58
7-8	LRG10SSLH8U	94.95
10	LRG10SSLH10U	130.28
13	LRG10SSLH13U	206.28
16	LRG10SSLH16U	315.70
20	LRG10SSLH20U	POA
22	LRG10SSLH22U	POA



Clevis Sling Hook with Safety Catch
BS-EN 1677-1

Chain Dia. mm	Code	£/Each
6	LRG10CSH6	11.31
7-8	LRG10CSH8	12.60
10	LRG10CSH10	19.06
13	LRG10CSH13	32.10
16	LRG10CSH16	56.03
20	LRG10CSH20	96.04
22	LRG10CSH22	POA



Eye Type Sling Hook with Safety Catch
BS-EN 1677-1

Chain Dia. mm	Code	£/Each
6	LRG10ESH6	8.79
7-8	LRG10ESH8	11.78
10	LRG10ESH10	16.30
13	LRG10ESH13	26.91
16	LRG10ESH16	48.46
20	LRG10ESH20	84.62
22	LRG10ESH22	POA
26	LRG10ESH26	POA



Clevis 'C' Hook
BS-EN 1677-1

Chain Dia. mm	Code	£/Each
7-8	LRG10CCH8	15.94
10	LRG10CCH10	23.50
13	LRG10CCH13	47.88



Eye Type Foundry Hook
BS-EN 1677-1

Chain Dia. mm.	Code	£/Each
7-8	LRG10EFH8	22.04
10	LRG10EFH10	29.40
13	LRG10EFH13	45.36
16	LRG10EFH16	82.96
20	LRG10EFH20	POA



Eye Type Grab Shortening Hook
BS-EN 1677-1

Chain Dia. mm.	Code	£/Each
6	LRG10EGH6	5.43
7-8	LRG10EGH8	7.36
10	LRG10EGH10	10.56
13	LRG10EGH13	22.15
16	LRG10EGH16	36.51



Clevis Grab Shortening Hook
BS-EN 1677-1

Chain Dia. mm.	Code	£/Each
6	LRG10CGH6	9.72
7-8	LRG10CGH8	10.42
10	LRG10CGH10	14.11
13	LRG10CGH13	25.73
16	LRG10CGH16	44.94
20	LRG10CGH20	80.25
22	LRG10CGH22	POA




Chain Tag

	Code	£/Each
Single/Multi Leg	LRG10TAGX	2.14



Spare Locking System Kit for Self Locking Hook

Size mm	Code	£/Each
6	LRS2931	10.06
7-8	LRS2932	11.54
10	LRS2933	12.66
13	LRS2934	14.36
16	LRS2935	21.20




Hook Catch Kit to suit Grade 10 Hook

Size mm	Code	£/Each
6	LRS2911	6.28
7-8	LRS2912	6.90
10	LRS2913	8.74
13	LRS2914	13.18
16	LRS2915	16.25
19-20	LRS2916	27.58
22	LRS2917	28.18




Spare Load & Retaining Pin Set
to suit KITO Clevis Hook

Size mm	Code	£/Each
6	LRS2921	5.88
7-8	LRS2923	7.40
10	LRS2924	8.35
13	LRS2925	9.45
16	LRS2926	10.80
19/20	LRS2927	13.46
22	LRS2928	14.04








Spare Centre Pin & Bush
to suit KITO Connector


To suit Dia.	Code	£/Each
6	LRS2901	2.66
7	LRS2902	3.02
8	LRS2903	3.60
10	LRS2904	3.82
13	LRS2905	4.94
16	LRS2906	7.80
19/20	LRS2907	9.46
22	LRS2908	12.12





Grade 6 Stainless Steel Chain Sling Assemblies Price List (Prices based on 2 metres bearing to bearing)
BS-EN 818-4 According to WLL

Chain Dia. mm	Sling Type	WLL tonnes					
			Clevis Sling Hook c/w Catch £/Sling	Eye Type Sling Hook c/w Catch £/Sling	Connector £/Sling	Shortening Clutch £/Sling	Extra per Metre £/Sling
6	Single	0.90	280.96	291.19	205.99	102.50	26.79
	Double	1.25	516.45	565.03	394.61	205.00	53.58
	3 Leg	1.85	816.19	889.05	633.44	307.49	80.37
	4 Leg	1.85	1051.68	1047.02	706.20	409.99	107.16
7	Single	1.25	333.86	356.33	242.95	131.18	35.34
	Double	1.75	623.87	668.81	442.04	262.35	70.68
	3 Leg	2.60	984.13	1051.55	711.38	393.53	106.02
	4 Leg	2.60	1272.51	1362.41	908.85	524.70	141.36
8	Single	1.60	354.36	408.24	294.86	131.18	43.50
	Double	2.20	692.10	775.76	548.99	262.35	87.00
	3 Leg	3.35	1033.83	1230.27	890.11	393.53	130.49
	4 Leg	3.35	1378.23	1591.23	1137.68	524.70	173.99
10	Single	2.50	497.15	568.56	383.79	233.71	65.51
	Double	3.50	978.72	1096.79	727.25	467.41	131.02
	3 Leg	5.25	1577.70	1762.04	1207.73	701.12	196.53
	4 Leg	5.25	2033.54	2277.13	1538.06	934.82	262.04
13	Single	4.25	-	792.49	595.42	303.40	117.30
	Double	5.95	-	1517.16	893.46	606.80	234.60
	3 Leg	8.90	-	2398.07	1449.86	910.21	351.90
	4 Leg	8.90	-	3113.03	1857.49	1213.61	469.20
16	Single	6.30	-	POA	POA	POA	POA
	Double	8.80	-	POA	POA	POA	POA
	3 Leg	13.20	-	POA	POA	POA	POA
	4 Leg	13.20	-	POA	POA	POA	POA



Short Link Chain

Chain Dia. mm	Code	£/Each
6	LRG6SSC6	26.79
7	LRG6SSC7	35.34
8	LRG6SSC8	43.50
10	LRG6SSC10	65.51
13	LRG6SSC13	117.30
16	LRG6SSC16	229.11



Master Link

Chain Dia. mm	Code	£/Each
7-6	LRG6SSML76	23.80
8-7	LRG6SSML87	25.03
10-8	LRG6SSML108	35.82
13-10	LRG6SSML1310	47.00
16-13	LRG6SSML1613	71.00
18-16	LRG6SSML1816	113.50



Quad Assembly

Chain Dia. mm	Code	£/Each
6	LRG6SSQA6	86.97
7	LRG6SSQA7	89.01
8	LRG6SSQA8	120.69
10	LRG6SSQA10	181.90
13	LRG6SSQA13	274.03
16	LRG6SSQA16	456.69



Component Connector

Chain Dia. mm	Code	£/Each
6	LRG6SSCC6	57.82
7	LRG6SSCC7	59.86
8	LRG6SSCC8	68.67
10	LRG6SSCC10	90.62
13	LRG6SSCC13	129.66
16	LRG6SSCC16	179.96



Clevis Sling Hook with Safety Catch

Chain Dia. mm	Code	£/Each
5-6	LRG6SSCSH6	118.73
7	LRG6SSCSH7	150.78
8	LRG6SSCSH8	151.04
10	LRG6SSCSH10	230.37



Eye Type Sling Hook with Safety Catch

Chain Dia. mm	Code	£/Each
5-6	LRG6SSESH6	72.30
7-8	LRG6SSESH8	109.95
10	LRG6SSESH10	184.77
13	LRG6SSESH13	260.30
16	LRG6SSESH16	367.44



Shortening Clutch

Chain Dia. mm	Code	£/Each
5-6	LRG6SSSC6	102.50
7-8	LRG6SSSC8	131.18
10	LRG6SSSC10	226.62
13	LRG6SSSC13	275.82
16	LRG6SSSC16	516.80



Dee Shackle - Screw Pin

WLL tonnes	Code	£/Each
0.5	LRG6SSDS0.5	12.90
1.25	LRG6SSDS1.25	23.76
2	LRG6SSDS2	45.90
3.2	LRG6SSDS3.2	87.95
5	LRG6SSDS5	187.61
13	LRG6SSDS13	459.23



Rotating Eye Bolt

Size mm	Vertical WLL tonnes	Code	£/Each
12	0.5	LRG6SSEBR12	96.60
16	1.00	LRG6SSEBR16	124.02
20	2.00	LRG6SSEBR20	160.52
24	2.50	LRG6SSEBR24	218.06




Chain Tag

Type	Code	£/Each
Single Leg	LRG6SSTAGS	5.54
Multi Leg	LRG6SSTAGM	5.54
Ring Attachment	LRG6SSTAGR	5.54



Spare Load & Retaining Pin Set to suit CARTEC Clevis Hook

Size mm	Code	£/Each
5-6	LRG6SSLP6	9.67
7	LRG6SSLP7	13.56
8	LRG6SSLP8	14.32
10	LRG6SSLP10	21.29



Spare Catch Kit to suit CARTEC Sling Hook

Size mm	Code	£/Each
5-6	LRG6SSCK6	11.96
7-8	LRG6SSCK8	13.80
10	LRG6SSCK10	22.26
13	LRG6SSCK13	25.49
16	LRG6SSCK16	30.00



Spare Centre Pin & Bush to suit CARTEC Connector

To suit Dia.	Code	£/Each
6	LRG6SSPB6	15.08
7	LRG6SSPB7	18.22
8	LRG6SSPB8	19.37
10	LRG6SSPB10	21.29
13	LRG6SSPB13	27.13
16	LRG6SSPB16	34.06

Stainless Steel Pump Chains available

Please contact our Sales Office for pricing details on this range of items.





Viper Chain Block

Capacity Kgs	3m Code	£/Each	6m Code	£/Each	10m Code	£/Each	12m Code	£/Each	Carcase Code	£/Each	Extra per £/m
500	LRVCB0.5T3	98.40	LRVCB0.5T6	132.93	LRVCB0.5T10	175.52	LRVCB0.5T12	222.89	LRVCB0.5TC	77.09	11.88
1000	LRVCB1T3	111.03	LRVCB1T6	143.29	LRVCB1T10	186.24	LRVCB1T12	226.69	LRVCB1TC	89.10	13.13
1500	LRVCB1.5T3	152.60	LRVCB1.5T6	193.43	LRVCB1.5T10	243.95	LRVCB1.5T12	292.67	LRVCB1.5TC	127.32	15.51
2000	LRVCB2T3	164.03	LRVCB2T6	207.75	LRVCB2T10	263.11	LRVCB2T12	316.04	LRVCB2TC	136.11	15.51
3000	LRVCB3T3	188.79	LRVCB3T6	250.74	LRVCB3T10	336.72	LRVCB3T12	406.01	LRVCB3TC	146.86	18.60
5000	LRVCB5T3	291.93	LRVCB5T6	386.85	LRVCB5T10	519.39	LRVCB5T12	611.69	LRVCB5TC	225.66	22.32
10000	LRVCB10T3	558.77	LRVCB10T6	755.80	LRVCB10T10	1020.84	LRVCB10T12	1236.48	LRVCB10TC	413.71	72.60
20000	LRVCB20T3	1307.42	LRVCB20T6	1755.16	LRVCB20T10	2292.45	LRVCB20T12	2681.25	LRVCB20TC	1020.84	136.80
30000	LRVCB30T3	3087.98	LRVCB30T6	3680.46	LRVCB30T10	4462.92	LRVCB30T12	5549.44	LRVCB30TC	2669.38	POA



Viper Lever Hoist


Capacity Kgs	1.5m Code	£/Each	3m Code	£/Each	Carcase Code	£/Each	Extra per £/m
250	LRVLH0.25T1.5	89.55	LRVLH0.25T3	100.30	LRVLH0.25TC	82.40	POA
500	LRVLH0.5T1.5	96.70	LRVLH0.5T3	107.45	LRVLH0.5TC	96.44	POA
750	LRVLH0.75T1.5	118.21	LRVLH0.75T3	128.96	LRVLH0.75TC	111.03	11.88
1000	LRVLH1T1.5	118.95	LRVLH1T3	134.34	LRVLH1TC	112.47	11.88
1500	LRVLH1.5T1.5	156.11	LRVLH1.5T3	175.52	LRVLH1.5TC	146.86	15.51
2000	LRVLH2T1.5	232.84	LRVLH2T3	257.89	LRVLH2TC	211.68	15.51
3000	LRVLH3T1.5	232.84	LRVLH3T3	257.89	LRVLH3TC	211.68	20.50
6000	LRVLH6T1.5	358.19	LRVLH6T3	401.18	LRVLH6TC	305.90	41.00
9000	LRVLH9T1.5	555.19	LRVLH9T3	644.74	LRVLH9TC	479.97	61.50

Other styles of Hoists available, please contact the Sales Office for further details



Viper Zinc Plated Load Chain Grade 80

Dia	Pitch	Code	£/m
4mm	16	LRLCZP4	5.52
5mm	15	LRLCZP5	6.80
6mm	18	LRLCZP6	9.20
7.1mm	21	LRLCZP7	9.60
8mm	24	LRLCZP8	10.50
10mm	30	LRLCZP10	14.10



Hand Chain

Dia	Pitch	Code	£/m
5mm	23.7mm	LRHCZP5X23	2.56



Permanent Magnetic Lifter

Capacity Kgs	Code	£/Each
100	LRPML100	170.00
300	LRPML300	295.00
600	LRPML600	532.00
1000	LRPML1000	995.00
2000	LRPML2000	1920.00
3000	LRPML3000	3445.00
6000	LRPML6000	5492.00





Adjustable Beam Clamp

Capacity Kgs	Code	£/Each
1000	LRBC1	49.12
2000	LRBC2	52.77
3000	LRBC3	87.25
5000	LRBC5	106.34
10000	LRBC10	182.01




Hand Chain to suit Geared Trolley

Dia	Pitch	Code	£/m
5mm	25mm	LRHCZP5X25	2.45




Push Travel (Girder) Trolley

Size mm	Code	£/Each
500	LRPT0.5	72.53
1000	LRPT1	92.15
2000	LRPT2	131.54
3000	LRPT3	203.32
5000	LRPT5	310.89



Horizontal Plate Clamps

Jaw mm	Capacity per Pair Kgs	Code	£/per Pair
0-25	1500	LRHPC1.5T	146.21
0-30	2000	LRHPC2T	167.59
0-30	3000	LRHPC3T	198.70
0-35	4000	LRHPC4T	316.97
0-45	5000	LRHPC5T	370.22
0-50	10000	LRHPC10T	455.16



Geared Travel (Girder) Trolley


Capacity Kgs	Code	£/Each	Extra per £/m
500	LRGT0.5	100.71	5.43
1000	LRGT1	139.91	5.43
2000	LRGT2	163.52	5.43
3000	LRGT3	264.38	5.43
5000	LRGT5	365.75	5.43

With 3 metre drop of Chain



Vertical Plate Clamp

Jaw mm	Capacity Kgs	Code	£/per Each
0-15	500	LRVPC0.5	143.12
0-20	1000	LRVPC1	171.67
0-25	2000	LRVPC2	227.89
0-30	3000	LRVPC3	346.25
0-30	5000	LRVPC5	437.92



Wire Rope Winch c/w 20 metre Rope and Hook

Lifting Capacity Kgs	Code	£/Each
800	LRWRW0.8	209.00
1600	LRWRW1.6	296.00
3200	LRWRW3.2	474.00
5400	LRWRW5.4	933.00

Alternative Rope lengths available upon request



Crane Forks Self Balancing Type

Capacity Kgs	Code	£/Each
2000	LRGTCF2	POA



Galvanised Wire Rope to suit Wire Rope Winch complete with end fitting

Capacity Kgs	Length Metre	Code	£/Each
800	10	LRWRWW810	42.00
800	20	LRWRWW820	64.91
800	30	LRWRWW830	81.16
800	40	LRWRWW840	97.36
800	50	LRWRWW850	113.58
1600	10	LRWRWW1110	78.00
1600	20	LRWRWW1120	113.59
1600	30	LRWRWW1130	146.01
1600	40	LRWRWW1140	178.55
1600	50	LRWRWW1150	211.00
3200	10	LRWRWW1610	108.00
3200	20	LRWRWW1620	129.81
3200	30	LRWRWW1630	172.04
3200	40	LRWRWW1640	214.21
3200	50	LRWRWW1650	256.39
5400	20	LRWRWW2020	POA
5400	30	LRWRWW2030	POA
5400	40	LRWRWW2040	POA
5400	50	LRWRWW2050	POA



Hydraulic Engine Lift

Capacity Kgs	Code	£/Each
2000	LRGTEL2	POA



Hydraulic Furniture Mover

Capacity Kgs	Code	£/Each
1800	LRGTFM18	POA



Hand Operated Hydraulic Pallet Truck

Capacity Kgs	Fork Size		Code	£/Each
	Overall length mm	Overall width mm		
2500	1100	540	LRGTPT2.5540	390.00
2500	1220	685	LRGTPT2.5685	410.00



Machinery Moving Skate Set with Handle & Trailers

Capacity tonnes	Code	£/Each
8	LRGTMMS8	480.60
16	LRGTMMS16	652.32
24	LRGTMMS24	812.16



Hydraulic Jack

Capacity Kgs	Code	£/Each
5000	LRGTHJ5	415.00
10000	LRGTHJ10	541.94
25000	LRGTHJ25	1320.00




Machinery Moving Skate Steering Section only with Handle

Capacity tonnes	Code	£/Each
4	LRGTMMS4S	278.00
8	LRGTMMS8S	376.00
12	LRGTMMS12S	468.00



Toe Jack

Capacity Kgs	Code	£/Each
3000	LRGTTJ3	264.00
8000	LRGTTJ8	350.00



Machinery Moving Skate Single Trailing Section only

Capacity tonnes	Code	£/Each
2	LRGTMMS2T	140.00
4	LRGTMMS4T	188.00
6	LRGTMMS6T	234.00



Industrial Toe Jack

Capacity Kgs	Code	£/Each
2500	LRGTITJ2.5	236.00
5000	LRGTITJ5	372.00
10000	LRGTITJ10	510.00
15000	LRGTITJ15	POA



360° Rotating Skate

Capacity tonnes	Code	£/Each
2	LRGTRS2	277.34
Handle	LRGTRSHAN	35.00



Hydraulic Bottle Jacks

Capacity Kgs	Code	£/Each
2000	LRGTHBJ2	25.76
3000	LRGTHBJ3	34.98
5000	LRGTHBJ5	40.28
8000	LRGTHBJ8	47.52
10000	LRGTHBJ10	52.36
12000	LRGTHBJ12	59.20
15000	LRGTHBJ15	69.36
20000	LRGTHBJ20	82.40
50000	LRGTHBJ50	POA



360° Rotating Skate

Capacity tonnes	Code	£/Each
4	LRGTRS4	343.44
Handle	LRGTRSHAN	35.00




Hydraulic Trolley (Floor) Jacks

Capacity Kgs	Code	£/Each
2000	LRGTHFJ2	86.40
3000	LRGTHFJ3	281.30




Roller Crowbar

Capacity tonanes	Code	£/Each
3	LRGTRC3	76.00
5	LRGTRC5	92.00



Lightweight Oil Industry Snatch Block

Sheave Dia. Inch	Head Load tonnes	Wire Dia. mm	Shackle Head Code	Hook Head Code	£/Each
3"	2	7-9	LRGTSBS32	LRGTSBH32	68.50
4½"	4	10-12	LRGTSBS44	LRGTSBH44	101.12
6"	8	16	LRGTSBS6816	LRGTSBH6816	170.62
6"	8	20-22	LRGTSBS6820	LRGTSBH6820	172.40
8"	8	20-22	LRGTSBS88	LRGTSBH88	205.93
10"	12	20-22	LRGTSBS1012	LRGTSBH1012	478.00
8"	15	20-22	LRGTSBS815	LRGTSBH815	656.91
12"	15	24-26	LRGTSBS1215	LRGTSBH1215	713.81



Painted Gin Block Swivel Round Eye Tested

Size Inch	Code	£/Each
10"	LRGBSOE10	39.14



Swing Block - to suit a 50mm Dia. towbar

Sheave size mm	Code	£/Each
100	LRSB100	38.00



Galvanised Malleable Iron Block Plain Bore Swivel Oval Eye Tested

Size Inch	Code	Single £/Each	Code	Double £/Each	Code	Treble £/Each
3"	LRGMIBES3	21.45	LRGMIBED3	30.64	LRGMIBET3	49.08
4"	LRGMIBES4	31.44	LRGMIBED4	45.37	LRGMIBET4	52.62
5"	LRGMIBES5	39.93	LRGMIBED5	59.36	LRGMIBET5	57.62
6"	LRGMIBES6	58.35	LRGMIBED6	103.86	LRGMIBET6	148.79
7"	LRGMIBES7	65.52	LRGMIBED7	105.60	LRGMIBET7	168.87
8"	LRGMIBES8	109.20	LRGMIBED8	149.37	LRGMIBET8	240.05



Galvanised Malleable Iron Block Plain Bore Swivel Hook Tested

Size Inch	Code	Single £/Each	Code	Double £/Each	Code	Treble £/Each
3"	LRGMIBHS3	20.17	LRGMIBHD3	29.73	LRGMIBHT3	51.10
4"	LRGMIBHS4	29.24	LRGMIBHD4	44.05	LRGMIBHT4	53.62
5"	LRGMIBHS5	37.17	LRGMIBHD5	57.64	LRGMIBHT5	55.93
6"	LRGMIBHS6	56.66	LRGMIBHD6	100.81	LRGMIBHT6	144.45
7"	LRGMIBHS7	70.73	LRGMIBHD7	110.70	LRGMIBHT7	POA
8"	LRGMIBHS8	110.18	LRGMIBHD8	156.84	LRGMIBHT8	POA



Galvanised Malleable Iron Block Plain Bore "Red Eye" with Steel Sheave Swivel Oval Eye Tested


Size Inch	Code	Single £/Each	Code	Double £/Each
3"	LRGMIBREDS3	20.76	LRGMIBREDD3	30.64
4"	LRGMIBREDS4	31.44	LRGMIBREDD4	45.37
5"	LRGMIBREDS5	39.93	LRGMIBREDD5	59.36
6"	LRGMIBREDS6	58.35	LRGMIBREDD6	103.86

Green Pin Screw Pin Standard Shackle - EN-13889 Grade 6




WLL tonnes	Code BOW	£/Each	Code DEE	£/Each
0.33	LRGPSCB.33	2.61	LRGPSCD.33	2.76
0.50	LRGPSCB.5	2.73	LRGPSCD.5	2.89
0.75	LRGPSCB.75	2.75	LRGPSCD.75	2.91
1.00	LRGPSCB1	3.24	LRGPSCD1	3.43
1.50	LRGPSCB1.5	4.08	LRGPSCD1.5	4.32
2.00	LRGPSCB2	5.30	LRGPSCD2	5.61
3.25	LRGPSCB3.25	6.93	LRGPSCD3.25	7.34
4.75	LRGPSCB4.75	9.31	LRGPSCD4.75	9.87
6.50	LRGPSCB6.5	12.80	LRGPSCD6.5	13.56
8.50	LRGPSCB8.5	18.59	LRGPSCD8.5	19.69
9.50	LRGPSCB9.5	27.70	LRGPSCD9.5	29.34
12.00	LRGPSCB12	37.30	LRGPSCD12	39.51
13.50	LRGPSCB13.5	47.61	LRGPSCD13.5	50.44
17.00	LRGPSCB17	64.71	LRGPSCD17	68.55
25.00	LRGPSCB25	106.43	LRGPSCD25	112.75
35.00	LRGPSCB35	154.25	LRGPSCD35	163.40
42.50	LRGPSCB42.5	268.96	LRGPSCD42.5	284.91
55.00	LRGPSCB55	327.15	LRGPSCD55	346.50

Green Pin Safety Pin Standard Shackle - EN-13889 Grade 6



WLL tonnes	Code BOW	£/Each	Code DEE	£/Each
0.50	LRGPSAB.5	3.53	-	-
0.75	LRGPSAB.75	3.97	-	-
1.00	LRGPSAB1	4.89	-	-
1.50	LRGPSAB1.5	5.63	-	-
2.00	LRGPSAB2	6.28	LRGPSAD2	6.74
3.25	LRGPSAB3.25	9.66	LRGPSAD3.25	9.89
4.75	LRGPSAB4.75	11.98	LRGPSAD4.75	12.57
6.50	LRGPSAB6.5	17.63	LRGPSAD6.5	18.42
8.50	LRGPSAB8.5	25.25	LRGPSAD8.5	26.34
9.50	LRGPSAB9.5	34.89	LRGPSAD9.5	36.66
12.00	LRGPSAB12	46.45	LRGPSAD12	47.65
13.50	LRGPSAB13.5	62.06	LRGPSAD13.5	64.32
17.00	LRGPSAB17	78.08	LRGPSAD17	79.28
25.00	LRGPSAB25	118.93	LRGPSAD25	118.56
35.00	LRGPSAB35	161.65	LRGPSAD35	171.54
42.50	LRGPSAB42.5	297.33	LRGPSAD42.5	317.82
55.00	LRGPSAB55	347.43	LRGPSAD55	364.48
85.00	LRGPSAB85	540.85	LRGPSAD85	582.50

Green Pin Heavy Duty Safety Pin Shackle - Grade 8



WLL tonnes	Code BOW	£/Each	Code DEE	£/Each
120	LRGPHDB120	1246.40	LRGPHDD120	1750.00
150	LRGPHDB150	1879.68	-	-
200	LRGPHDB200	3091.00	-	-
250	LRGPHDB250	POA	-	-
300	LRGPHDB300	POA	-	-
400	LRGPHDB400	POA	-	-
500	LRGPHDB500	POA	-	-
600	LRGPHDB600	POA	-	-
700	LRGPHDB700	POA	-	-
800	LRGPHDB800	POA	-	-
900	LRGPHDB900	POA	-	-
1000	LRGPHDB1000	POA	-	-
1250	LRGPHDB1250	POA	-	-
1500	LRGPHDB1500	POA	-	-



Green Pin Super Bow Shackle with Safety Pin
US Fed Spec RR-C-271 Grade 8

WLL tonnes	Code	£/Each
3.3	LRGPSUP3.3	28.30
5	LRGPSUP5	30.34
7	LRGPSUP7	34.02
9.5	LRGPSUP9.5	42.82
12.5	LRGPSUP12.5	54.34
15	LRGPSUP15	68.16
18	LRGPSUP18	82.52
21	LRGPSUP21	132.61
30	LRGPSUP30	174.40
40	LRGPSUP40	269.39
55	LRGPSUP55	359.66
85	LRGPSUP85	873.27
120	LRGPSUP120	1200.43
150	LRGPSUP150	POA
175	LRGPSUP175	POA




Green Pin Super Bow Shackle with Screw Pin
US Fed Spec RR-C-271 Grade 8

WLL tonnes	Code	£/Each
3.3	LRGPSUPSC3.3	19.10
5	LRGPSUPSC5	28.20
7	LRGPSUPSC7	39.82
9.5	LRGPSUPSC9.5	52.30
12.5	LRGPSUPSC12.5	63.06



Green Pin Polar Bow Shackle with Safety Pin
EN-13889 Grade 8

WLL tonnes	Code	£/Each
2.00	LRGPPOL2	13.48
3.25	LRGPPOL3.25	17.98
4.75	LRGPPOL4.75	23.00
6.5	LRGPPOL6.5	34.34
8.5	LRGPPOL8.5	47.90
9.5	LRGPPOL9.5	65.00
12	LRGPPOL12	87.50
13.5	LRGPPOL13.5	111.80
17	LRGPPOL17	132.80
25	LRGPPOL25	231.60
35	LRGPPOL35	320.60
42.5	LRGPPOL42.5	627.50
55	LRGPPOL55	738.50
85	LRGPPOL85	1156.40



Green Pin Heavy Duty Polar Bow Shackle with Safety Pin
Grade 8

WLL tonnes	Code	£/Each
120	LRGPPOLHD120	POA
150	LRGPPOLHD150	POA
200	LRGPPOLHD200	POA
250	LRGPPOLHD250	POA
300	LRGPPOLHD300	POA
400	LRGPPOLHD400	POA
500	LRGPPOLHD500	POA
600	LRGPPOLHD600	POA
700	LRGPPOLHD700	POA
800	LRGPPOLHD800	POA
900	LRGPPOLHD900	POA
1000	LRGPPOLHD1000	POA
1250	LRGPPOLHD1250	POA
1500	LRGPPOLHD1500	POA



Green Pin Wide Mouth Bow Shackle with Safety Pin
Grade 8

WLL tonnes	Code	£/Each
4.75	LRGPWM4.75	39.32
6.5	LRGPWM6.5	53.12
8.5	LRGPWM8.5	91.16
9.5	LRGPWM9.5	118.84
12	LRGPWM12	157.20
16	LRGPWM16	262.96
25	LRGPWM25	307.98
30	LRGPWM30	410.32
55	LRGPWM55	1033.00
75	LRGPWM75	2138.43




Green Pin Wide Mouth Dee Shackle with Safety Pin
Grade 8

WLL tonnes	Code	£/Each
4.6	LRGPWMD4.6	38.16
8.6	LRGPWMD8.6	63.06
15.5	LRGPWMD15.5	190.86



Green Pin Sling Safety Pin Bow Shackle - **Grade 8**

WLL tonnes	Code	£/Each
7	LRGPSL7	66.84
12.5	LRGPSL12.5	109.52
18	LRGPSL187	424.14
30	LRGPSL30	508.80
40	LRGPSL40	665.10
55	LRGPSL55	834.60
75	LRGPSL75	POA
125	LRGPSL125	POA
150	LRGPSL150	POA
200	LRGPSL200	POA
250	LRGPSL250	POA
300	LRGPSL300	POA
400	LRGPSL400	POA
500	LRGPSL500	POA
600	LRGPSL600	POA
700	LRGPSL700	POA
800	LRGPSL800	POA
900	LRGPSL900	POA
1000	LRGPSL1000	POA
1250	LRGPSL1250	POA
1550	LRGPSL1550	POA



Green Pin Power Sling Shackle - **Grade 8**

WLL tonnes	Code	£/Each
125	LRGPPOW125	3416.00
150	LRGPPOW150	4710.00
200	LRGPPOW200	6062.00
250	LRGPPOW250	7411.00
300	LRGPPOW300	9639.00
400	LRGPPOW400	14235.00
500	LRGPPOW500	18466.00
600	LRGPPOW600	24580.00
700	LRGPPOW700	POA
800	LRGPPOW800	POA
900	LRGPPOW900	POA
1000	LRGPPOW1000	POA
1250	LRGPPOW1250	POA



Green Pin Sunken Hole Bow Shackle

EN-13889 **Grade 6**

WLL tonnes	Code	£/Each
2	LRGPSQSUB2	10.39
3.25	LRGPSQSUB3.25	13.09
4.75	LRGPSQSUB4.75	17.80
6.5	LRGPSQSUB6.5	27.91
8.5	LRGPSQSUB8.5	39.66
9.5	LRGPSQSUB9.5	50.48
12	LRGPSQSUB12	63.86
13.5	LRGPSQSUB13.5	POA
17	LRGPSQSUB17	124.84



Green Pin Sunken Hole Dee Shackle

EN-13889 **Grade 6**

WLL tonnes	Code	£/Each
2	LRGPSQSUD2	10.50
3.25	LRGPSQSUD3.25	13.05
4.75	LRGPSQSUD4.75	17.98
6.5	LRGPSQSUD6.5	27.82
8.5	LRGPSQSUD8.5	38.98
9.5	LRGPSQSUD9.5	49.55
12	LRGPSQSUD12	63.86
13.5	LRGPSQSUD13.5	POA
17	LRGPSQSUD17	127.75



Green Pin Square Head Bow Shackle

EN-13889 **Grade 6**

WLL tonnes	Code	£/Each
2	LRGPSQB2	6.86
3.25	LRGPSQB3.25	10.27
4.75	LRGPSQB4.75	13.14
6.5	LRGPSQB6.5	19.11
8.5	LRGPSQB8.5	28.30
9.5	LRGPSQB9.5	44.48
12	LRGPSQB12	60.02
13.5	LRGPSQB13.5	76.30
17	LRGPSQB17	115.39
25	LRGPSQB25	197.86



Green Pin Square Head Dee Shackle

EN-13889 **Grade 6**

WLL tonnes	Code	£/Each
2	LRGPSQD2	6.98
3.25	LRGPSQD3.25	10.44
4.75	LRGPSQD4.75	13.16
6.5	LRGPSQD6.5	19.32
8.5	LRGPSQD8.5	28.64
9.5	LRGPSQD9.5	44.77
12	LRGPSQD12	60.44
13.5	LRGPSQD13.5	76.86
17	LRGPSQD17	115.40
25	LRGPSQD25	201.7





Green Pin® Fixed Nut Shackles

Shackles can also be used in more permanent constructions. These can be subject to dynamic loads and/or extreme vibrations. In such applications there is a risk that, over time, the nut starts moving over the thread. To avoid this risk we offer our range of Green Pin® Fixed Nut Shackles.

Green Pin® standard, Polar and Super shackles can be equipped with an extra AISI 316 securing bolt which is drilled through the nut and shackle pin. This securing bolt is fastened with two sets of Nord-Lock® washers and a securing nut. This will keep the shackle nut in position. The Nord-Lock wedge-locking washers lock when subjected to extreme vibration or dynamic loads.

Green Pin® Fixed Nut Shackles are available on request



Green Pin Fixed Nut Safety Bow Shackle EN-13889 Grade 6

WLL tonnes	Code	£/Each
2	LRGPSABFN2	49.05
3.25	LRGPSABFN3.25	52.82
4.75	LRGPSABFN4.75	55.40
6.5	LRGPSABFN6.5	61.70
8.5	LRGPSABFN8.5	70.20
9.5	LRGPSABFN9.5	107.10
12	LRGPSABFN12	119.98
13.5	LRGPSABFN13.5	137.40
17	LRGPSABFN17	155.25
25	LRGPSABFN25	200.8
35	LRGPSABFN35	248.43
42.5	LRGPSABFN42.5	445.18
55	LRGPSABFN55	501.05
85	LRGPSABFN85	716.73

Green Pin Fixed Nut Safety Dee Shackle EN-13889 Grade 6


WLL tonnes	Code	£/Each
2	LRGPSADFN2	49.14
3.25	LRGPSADFN3.25	52.45
4.75	LRGPSADFN4.75	55.27
6.5	LRGPSADFN6.5	61.43
8.5	LRGPSADFN8.5	69.77
9.5	LRGPSADFN9.5	106.77
12	LRGPSADFN12	118.34
13.5	LRGPSADFN13.5	135.89
17	LRGPSADFN17	151.64
25	LRGPSADFN25	192.98
35	LRGPSADFN35	248.75
42.5	LRGPSADFN42.5	448.18
55	LRGPSADFN55	497.30
85	LRGPSADFN85	726.80

Green Pin Fixed Nut Heavy Duty Bow Shackle Grade 8

WLL tonnes	Code	£/Each
120	LRGPHDBFN120	POA
150	LRGPHDBFN150	POA


Green Pin Fixed Nut Heavy Duty Dee Shackle Grade 8

WLL tonnes	Code	£/Each
120	LRGPHDDFN120	POA




Green Pin Fixed Nut Super Bow Shackle
US Fed Spec RR-C-271 Grade 8

WLL tonnes	Code	£/Each
3.3	LRGPSUPFN3.3	70.34
5	LRGPSUPFN5	72.39
7	LRGPSUPFN7	76.07
9.5	LRGPSUPFN9.5	84.86
12.5	LRGPSUPFN12.5	96.39
15	LRGPSUPFN15	136.34
18	LRGPSUPFN18	150.70
21	LRGPSUPFN21	200.8
30	LRGPSUPFN30	242.89
40	LRGPSUPFN40	337.57
55	LRGPSUPFN55	473.3
85	LRGPSUPFN85	986.91
120	LRGPSUPFN120	1314.08
150	LRGPSUPFN150	POA
175	LRGPSUPFN175	POA




Green Pin Fixed Nut Polar Bow Shackle
EN-13889 Grade 8

WLL tonnes	Code	£/Each
2	LRGPPOLFN2	55.52
3.25	LRGPPOLFN3.25	60.03
4.75	LRGPPOLFN4.75	65.05
6.5	LRGPPOLFN6.5	76.39
8.5	LRGPPOLFN8.5	89.93
9.5	LRGPPOLFN9.5	133.39
12	LRGPPOLFN12	155.68
13.5	LRGPPOLFN13.5	179.95
17	LRGPPOLFN17	200.95
25	LRGPPOLFN25	299.77
35	LRGPPOLFN35	388.73
42.5	LRGPPOLFN42.5	741.14
55	LRGPPOLFN55	852.10
85	LRGPPOLFN85	1270.02




Green Pin Fixed Nut Heavy Duty Polar Shackle
Grade 8

WLL tonnes	Code	£/Each
120	LRGPPOLHDFN120	POA
150	LRGPPOLHDFN150	POA



Green Pin Fixed Nut Wide Mouth Bow Shackle
Grade 8

WLL tonnes	Code	£/Each
4.75	LRGPWMFN4.75	81.36
6.5	LRGPWMFN6.5	95.16
8.5	LRGPWMFN8.5	133.20
9.5	LRGPWMFN9.5	187.02
12	LRGPWMFN12	225.39
16	LRGPWMFN16	331.18
25	LRGPWMFN25	376.16
30	LRGPWMFN30	478.32
55	LRGPWMFN55	1146.66
75	LRGPWMFN75	2252.07



Green Pin Fixed Nut Sling Shackle
Grade 8

WLL tonnes	Code	£/Each
7	LRGPSLFN7	108.89
12.5	LRGPSLFN12.5	151.57
18	LRGPSLFN18	492.32
30	LRGPSLFN30	576.98
40	LRGPSLFN40	733.27
55	LRGPSLFN55	902.75
75	LRGPSLFN75	POA
125	LRGPSLFN125	POA
150	LRGPSLFN150	POA




Green Pin Theatre Bow Shackle with Screw Pin
EN-13889 Grade 6

WLL tonnes	Code	£/Each
0.33	LRGPTHB.33	3.43
0.5	LRGPTHB.5	3.61
0.75	LRGPTHB.75	3.84
1	LRGPTHB1	4.61
1.5	LRGPTHB1.5	5.50
2	LRGPTHB2	7.77
3.25	LRGPTHB3.25	11.00
4.75	LRGPTHB4.75	14.50
6.5	LRGPTHB6.5	19.50
8.5	LRGPTHB8.5	28.50



Green Pin ROV Release Shackle with Spring Pin
Grade 8

WLL tonnes	Code	£/Each
6.5	LRGPROV53636.5	56.95
9.5	LRGPROV53639.5	109.32
12	LRGPROV536312	146.28
17	LRGPROV536317	259.10
25	LRGPROV536325	431.84
35	LRGPROV536335	1094.27
55	LRGPROV536355	1303.34
85	LRGPROV536385	2119.90



Green Pin ROV Release & Retrieve Shackle with Tapered Pin & Fishtail Handle
Grade 8

WLL tonnes	Code	£/Each
6.5	LRGPROV5361F6.5	296.20
9.5	LRGPROV5361F9.5	330.02
12	LRGPROV5361F12	346.96
17	LRGPROV5361F17	440.05
25	LRGPROV5361F25	550.05
35	LRGPROV5361F35	820.86
42.5	LRGPROV5361F42.5	1269.40
55	LRGPROV5361F55	1675.56



Green Pin ROV Release Shackle with Locking Clamp
Grade 8

WLL tonnes	Code	£/Each
6.5	LRGPROV53656.5	397.20
9.5	LRGPROV53659.5	472.64
12	LRGPROV536512	488.04
17	LRGPROV536517	620.28
25	LRGPROV536525	777.32
35	LRGPROV536535	1221.05
55	LRGPROV536555	1962.86
85	LRGPROV536585	3124.94
120	LRGPROV5365120	POA
150	LRGPROV5365150	POA
200	LRGPROV5365200	POA
250	LRGPROV5365250	POA




Green Pin ROV Guided Pin Release & Retrieve Shackle with D Handle
Grade 8

WLL tonnes	Code	£/Each
12	LRGPROV5362D12	2064.18
17	LRGPROV5362D17	2173.70
25	LRGPROV5362D25	2359.50
35	LRGPROV5362D35	2503.91
42.5	LRGPROV5362D42.5	POA
55	LRGPROV5362D55	3247.27



Green Pin ROV Release Shackle with Spring Release
Grade 8

WLL tonnes	Code	£/Each
12	LRGPROV536712	2309.28
13.5	LRGPROV536713.5	2424.73
17	LRGPROV536717	2494.00
25	LRGPROV536725	2917.40
35	LRGPROV536735	3117.52
42.5	LRGPROV536742.5	4272.16
55	LRGPROV536755	4903.34
85	LRGPROV536785	6450.57
120	LRGPROV5367120	10927.55
150	LRGPROV5367150	11757.66



Green Pin ROV Guided Pin Release & Retrieve Shackle with Fishtail Handle
Grade 8

WLL tonnes	Code	£/Each
12	LRGPROV5362F12	2064.18
17	LRGPROV5362F17	2173.70
25	LRGPROV5362F25	2359.50
35	LRGPROV5362F35	2503.91
42.5	LRGPROV5362F42.5	POA
55	LRGPROV5362F55	3247.27



Green Pin ROV Release & Retrieve Shackle with Tapered Pin & D Handle
Grade 8


WLL tonnes	Code	£/Each
6.5	LRGPROV5361D6.5	296.20
9.5	LRGPROV5361D9.5	330.02
12	LRGPROV5361D12	346.96
17	LRGPROV5361D17	440.05
25	LRGPROV5361D25	550.05
35	LRGPROV5361D35	820.86
42.5	LRGPROV5361D42.5	1269.40
55	LRGPROV5361D55	1675.56



Compression Tool for ROV Spring Release Shackle


To suit Shackle WLL tonnes	£/Each
42.5	POA
55	POA
85	POA
120	POA
150	POA

GT Blue Pin Screw Pin Shackle - Grade 6



WLL tonnes	Code BOW	£/Each	Code DEE	£/Each
0.33	LRBPSCB.33	0.69	LRBPSCD.33	-
0.50	LRBPSCB.50	0.78	LRBPSCD.50	0.83
0.75	LRBPSCB.75	0.91	LRBPSCD.75	0.99
1.00	LRBPSCB1	1.40	LRBPSCD1	1.43
1.50	LRBPSCB1.5	1.53	LRBPSCD1.5	1.57
2.00	LRBPSCB2	1.95	LRBPSCD2	1.94
3.25	LRBPSCB3.25	3.65	LRBPSCD3.25	3.70
4.75	LRBPSCB4.75	5.44	LRBPSCD4.75	5.47
6.50	LRBPSCB6.5	8.42	LRBPSCD6.5	8.44
8.50	LRBPSCB8.5	12.46	LRBPSCD8.5	12.40
9.50	LRBPSCB9.5	16.58	LRBPSCD9.5	16.31
12.00	LRBPSCB12	23.68	LRBPSCD12	23.10
13.50	LRBPSCB13.5	32.63	LRBPSCD13.5	30.32
17.00	LRBPSCB17	40.67	LRBPSCD17	39.82
25.00	LRBPSCB25	69.90	LRBPSCD25	65.94
35.00	LRBPSCB35	99.34	LRBPSCD35	103.12
55.00	LRBPSCB55	219.73	LRBPSCD55	221.75

GT Blue Pin Safety Pin Shackle - Grade 6



WLL tonnes	Code BOW	£/Each	Code DEE	£/Each
0.50	LRBPSAB.50	0.99	-	-
0.75	LRBPSAB.75	1.19	-	-
1.00	LRBPSAB1	1.63	LRBPSAD1	1.65
1.50	LRBPSAB1.5	1.81	LRBPSAD1.5	1.76
2.00	LRBPSAB2	2.33	LRBPSAD2	2.40
3.25	LRBPSAB3.25	3.92	LRBPSAD3.25	3.95
4.75	LRBPSAB4.75	6.20	LRBPSAD4.75	6.36
6.50	LRBPSAB6.5	9.68	LRBPSAD6.5	9.54
8.50	LRBPSAB8.5	13.70	LRBPSAD8.5	13.86
9.50	LRBPSAB9.5	18.70	LRBPSAD9.5	18.78
12.00	LRBPSAB12	26.94	LRBPSAD12	26.34
13.50	LRBPSAB13.5	35.78	LRBPSAD13.5	35.23
17.00	LRBPSAB17	45.78	LRBPSAD17	45.64
25.00	LRBPSAB25	76.85	LRBPSAD25	78.79
35.00	LRBPSAB35	117.72	LRBPSAD35	116.27
55.00	LRBPSAB55	263.18	LRBPSAD55	247.45
85.00	LRBPSAB85	491.63	LRBPSAD85	471.05
120.00	LRBPSAB120	935.77	LRBPSAD120	-



High Tensile Long Dee 'Piling' Shackle Self Colour Finish

WLL tonnes	Code	£/Each
1.00	LRHTLDP1	14.00
1.50	LRHTLDP1.5	15.00
2.00	LRHTLDP2	18.30
3.00	LRHTLDP3	25.00
3.75	LRHTLDP3.75	28.90
5.00	LRHTLDP5	39.50

High Tensile Large Dee Shackle

WLL tonnes	Self Colour Code	£/Each	Galvanised Code	£/Each
0.25	LRHTLDSC.25	1.40	LRHTLDG.25	1.68
0.50	LRHTLDSC.5	1.65	LRHTLDG.5	1.98
0.75	LRHTLDSC.75	2.18	LRHTLDG.75	2.62
1.50	LRHTLDSC1.5	4.30	LRHTLDG1.5	5.00
2.00	LRHTLDSC2	6.26	LRHTLDG2	7.32
3.00	LRHTLDSC3	8.92	LRHTLDG3	10.38
3.75	LRHTLDSC3.75	12.46	LRHTLDG3.75	14.52
5.00	LRHTLDSC5	18.30	LRHTLDG5	21.22
6.00	LRHTLDSC6	25.52	LRHTLDG6	28.74
7.00	LRHTLDSC7	37.20	LRHTLDG7	41.96
9.50	LRHTLDSC9.5	51.28	LRHTLDG9.5	59.14
11.25	LRHTLDSC11	80.62	LRHTLDG11	POA
13.00	LRHTLDSC13	119.88	LRHTLDG13	POA
14.25	LRHTLDSC14	168.00	LRHTLDG14	POA



High Tensile Large Bow Shackle

WLL tonnes	Self Colour Code	£/Each	Galvanised Code	£/Each
0.45	LRHTLBSC.45	1.65	LRHTLBG.45	1.98
0.75	LRHTLBSC.75	2.18	LRHTLBG.75	2.62
1.25	LRHTLBSC1.25	4.30	LRHTLBG1.25	5.00
2.00	LRHTLBSC2	6.58	LRHTLBG2	7.70
2.75	LRHTLBSC2.75	9.38	LRHTLBG2.75	10.90
3.75	LRHTLBSC3.75	13.08	LRHTLBG3.75	15.24
4.75	LRHTLBSC4.75	19.22	LRHTLBG4.75	22.28
5.75	LRHTLBSC5.75	26.78	LRHTLBG5.75	30.16
7.25	LRHTLBSC7.25	39.05	LRHTLBG7.25	41.24
8.50	LRHTLBSC8.5	53.83	LRHTLBG8.5	57.20
9.50	LRHTLBSC9.5	POA	LRHTLBG9.5	POA
11.50	LRHTLBSC11.5	POA	LRHTLBG11.5	POA



High Tensile Small Dee Shackle

WLL tonnes	Self Colour Code	£/Each	Galvanised Code	£/Each
0.30	LRHTSDSC.3	1.40	LRHTSDG.3	1.68
0.60	LRHTSDSC.6	1.65	LRHTSDG.6	1.98
1.00	LRHTSDSC1	2.18	LRHTSDG1	2.62
1.75	LRHTSDSC1.75	4.30	LRHTSDG1.75	5.00
2.50	LRHTSDSC2.5	6.26	LRHTSDG2.5	7.32
3.50	LRHTSDSC3.5	8.92	LRHTSDG3.5	10.38
4.50	LRHTSDSC4.5	12.46	LRHTSDG4.5	14.52
5.50	LRHTSDSC5.5	18.30	LRHTSDG5.5	21.22
7.00	LRHTSDSC7	25.52	LRHTSDG7	28.74
8.00	LRHTSDSC8	37.20	LRHTSDG8	41.96
10.75	LRHTSDSC10.75	51.28	LRHTSDG10.75	59.14



High Tensile Small Bow Shackle

WLL tonnes	Self Colour Code	£/Each	Galvanised Code	£/Each
0.50	LRHTSBSC.5	1.65	LRHTSBG.5	1.98
1.00	LRHTSBSC1	2.18	LRHTSBG1	2.62
1.50	LRHTSBSC1.50	4.30	LRHTSBG1.50	5.00
2.00	LRHTSBSC2	6.58	LRHTSBG2	7.70
3.00	LRHTSBSC3	9.38	LRHTSBG3	10.90
4.00	LRHTSBSC4	13.08	LRHTSBG4	15.24
5.00	LRHTSBSC5	17.60	LRHTSBG5	22.28
6.25	LRHTSBSC6.25	24.44	LRHTSBG6.25	30.16
7.50	LRHTSBSC7.5	36.32	LRHTSBG7.5	41.24
9.25	LRHTSBSC9.25	48.85	LRHTSBG9.25	57.20
10.50	LRHTSBSC10.5	POA	LRHTSBG10.5	POA



Commercial Dee Shackle Galvanised



Body mm	Pin mm	Electro Galv Code	£/Each	Hot Dipped Galv Code	£/Each
5	5	LRCDZP5	0.32	LRCDHD5	0.38
6	6	LRCDZP6	0.41	LRCDHD6	0.52
8	8	LRCDZP8	0.56	LRCDHD8	0.68
10	10	LRCDZP10	0.68	LRCDHD10	0.84
11	11	LRCDZP11	1.16	LRCDHD11	1.26
12	12	LRCDZP12	1.27	LRCDHD12	1.86
12	16	LRCDZP1216	1.62	-	-
16	16	LRCDZP16	2.82	LRCDHD16	3.36
16	19	LRCDZP1619	4.18	-	-
19	19	LRCDZP19	4.40	LRCDHD19	4.58
19	22	LRCDZP1922	4.68	-	-
22	22	LRCDZP22	5.96	-	-
22	25	LRCDZP2225	6.54	-	-
25	25	LRCDZP25	9.54	-	-

Commercial Bow Shackle Galvanised



Body mm	Pin mm	Electro Galv Code	£/Each	Hot Dipped Galv Code	£/Each
5	5	LRCBZP5	0.35	LRCBHD5	0.48
6	6	LRCBZP6	0.44	LRCBHD6	0.56
8	8	LRCBZP8	0.56	LRCBHD8	0.72
10	10	LRCBZP10	0.78	LRCBHD10	0.86
11	11	LRCBZP11	1.26	LRCBHD11	1.38
12	12	LRCBZP12	1.34	LRCBHD12	1.48
12	16	LRCBZP1216	2.04	-	-
16	16	LRCBZP16	2.78	LRCBHD16	2.86
16	19	LRCBZP1619	4.18	-	-
19	19	LRCBZP19	4.42	LRCBHD19	5.90
19	22	LRCBZP1922	5.94	-	-
22	22	LRCBZP22	6.71	LRCBHD22	10.15



LiftKing Polyester Webbing Sling with Soft Eyes

BS-EN 1492-1:2000



EWL Metre	Code	Violet 1 tonne £/Each	Code	Green 2 tonne £/Each	Code	Yellow 3 tonne £/Each	Code	Grey 4 tonne £/Each	Code	Red 5 tonne £/Each
0.5	LRDWS1T0.5M	3.20	LRDWS2T0.5M	4.41	LRDWS3T0.5M	POA	LRDWS4T0.5M	POA	LRDWS5T0.5M	POA
1	LRDWS1T1M	3.47	LRDWS2T1M	6.84	LRDWS3T1M	5.44	LRDWS4T1M	12.21	LRDWS5T1M	16.97
2	LRDWS1T2M	4.26	LRDWS2T2M	9.80	LRDWS3T2M	10.29	LRDWS4T2M	16.75	LRDWS5T2M	22.29
3	LRDWS1T3M	6.06	LRDWS2T3M	12.60	LRDWS3T3M	14.53	LRDWS4T3M	22.42	LRDWS5T3M	28.31
4	LRDWS1T4M	8.38	LRDWS2T4M	15.55	LRDWS3T4M	17.76	LRDWS4T4M	28.06	LRDWS5T4M	36.12
5	LRDWS1T5M	10.29	LRDWS2T5M	18.53	LRDWS3T5M	22.41	LRDWS4T5M	34.10	LRDWS5T5M	44.18
6	LRDWS1T6M	11.89	LRDWS2T6M	21.29	LRDWS3T6M	26.48	LRDWS4T6M	39.97	LRDWS5T6M	52.26
7	LRDWS1T7M	13.74	LRDWS2T7M	24.12	LRDWS3T7M	32.39	LRDWS4T7M	47.71	LRDWS5T7M	61.73
8	LRDWS1T8M	15.55	LRDWS2T8M	25.51	LRDWS3T8M	36.83	LRDWS4T8M	53.77	LRDWS5T8M	69.82
10	LRDWS1T10M	19.18	LRDWS2T10M	30.16	LRDWS3T10M	45.72	LRDWS4T10M	66.48	LRDWS5T10M	85.92
12	LRDWS1T12M	21.48	LRDWS2T12M	33.48	LRDWS3T12M	52.10	LRDWS4T12M	POA	LRDWS5T12M	POA

EWL Metre	Code	Brown 6 tonne £/Each	Code	Blue 8 tonne £/Each	Code	Orange 10 tonne £/Each	Code	Orange 12 tonne £/Each	Code	Orange 20 tonne £/Each
1	LRDWS6T1M	POA	LRDWS8T1M	POA	LRDWS10T1M	POA	LRDWS12T1M	POA	LRDWS20T1M	POA
2	LRDWS6T2M	25.64	LRDWS8T2M	36.10	LRDWS10T2M	30.16	LRDWS12T2M	POA	LRDWS20T2M	POA
3	LRDWS6T3M	34.51	LRDWS8T3M	50.26	LRDWS10T3M	45.72	LRDWS12T3M	POA	LRDWS20T3M	POA
4	LRDWS6T4M	43.39	LRDWS8T4M	64.38	LRDWS10T4M	66.48	LRDWS12T4M	POA	LRDWS20T4M	158.78
5	LRDWS6T5M	52.26	LRDWS8T5M	78.49	LRDWS10T5M	85.92	LRDWS12T5M	POA	LRDWS20T5M	POA
6	LRDWS6T6M	61.16	LRDWS8T6M	94.65	LRDWS10T6M	98.67	LRDWS12T6M	142.75	LRDWS20T6M	252.42
7	LRDWS6T7M	72.76	LRDWS8T7M	97.11	LRDWS10T7M	POA	LRDWS12T7M	POA	LRDWS20T7M	POA
8	LRDWS6T8M	80.92	LRDWS8T8M	124.90	LRDWS10T8M	153.15	LRDWS12T8M	202.14	LRDWS20T8M	323.75
10	LRDWS6T10M	98.67	LRDWS8T10M	153.15	LRDWS10T10M	199.58	LRDWS12T10M	248.18	LRDWS20T10M	395.30
12	LRDWS6T12M	122.50	LRDWS8T12M	POA	LRDWS10T12M	POA	LRDWS12T12M	294.26	LRDWS20T12M	POA

LiftKing Polyester Round Sling

BS-EN 1492-2:2000



EWL Metre	Code	Violet 1 tonne £/Each	Code	Green 2 tonne £/Each	Code	Yellow 3 tonne £/Each	Code	Grey 4 tonne £/Each	Code	Red 5 tonne £/Each
0.5	LRPRS1T0.5M	2.45	LRPRS2T0.5M	3.11	LRPRS3T0.5M	5.54	LRPRS4T0.5M	4.67	LRPRS5T0.5M	5.44
1	LRPRS1T1M	3.90	LRPRS2T1M	4.78	LRPRS3T1M	6.22	LRPRS4T1M	7.33	LRPRS5T1M	8.12
1.5	LRPRS1T1.5M	4.77	LRPRS2T1.5M	6.12	LRPRS3T1.5M	8.56	LRPRS4T1.5M	10.21	LRPRS5T1.5M	11.66
2	LRPRS1T2M	5.90	LRPRS2T2M	7.98	LRPRS3T2M	11.02	LRPRS4T2M	13.33	LRPRS5T2M	16.44
2.5	LRPRS1T2.5M	7.00	LRPRS2T2.5M	10.01	LRPRS3T2.5M	13.34	LRPRS4T2.5M	16.65	LRPRS5T2.5M	19.45
3	LRPRS1T3M	8.22	LRPRS2T3M	11.66	LRPRS3T3M	15.78	LRPRS4T3M	20.00	LRPRS5T3M	23.34
4	LRPRS1T4M	9.89	LRPRS2T4M	14.89	LRPRS3T4M	20.22	LRPRS4T4M	26.22	LRPRS5T4M	31.10
5	LRPRS1T5M	12.20	LRPRS2T5M	18.21	LRPRS3T5M	24.88	LRPRS4T5M	32.42	LRPRS5T5M	38.87
6	LRPRS1T6M	14.44	LRPRS2T6M	22.00	LRPRS3T6M	29.44	LRPRS4T6M	38.43	LRPRS5T6M	45.98


EWL Metre	Code	Brown 6 tonne £/Each	Code	Blue 8 tonne £/Each	Code	Orange 10 tonne £/Each	Code	Orange 12 tonne £/Each	Code	Orange 15 tonne £/Each	Code	Orange 20 tonne £/Each
1	LRPRS6T1M	11.33	LRPRS8T1M	15.35	LRPRS10T1M	18.90	LRPRS12T1M	POA	LRPRS15T1M	POA	LRPRS20T1M	POA
1.5	LRPRS6T1.5M	15.34	LRPRS8T1.5M	POA	LRPRS10T1.5M	POA	LRPRS12T1.5M	POA	LRPRS15T1.5M	POA	LRPRS20T1.5M	74.60
2	LRPRS6T2M	20.00	LRPRS8T2M	24.62	LRPRS10T2M	37.36	LRPRS12T2M	POA	LRPRS15T2M	POA	LRPRS20T2M	POA
3	LRPRS6T3M	28.88	LRPRS8T3M	38.02	LRPRS10T3M	55.78	LRPRS12T3M	64.79	LRPRS15T3M	POA	LRPRS20T3M	142.50
4	LRPRS6T4M	37.78	LRPRS8T4M	50.71	LRPRS10T4M	74.22	LRPRS12T4M	POA	LRPRS15T4M	POA	LRPRS20T4M	POA
5	LRPRS6T5M	46.66	LRPRS8T5M	63.36	LRPRS10T5M	96.37	LRPRS12T5M	112.73	LRPRS15T5M	POA	LRPRS20T5M	POA
6	LRPRS6T6M	55.44	LRPRS8T6M	79.38	LRPRS10T6M	111.11	LRPRS12T6M	129.33	LRPRS15T6M	160.00	LRPRS20T6M	242.20
8	LRPRS6T8M	POA	LRPRS8T8M	POA	LRPRS10T8M	74.22	LRPRS12T8M	POA	LRPRS15T8M	204.00	LRPRS20T8M	295.00
10	LRPRS6T10M	POA	LRPRS8T10M	POA	LRPRS10T10M	POA	LRPRS12T10M	POA	LRPRS15T10M	POA	LRPRS20T10M	368.00

Larger Capacity Slings and Single Use Slings are also available on request.



Ratchet Lashing Assembly


LC 2500 daN BF 5000 daN BS-EN 12195-2 - 50mm - c/w Claw Hooks



Length Metre	Code	£/Each
3	LRRLO5T3	8.44
4	LRRLO5T4	9.10
6	LRRLO5T6	10.18
8	LRRLO5T8	11.64
10	LRRLO5T10	12.50
12	LRRLO5T12	13.86
15	LRRLO5T15	16.22

Ratchet Lashing Assembly


5000Kg BF 2000 daN BS-EN 12195-2 - 50mm - c/w Claw Hooks



Length Metre	Code	£/Each
3	RLB5T3	7.86
4	RLB5T4	8.58
6	RLB5T6	9.38
8	RLB5T8	10.52
10	RLB5T10	11.58
12	RLB5T12	12.74
15	RLB5T15	14.68

Ratchet Lashing Assembly


LC 5000 daN BF 10000 daN BS-EN 12195-2 - 75mm - c/w Claw Hooks



Length Metre	Code	£/Each
6	LRRLO10T6	34.50
8	LRRLO10T8	37.96
10	LRRLO10T10	41.40

Ratchet Lashing Assembly


LC 400 daN BF 800 daN BS-EN 12195-2 - 25mm - c/w Claw Hooks



Length Metre	Code	£/Each
2	LRRLB.8T2	3.20
3	LRRLB.8T3	3.80
4	LRRLB.8T4	3.98
5	LRRLB.8T5	4.32
6	LRRLB.8T6	4.64
8	LRRLB.8T8	5.00

Ratchet Lashing Assembly


LC 500 daN BF 1000 daN BS-EN 12195-2 - 25mm - c/w Claw Hooks



Length Metre	Code	£/Each
4	LRRLO1T4	5.06
6	LRRLO1T6	5.32
8	LRRLO1T8	5.74

Ratchet Lashing Assembly

LC 1000 daN BF 2000 daN BS-EN 12195-2 - 35mm - c/w Claw Hooks



Length Metre	Code	£/Each
4	LRRLO2T4	6.46
6	LRRLO2T6	7.18
8	LRRLO2T8	8.10
10	LRRLO2T10	9.18

Ratchet Lashing Assembly

LC 400 daN BF 800 daN BS-EN 12195-2 (except for colour)
25mm - Endless - Black Webbing



Length Metre	Code	£/Each
4	LRR1404	POA
6	LRR1406	6.96
8	LRR1408	POA

Black Polyester Round Sling


BS-EN 1492-2:2000 (except for colour)



Capacity tonnes	EWL Metre	Code	£/Each
1	0.5	LRR1173	2.45
1	1	LRR1174	3.90
1	2	LRR1176	5.90
2	0.5	LRR1169	4.51
2	1	LRR1170	5.37
2	1.5	LRR1171	7.52
2	2	LRR1172	9.39
2	2.5	LRR1178	11.29
2	4	LRR1179	16.89

Ratchet Lashing Assembly


LC 2500 daN BF 5000 daN - BS-EN 12195-2 (except for colour) - 50mm
c/w Claw Hooks - Black Webbing



Length Metre	Code	£/Each
4	LRR1540	POA
6	LRR1542	POA
8	LRR1505	13.50

Ratchet Lashing Assembly

LC 2500 daN BF 5000 daN - BS-EN 12195-2 (except for colour)
50mm - Endless - Black Webbing




Length Metre	Code	£/Each
4	LRR1464	POA
6	LRR1466	5.58
8	LRR1468	POA



Black Polyester Round Sling
BS-EN1492-2:2000 (except for colour)

Capacity tonnes	EWL Metre	Code	£/Each
1	0.5	LRR1173	2.45
1	1	LRR1174	3.90
1	2	LRR1176	5.90
2	0.5	LRR1169	4.51
2	1	LRR1170	5.37
2	1.5	LRR1171	7.52
2	2	LRR1172	9.39
2	2.5	LRR1178	11.29
2	4	LRR1179	16.89



Adjustable Beam Clamp

Capacity Kgs	Code	£/Each
1,000	LRBC1	49.12
2,000	LRBC2	52.77
3,000	LRBC3	87.25
5,000	LRBC5	106.34
10,000	LRBC10	182.01




Green Pin Theatre Bow Shackle with Screw Pin
EN-13889 Grade 6

WLL tonnes	Code	£/Each
0.33	LRGPTHB.33	3.43
0.5	LRGPTHB.5	3.61
0.75	LRGPTHB.75	3.84
1	LRGPTHB1	4.61
1.5	LRGPTHB1.5	5.50
2	LRGPTHB2	7.77
3.25	LRGPTHB3.25	11.00
4.75	LRGPTHB4.75	14.50
6.5	LRGPTHB6.5	19.50
8.5	LRGPTHB8.5	28.50



Push Travel (Girder) Trolley

Capacity Kgs	Code	£/Each
500	LRPT0.5	72.53
1,000	LRPT1	92.15
2,000	LRPT2	131.54
3,000	LRPT3	203.32
5,000	LRPT5	310.89



Geared Travel (Girder) Trolley

Capacity Kgs	Code	£/Each	Extra per £/m
500	LRGT0.5	100.71	5.43
1000	LRGT1	139.91	5.43
2000	LRGT2	163.52	5.43
3000	LRGT3	264.38	5.43
5000	LRGT5	365.75	5.43

With 3 Metre drop of Chain



Viper Chain Block

Capacity Kgs	3m Code	£/Each	6m Code	£/Each	10m Code	£/Each	12m Code	£/Each	Carcase Code	£/Each	Extra per £/m
500	LRVCB0.5T3	98.40	LRVCB0.5T6	132.93	LRVCB0.5T10	175.52	LRVCB0.5T12	222.89	LRVCB0.5TC	77.09	11.88
1000	LRVCB1T3	111.03	LRVCB1T6	143.29	LRVCB1T10	186.24	LRVCB1T12	226.69	LRVCB1TC	89.10	13.13
1500	LRVCB1.5T3	152.60	LRVCB1.5T6	193.43	LRVCB1.5T10	243.95	LRVCB1.5T12	292.67	LRVCB1.5TC	127.32	15.51
2000	LRVCB2T3	164.03	LRVCB2T6	207.75	LRVCB2T10	263.11	LRVCB2T12	316.04	LRVCB2TC	136.11	15.51
3000	LRVCB3T3	188.79	LRVCB3T6	250.74	LRVCB3T10	336.72	LRVCB3T12	406.01	LRVCB3TC	146.86	18.60
5000	LRVCB5T3	291.93	LRVCB5T6	386.85	LRVCB5T10	519.39	LRVCB5T12	611.69	LRVCB5TC	225.66	22.32
10000	LRVCB10T3	558.77	LRVCB10T6	755.80	LRVCB10T10	1020.84	LRVCB10T12	1236.48	LRVCB10TC	413.71	72.60
20000	LRVCB20T3	1307.42	LRVCB20T6	1755.16	LRVCB20T10	2292.45	LRVCB20T12	2681.25	LRVCB20TC	1020.84	136.80
30000	LRVCB30T3	3087.98	LRVCB30T6	3680.46	LRVCB30T10	4462.92	LRVCB30T12	5549.44	LRVCB30TC	2669.38	POA



Viper Lever Hoist

Capacity Kgs	1.5m Code	£/Each	3m Code	£/Each	Carcase Code	£/Each	Extra per £/m
250	LRVLH0.25T1.5	89.55	LRVLH0.25T3	100.30	LRVLH0.25TC	82.40	POA
500	LRVLH0.5T1.5	96.70	LRVLH0.5T3	107.45	LRVLH0.5TC	96.44	POA
750	LRVLH0.75T1.5	118.21	LRVLH0.75T3	128.96	LRVLH0.75TC	111.03	11.88
1000	LRVLH1T1.5	118.95	LRVLH1T3	134.34	LRVLH1TC	112.47	11.88
1500	LRVLH1.5T1.5	156.11	LRVLH1.5T3	175.52	LRVLH1.5TC	146.86	15.51
2000	LRVLH2T1.5	232.84	LRVLH2T3	257.89	LRVLH2TC	211.68	15.51
3000	LRVLH3T1.5	232.84	LRVLH3T3	257.89	LRVLH3TC	211.68	20.50
6000	LRVLH6T1.5	358.19	LRVLH6T3	401.18	LRVLH6TC	305.90	41.00
9000	LRVLH9T1.5	555.19	LRVLH9T3	644.74	LRVLH9TC	479.97	61.50

Thimble Galvanised

Generally to BS-EN 13411-1 formerly BS 464



Rope Dia. Inch	Code	£/Each
1/4"	LRTBS6	0.37
5/16"	LRTBS8	0.49
3/8"	LRTBS10	0.55
1/2"	LRTBS12	0.64
5/8"	LRTBS16	1.14
3/4"	LRTBS19	2.14
7/8"	LRTBS22	2.59
1"	LRTBS25	4.06
1.1/8"	LRTBS28	4.96
1.1/4"	LRTBS32	6.14
1.3/8"	LRTBS35	9.48
1.1/2"	LRTBS38	15.70
1.5/8"	LRTBS41	24.62
1.3/4"	LRTBS44	35.65
2"	LRTBS50	52.07

Heavy Duty Thimble Galvanised

US FED SPEC FF-T-276-B TYPE 3 BS-EN 13411-1




Rope Dia. Inch	Code	£/Each
1/4"	LRTUS6	0.34
5/16"	LRTUS8	0.48
3/8"	LRTUS10	0.61
7/16"	LRTUS11	0.92
1/2"	LRTUS12	0.96
9/16"	LRTUS14	1.25
5/8"	LRTUS16	1.74
3/4"	LRTUS19	2.74
7/8"	LRTUS22	3.53
1"	LRTUS25	4.13
1.1/8" - 1.1/4"	LRTUS28	5.93
1.1/4" - 1.3/8"	LRTUS32	22.94
1.3/8" - 1.1/2"	LRTUS35	30.64
1.5/8"	LRTUS41	33.04
1.3/4"	LRTUS44	41.03
1.7/8" - 2"	LRTUS50	59.74
2.1/4"	LRTUS56	95.62

Commercial Thimble Galvanised



Rope Dia. mm	Code	£/Each
3.5	LRTC3	0.15
4	LRTC4	0.16
5	LRTC5	0.18
6	LRTC6	0.20
8	LRTC8	0.30
10	LRTC10	0.45
12	LRTC12	0.56
14	LRTC14	0.73
16	LRTC16	0.85
18	LRTC18	1.25
20	LRTC20	1.93
22	LRTC22	2.60
24	LRTC24	2.75
26	LRTC26	3.60
28	LRTC28	4.06
30	LRTC30	5.50
32	LRTC32	4.96
36	LRTC36	23.30
40	LRTC40	-



Self colour finish, fillet plates and keeper bands available upon request

Fibre Rope Towing Thimble Galvanised


Rope Circ.	Code	£/Each
5"	LRTFR5	POA
6"	LRTFR6	POA
7"	LRTFR7	POA
8"	LRTFR8	POA
9"	LRTFR9	POA
10"	LRTFR10	POA



Forged Steel Pennant Line Thimble Galvanised

Wire Rope Dia. Inch	Code	£/Each
2.1/4" - 2.1/2"	LRTPL2	POA
3"	LRTPL3	POA

Alloy Swivel Hook with Safety Catch Painted Finish



WLL tonnes	Code	£/Each
1	LRAHS1	4.67
1.5	LRAHS1.5	6.68
2	LRAHS2	9.77
3	LRAHS3	10.49
4.5	LRAHS4.5	19.67
7	LRAHS7	40.38
11	LRAHS11	62.90

Safety Catch Kits available for the above hooks.

Alloy Eye Hook with Safety Catch Painted Finish



WLL tonnes	Code	£/Each
1	LRAHE1	2.54
1.5	LRAHE1.5	3.29
2	LRAHE2	5.42
3	LRAHE3	6.92
4.5	LRAHE4.5	13.74
7	LRAHE7	24.75
11	LRAHE11	44.64
15	LRAHE15	POA
22	LRAHE22	163.94

Safety Catch Kits available for the above hooks.



Eureka Wirelock

Rope Dia. mm	Code	£/Each
4-5	LREWL4	10.60
6	LREWL6	13.50
8	LREWL8	29.95
9-10	LREWL9	40.70
11	LREWL11	41.50
12-13	LREWL12	62.30
14	LREWL14	71.00
15-16	LREWL15	98.00



Wire Rope Grip Galvanised
BS-EN 13411-5 TYPE A - DIN 1142

Rope Dia. mm	Code	£/Each
5	LRWRGEN5	0.24
6.5	LRWRGEN6.5	0.28
8	LRWRGEN8	0.42
10	LRWRGEN10	0.48
12	LRWRGEN12	0.75
13	LRWRGEN13	1.00
14	LRWRGEN14	1.20
16	LRWRGEN16	1.70
19	LRWRGEN19	1.79
22	LRWRGEN22	2.61
26	LRWRGEN26	5.37
30	LRWRGEN30	6.78
34	LRWRGEN34	11.20
40	LRWRGEN40	12.64



Wire Rope Grip (without grooves) Galvanised

Rope Dia. mm	Code	£/Each
3	LRWRGC3	0.13
5	LRWRGC5	0.13
6.5	LRWRGC6	0.16
8	LRWRGC8	0.20
10	LRWRGC10	0.30
13	LRWRGC13	0.46
16	LRWRGC16	0.58
19	LRWRGC19	0.81
22	LRWRGC22	1.25
26	LRWRGC26	1.55
30	LRWRGC30	2.12
34	LRWRGC34	3.39
40	LRWRGC40	3.83



Drop Forged Wire Rope Grip Galvanised


BS-EN13411-5 TYPE B
US FED. SPEC. FF-C-450

Rope Dia. inches	Code	£/Each
1/4"	LRWRGUS6	1.65
5/16"	LRWRGUS8	1.74
3/8"	LRWRGUS10	2.16
1/2"	LRWRGUS13	2.34
5/8"	LRWRGUS16	2.97
3/4"	LRWRGUS19	4.06
7/8"	LRWRGUS22	5.42
1"	LRWRGUS25	6.48
1.1/8"	LRWRGUS28	9.86
1.1/4"	LRWRGUS32	11.34
1.3/8"	LRWRGUS35	13.61
1.1/2"	LRWRGUS38	15.52
1.3/4"	LRWRGUS44	29.75
2"	LRWRGUS50	40.46
2.1/4"	LRWRGUS57	79.58
2.1/2"	LRWRGUS63	91.33
2.3/4"	LRWRGUS70	POA
3"	LRWRGUS75	POA



Green Pin Swivel Eye & Eye

WLL tonnes	Dia. mm	Code	£/Each
0.39	6	LRGPSEE6	2.90
0.57	8	LRGPSEE8	3.85
1.02	10	LRGPSEE10	5.88
1.6	13	LRGPSEE13	8.50
2.4	16	LRGPSEE16	15.04
3.3	19	LRGPSEE19	28.92
4.5	22	LRGPSEE22	36.68
5.7	25	LRGPSEE25	55.14
8.2	32	LRGPSEE32	117.22
20.5	38	LRGPSEE38	430.00



Commercial Wire Rope Grip (Robur pattern) Galvanised

Rope Dia. mm	Code	£/Each
3	LRWRGR3	POA
5	LRWRGR5	POA
6	LRWRGR6	POA
8	LRWRGR8	POA
10	LRWRGR10	POA
11	LRWRGR11	POA
13	LRWRGR13	POA
14	LRWRGR14	POA
16	LRWRGR16	POA
20	LRWRGR20	POA
22	LRWRGR22	POA
26	LRWRGR26	POA
30	LRWRGR30	POA
34	LRWRGR34	POA
40	LRWRGR40	POA



Green Pin Swivel Eye & Jaw

WLL tonnes	Dia. mm	Code	£/Each
0.39	6	LRGPSEJ6	3.26
0.57	8	LRGPSEJ8	4.38
1.02	10	LRGPSEJ10	6.10
1.6	13	LRGPSEJ13	9.06
2.4	16	LRGPSEJ16	16.00
3.3	19	LRGPSEJ19	29.50
4.5	22	LRGPSEJ22	41.14
5.7	25	LRGPSEJ25	58.10
8.2	32	LRGPSEJ32	125.00
20.5	38	LRGPSEJ38	439.00



Green Pin Thrust Bearing Swivel Eye & Eye

WLL tonnes	Code	£/Each
1	LRGPTBSEE6	POA
2	LRGPTBSEE8	POA
3	LRGPTBSEE10	POA
5	LRGPTBSEE13	POA
8	LRGPTBSEE16	POA
10	LRGPTBSEE19	POA
15	LRGPTBSEE22	POA
20	LRGPTBSEE25	POA
30	LRGPTBSEE32	POA
40	LRGPTBSEE38	POA



Grade 10 Swivel Eyebolt with Ring

Dia. x Length mm	WLL tonnes	Code	£/Each
M10 x 18	0.5	LRG10SLP10180.5	58.90
M12 x 18	0.7	LRG10SLP12180.7	58.90
M16 x 20	1.4	LRG10SLP16201.4	61.98
M20 x 30	1.7	LRG10SLP20301.7	75.70
M20 x 30	2.5	LRG10SLP20302.5	76.75
M24 x 30	1.7	LRG10SLP24301.7	76.84
M24 x 30	4	LRG10SLP24304	102.50
M30 x 35	4	LRG10SLP30354	112.82
M30 x 35	6.7	LRG10SLP30356.7	136.30
M30 x 40	8	LRG10SLP30408	164.20
M36 x 54	10	LRG10SLP365410	186.80
M42 x 63	12.5	LRG10SLP426312.5	221.22
M45 x 60	12.5	LRG10SLP456012.5	253.72
M48 x 72	12.5	LRG10SLP487210.5	253.72
M45 x 60	16	LRG10SLP456016	479.93
M48 x 60	17	LRG10SLP486017	479.93
M56 x 78	18	LRG10SLP567818	491.47
M64 x 96	20	LRG10SLP649620	777.08
M64 x 96	28	LRG10SLP649628	2681.93
M72 x 108	31.5	LRG10SLP7210831.5	2681.93
M80 x 120	35	LRG10SLP8012035	2694.25
M90 x 135	40	LRG10SLP9013540	2747.65



Grade 10 Swivel Eyebolt with Clamp

Dia. x Length mm	WLL tonnes	Code	£/Each
M8 x 15	0.3	LRG10SHR80.3	62.90
M10 x 15	0.63	LRG10SHR100.63	63.42
M12 x 23	1	LRG10SHR121	63.91
M16 x 24	1.5	LRG10SHR161.5	72.58
M20 x 31	2.5	LRG10SHR202.5	77.63
M24 x 37	4	LRG10SHR244	80.69
M30 x 45	5	LRG10SHR305	146.72
M36 x 50	7	LRG10SHR367	171.77
M36 x 59	8	LRG10SHR368	320.60
M42 x 75	10	LRG10SHR4210	359.39
M42 x 63	15	LRG10SHR4215	404.53
M48 x 71	20	LRG10SHR4820	436.41



Grade 10 Heavy Lift Swivel Hoist Ring

Dia. x Length mm	WLL tonnes	Code	£/Each
M8 x 12	0.3	LRG10HLSHR8	77.42
M10 x 15	0.6	LRG10HLSHR10	77.70
M12 x 18	1	LRG10HLSHR12	77.70
M14 x 21	1.3	LRG10HLSHR14	106.13
M16 x 25	1.6	LRG10HLSHR16	104.62
M18 x 27	2	LRG10HLSHR18	107.65
M20 x 30	2.5	LRG10HLSHR20	109.20
M22 x 33	3	LRG10HLSHR22	174.37
M24 x 36	4	LRG10HLSHR24	166.80
M27 x 40	5	LRG10HLSHR27	200.16
M30 x 45	6.3	LRG10HLSHR30	175.89



Grade 80 Swivel Eyebolt with Ring

Dia. x Length mm	WLL tonnes 0°	Code	£/Each
M8 x 18	0.6	LRG80SLP818	16.34
M10 x 18	0.9	LRG80SLP1018	16.34
M10 x 90	1.0	LRG80SLP1090	20.47
M12 x 18	1.0	LRG80SLP1218	16.84
M12 x 110	1.0	LRG80SLP1210	22.10
M16 x 20	2.0	LRG80SLP1620	18.50
M16 x 120	2.0	LRG80SLP16120	24.20
M20 x 30	4.0	LRG80SLP2030	31.36
M20 x 120	4.0	LRG80SLP20120	37.31
M24 x 40	6.3	LRG80SLP2440	49.15
M24 x 120	6.3	LRG80SLP24120	52.75
M30 x 35	10.6	LRG80SLP30	POA
M30 x 70	10.6	LRG80SLP3070	POA
M36 x 54	11.8	LRG80SLP3654	POA



Grade 80 Swivel Hoist Ring

Dia. x Length mm	WLL tonnes	Code	£/Each
M8 x 10	0.3	LRG80SHR8	27.95
M10 x 15	0.63	LRG80SHR10	28.90
M12 x 18	1.0	LRG80SHR12	34.10
M14 x 21	1.2	LRG80SHR14	39.20
M16 x 24	1.5	LRG80SHR16	39.40
M20 x 30	2.5	LRG80SHR20	49.90
M24 x 37	4.0	LRG80SHR24	51.90
M27 x 38	4.0	LRG80SHR27	106.00
M30 x 48	5.0	LRG80SHR30	116.00
M36 x 54	8.0	LRG80SHR36	182.00



Grade 80 Eye Bolt

Dia. mm	WLL tonnes 0°	Code	£/Each
6	0.4	LRG80EB6	1.18
8	1.0	LRG80EB8	1.58
10	1.0	LRG80EB10	2.76
12	2.0	LRG80EB12	4.30
16	4.0	LRG80EB16	4.90
18	5.0	LRG80EB18	7.60
20	6.0	LRG80EB20	7.80
22	7.0	LRG80EB22	11.90
24	8.0	LRG80EB24	13.50
27	10.0	LRG80EB27	-
30	12.0	LRG80EB30	23.90
33	14.0	LRG80EB33	-
36	16.0	LRG80EB36	39.60



Grade 80 Eye Nut

Dia. mm	WLL tonnes 0°	Code	£/Each
6	0.4	LRG80EN6	1.10
8	1.0	LRG80EN8	1.20
10	1.0	LRG80EN10	2.20
12	2.0	LRG80EN12	3.50
16	4.0	LRG80EN16	4.20
18	5.0	LRG80EN18	6.30
20	6.0	LRG80EN20	7.05
22	7.0	LRG80EN22	9.50
24	8.0	LRG80EN24	11.40
27	10.0	LRG80EN27	11.50
30	12.0	LRG80EN30	-
33	14.0	LRG80EN33	23.95
36	16.0	LRG80EN36	32.50



Drop Forged Collared Eyebolt Metric Thread

Size mm	Vertical WLL tonnes	Code	£/Each
6	0.10	LREBCM6	1.92
8	0.15	LREBCM8	1.92
10	0.25	LREBCM10	1.92
12	0.40	LREBCM12	1.92
14	0.50	LREBCM14	2.85
16	0.80	LREBCM16	2.85
18	1.00	LREBCM18	3.07
20	1.60	LREBCM20	3.98
22	1.60	LREBCM22	5.58
24	2.50	LREBCM24	8.49
27	2.50	LREBCM27	14.98
30	4.00	LREBCM30	14.98
33	4.00	LREBCM33	16.09
36	6.30	LREBCM36	32.30
42	8.00	LREBCM42	POA
48	10.00	LREBCM48	POA
52	12.50	LREBCM52	POA
64	16.00	LREBCM64	POA
72	25.00	LREBCM72	POA




Dynamo Eyebolt Metric Thread

Size mm	Vertical WLL tonnes	Code	£/Each
6	0.10	LREBDM6	1.92
8	0.15	LREBDM8	1.92
10	0.25	LREBDM10	1.92
12	0.32	LREBDM12	1.92
16	0.63	LREBDM16	2.85
20	1.25	LREBDM20	3.98
24	2.00	LREBDM24	8.49
30	3.20	LREBDM30	14.98




Dynamo Eyebolt Whitworth Thread

Size Inch	Vertical WLL tonnes	Code	£/Each
1/4"	0.10	LREBDBSW.1	1.92
5/16"	0.15	LREBDBSW.15	1.92
3/8"	0.25	LREBDBSW.25	1.92
1/2"	0.50	LREBDBSW.5	1.92
5/8"	0.80	LREBDBSW.8	2.85
3/4"	1.20	LREBDBSW1.2	3.98
7/8"	1.60	LREBDBSW1.6	8.49
1"	2.20	LREBDBSW2.2	14.98



Drop Forged Collared Eyebolt Whitworth/UNC

Size Inch	Vertical WLL tonnes	Whitworth Thread	UNC Thread	Code	£/Each
3/8"	0.25	LREBCBSW.25	1.92	LREBCUNC0.25	1.92
1/2"	0.50	LREBCBSW.5	1.92	LREBCUNC0.5	1.92
5/8"	0.90	LREBCBSW.9	2.85	LREBCUNC0.9	2.85
3/4"	1.40	LREBCBSW1.4	3.98	LREBCUNC1.4	3.98
7/8"	2.00	LREBCBSW2	5.58	LREBCUNC2	5.58
1"	2.75	LREBCBSW2.75	8.49	LREBCUNC2.75	8.49
1.1/8"	3.50	LREBCBSW3.5	POA	LREBCUNC3.5	POA
1.1/4"	4.50	LREBCBSW4.5	POA	LREBCUNC4.5	POA




Long Shank Dynamo Eyebolt Metric Thread

Size mm	Vertical WLL tonnes	Code	£/Each
8	0.15	LREBDLSM8	2.90
10	0.25	LREBDLSM10	3.08
12	0.32	LREBDLSM12	3.20
16	0.63	LREBDLSM16	3.50
20	1.25	LREBDLSM20	5.40
24	2.00	LREBDLSM24	12.30



Long Shank Collared Eyebolt Metric Thread

Size mm	Vertical WLL tonnes	Code	£/Each
10	0.25	LREBCLSM10	6.80
12	0.40	LREBCLSM12	8.32
16	0.80	LREBCLSM16	10.90
20	1.60	LREBCLSM20	12.90
24	2.50	LREBCLSM24	16.50
30	4.00	LREBCLSM30	33.70



Eyebolt Electro Plated

meet the perf. req. of DIN 580


Size mm	Vertical WLL tonnes	Code	£/Each
6	0.07	LREBDIN6	0.81
8	0.14	LREBDIN8	0.80
10	0.23	LREBDIN10	1.18
12	0.34	LREBDIN12	1.53
16	0.70	LREBDIN16	2.31
20	1.2	LREBDIN20	3.53
24	1.8	LREBDIN24	7.02
30	3.6	LREBDIN30	12.90

Self colour available on request



Long Shank Collared Eyebolt Whitworth Thread

Size Inch	Vertical WLL tonnes	Code	£/Each
3/8"	0.25	LREBCLSBSW.25	6.80
1/2"	0.50	LREBCLSBSW.5	8.32
5/8"	0.90	LREBCLSBSW.9	10.90
3/4"	1.40	LREBCLSBSW1.4	12.90
7/8"	2.00	LREBCLSBSW2	16.50
1"	2.75	LREBCLSBSW2.75	33.70



Eyenut Electro Plated

meet the perf. req. of DIN 582

Size mm	Vertical WLL tonnes	Code	£/Each
6	0.07	LTRENDIN6	0.81
8	0.14	LTRENDIN8	0.80
10	0.23	LTRENDIN10	1.18
12	0.34	LTRENDIN12	1.53
16	0.70	LTRENDIN16	2.31
20	1.2	LTRENDIN20	3.53
24	1.8	LTRENDIN24	7.02
30	3.6	LTRENDIN30	12.90

Self colour available on request




Grade 6 Stainless Steel Rotating Eye Bolt

Size mm	Vertical WLL tonnes	Code	£/Each
12	0.5	LRG6SSEBR12	96.60
16	1.00	LRG6SSEBR16	124.02
20	2.00	LRG6SSEBR20	160.52
24	2.50	LRG6SSEBR24	218.06




Drop Forged Bownut

Size mm	Vertical WLL tonnes	Code	£/Each
8	0.23	LRBNSC8	1.75
10	0.36	LRBNSC10	1.75
12	0.53	LRBNSC12	3.18
16	1.01	LRBNSC16	3.30
20	1.58	LRBNSC20	4.88
24	2.28	LRBNSC24	8.50



GT Cobra Grade 80 Container Lifting Lug (Left Type)

WLL tonnes	Code	£/Each
12.50 - Left	LRG80CLLL12.5	68.00




GT Cobra Grade 80 Container Lifting Lug (Right Type)

WLL tonnes	Code	£/Each
12.50 - Right	LRG80CLLR12.5	68.00




GT Cobra Grade 80 Ring Clutch

WLL tonnes	Code	£/Each
0.70-2.50	LRG80RC2.5	32.00
3.00-5.00	LRG80RC5	58.00



Mild Steel Chain Short Link
(Tested & Certified)

Chain Dia. mm	Self Colour Code	£/m	Galvanised Code	£/m
6	LRMSCSLSC6	3.40	LRMSCSLG6	4.90
8	LRMSCSLSC8	5.98	LRMSCSLG8	8.40
9.5	LRMSCSLSC9	8.20	LRMSCSLG9	11.40
12	LRMSCSLSC12	13.96	LRMSCSLG12	19.08
16	LRMSCSLSC16	25.40	LRMSCSLG16	34.66



Commercial Quality Chain Short Link

Chain Dia. mm	Self Colour Code	£/m	Galvanised Code	£/m
6	LRCMSCSLSC6	2.66	LRCMSCSLG6	3.56
8	LRCMSCSLSC8	4.60	LRCMSCSLG8	6.18
10	LRCMSCSLSC10	7.30	LRCMSCSLG10	9.96
12	LRCMSCSLSC12	10.22	LRCMSCSLG12	13.70
16	LRCMSCSLSC16	18.80	LRCMSCSLG16	25.76




Mild Steel Chain Long Link
(Tested & Certified)

Chain Dia. mm	Self Colour Code	£/m	Galvanised Code	£/m
5	-	POA	LRMSCLL5	3.60
5.5	-	POA	LRMSCLL5.5	4.20
7	LRMSCLLSC7	3.86	LRMSCLLG7	5.56
8	LRMSCLLSC8	4.64	LRMSCLLG8	6.62
9.5	LRMSCLLSC9	7.20	LRMSCLLG9	10.30
12	LRMSCLLSC12	12.20	LRMSCLLG12	17.40
16	LRMSCLLSC16	20.64	LRMSCLLG16	POA




Commercial Quality Chain Long Link

Chain Dia. mm	Self Colour Code	£/m	Galvanised Code	£/m
7	LRCMSCLLSC7	2.44	LRCMSCLLG7	3.64
8	LRCMSCLLSC8	3.66	LRCMSCLLG8	4.98
10	LRCMSCLLSC10	5.80	LRCMSCLLG10	7.92
12	LRCMSCLLSC12	8.42	LRCMSCLLG12	11.60



Grade 8 Short Link Chain
BS-EN 818-2

Chain Dia. mm	Code	£/m
7	LRG8C7	5.80
8	LRG8C8	7.16
10	LRG8C10	9.58
13	LRG8C13	15.96
16	LRG8C16	23.80
20	LRG8C20	40.56
22	LRG8C22	55.90
26	LRG8C26	77.00
32	LRG8C32	138.00



Grade 10 Short Link Chain
BS-EN 818-2 + 25% of Load Capacity

Chain Dia. mm	Code	£/m
6	LRG10C6	5.36
7	LRG10C7	7.12
8	LRG10C8	8.61
10	LRG10C10	13.00
13	LRG10C13	20.67
16	LRG10C16	31.98
19	LRG10C19	53.95
20	LRG10C20	POA
22	LRG10C22	POA
26	LRG10C26	POA



Grade 80 Short Link Chain


Chain Dia. mm	Code	£/m
7	LRG80C7	5.28
8	LRG80C8	6.41
10	LRG80C10	8.40
13	LRG80C13	14.59
16	LRG80C16	22.49
19	LRG80C19	POA



Square Section Security Chain in Bulk Lengths


Chain Dia. mm	Code	£/m
10	LRK2403	29.00

Stainless Steel Short Link Chain - Din 766 - Tested & Certified




Chain Dia. mm	GRADE 50			GRADE 30		
	WLL Kgs	Code	£/m	WLL Kgs	Code	£/m
4	315	LRSSSLCG504	POA	175	LRSSSLCG304	5.39
5	490	LRSSSLCG505	POA	295	LRSSSLCG305	8.15
6	700	LRSSSLCG506	POA	420	LRSSSLCG306	12.89
8	1260	LRSSSLCG508	POA	750	LRSSSLCG308	22.56
10	1960	LRSSSLCG5010	POA	1170	LRSSSLCG3010	35.49

Stainless Steel Long Link Chain - Din 763 - Tested & Certified



Chain Dia. mm	GRADE 50			GRADE 30		
	WLL Kgs	Code	£/m	WLL Kgs	Code	£/m
4	210	LRSSLLCG504	POA	100	LRSSLLCG304	4.49
6	470	LRSSLLCG506	POA	224	LRSSLLCG306	10.06
8	840	LRSSLLCG508	POA	400	LRSSLLCG308	17.60
10	1310	LRSSLLCG5010	POA	630	LRSSLLCG3010	27.99



Drop Forged Standard Loadbinder

Chain Dia. mm	Code	£/Each
8-10	LRLBDF810	20.50
10-13	LRLBDF1012	34.10




Ratchet Type Loadbinder

Chain Dia. mm	Code	£/Each
6-8	LRLBR68	POA
8-10	LRLBR810	27.00
10-13	LRLBR1013	29.30
13-16	LRLBR1316	37.00




Ratchet Type Loadbinder (complete with reinforced hooks & special safety devices) **BS-EN 12195-3**

Chain Dia. mm	Code	£/Each
8	LRLBREN8	28.10
10	LRLBREN10	32.00
13	LRLBREN13	42.10
16	LRLBREN16	67.00



Commercial Quality Chain Short Link (compatible with GT Loadbinder)

Chain Dia. mm	Code	£/m
10	LRCMSCSLSC10	7.30
12	LRCMSCSLSC12	10.22
16	LRCMSCSLSC16	18.80



Grade 8 Chain **BS-EN 818-2** Suitable for loadbinding use as per **BS-EN 12195**

Chain Dia. mm	Code	£/m
8	LRG8C8	7.16
10	LRG8C10	9.58
13	LRG8C13	15.96
16	LRG8C16	23.80



Grade 80 Chain Tested & Certified (compatible with GT Loadbinders)

Chain Dia. mm	Code	£/m
7	LRG80C7	5.28
8	LRG80C8	6.41
10	LRG80C10	8.40
13	LRG80C13	14.59
16	LRG80C16	22.49



Grade 8 Clevis Grab Hook Suitable for loadbinding use as per **BS-EN 12195**

Chain Dia. mm	Code	£/Each
7-8	LRG8CGH8	6.28
10	LRG8CGH10	19.52
13	LRG8CGH13	31.00
16	LRG8CGH16	57.80



Grade 8 Clevis Sling Hook with Catch Suitable for loadbinding use as per **BS-EN 12195**

Chain Dia. mm	Code	£/Each
7-8	LRG8CSH8	12.30
10	LRG8CSH10	19.52
13	LRG8CSH13	31.00
16	LRG8CSH16	57.80



GT Cobra Grade 80 Clevis Grab Hook

Chain Dia. mm	Code	£/Each
7-8	LRG80CGH8	4.19
10	LRG80CGH10	8.54
13	LRG80CGH13	14.21
16	LRG80CGH16	20.43



GT Cobra Grade 80 Clevis Sling Hook with Catch

Chain Dia. mm	Code	£/Each
7-8	LRG80CSH8	8.69
10	LRG80CSH10	12.99
13	LRG80CSH13	20.92
16	LRG80CSH16	40.27



Alloy Steel Clevis Grab Hook Electro Galvanised Untested

Chain Dia. mm	Code	£/Each
10	LREGCGH10	3.48
13	LREGCGH13	6.40
16	LREGCGH16	12.60



Alloy Steel Clevis Slip Hook Electro Galvanised Untested

Chain Dia. mm	Code	£/Each
10	LREGCSH10	4.10
13	LREGCSH13	10.50



'Danish Blue' Painted High Tensile Square Head Shackle - Untested

Body x Pin mm	WLL tonnes	Code Dees	Code Bows	£/Each
10 x 12	1	LRSQHDDHT1	-	1.09
12 x 16	1.5	LRSQHDDHT1.5	LRSQHDBHT1.5	1.88
16 x 19	2.5	LRSQHDDHT2.5	LRSQHDBHT2.5	2.61
19 x 22	3	LRSQHDDHT3	LRSQHDBHT3	3.82
22 x 25	4	LRSQHDDHT4	LRSQHDBHT4	5.02
25 x 28	5	LRSQHDDHT5	LRSQHDBHT5	7.32



GT Embossed Blue Pin Galvanised Square Head Shackle

Body x Pin mm	WLL tonnes	Code Dees	Code Bows	£/Each
16 x 19	3.25	LRSQHDD3.25	LRSQHDB3.25	4.70
19 x 22	4.75	LRSQHDD4.725	LRSQHDB4.725	6.55
22 x 26	6.5	LRSQHDD6.5	LRSQHDB6.5	9.85
25 x 28	8.5	LRSQHDD8.5	LRSQHDB8.5	14.30
28 x 32	9.5	LRSQHDD9.5	LRSQHDB9.5	19.00



Square Head Dee Shackle Self Colour

Body x Pin mm	Code	£/Each
6 x 6	LRSQHDD6	0.48
8 x 8	LRSQHDD8	0.56
10 x 10	LRSQHDD10	0.68
11 x 11	LRSQHDD11	0.78
12 x 12	LRSQHDD12	0.86
12 x 16	LRSQHDD1216	0.94
16 x 16	LRSQHDD16	1.58
16 x 19	LRSQHDD1619	1.78
19 x 19	LRSQHDD19	2.76
19 x 22	LRSQHDD1922	3.06
22 x 22	LRSQHDD22	3.80
22 x 25	LRSQHDD2225	4.20
25 x 25	LRSQHDD25	5.50
25 x 28	LRSQHDD2528	6.10



Square Head Bow Shackle Self Colour

Body x Pin mm	Code	£/Each
10 x 10	LRSQHDB10	0.76
12 x 12	LRSQHDB12	0.90
12 x 16	LRSQHDB1216	1.02
16 x 16	LRSQHDB16	1.72
16 x 19	LRSQHDB1619	1.86
19 x 19	LRSQHDB19	3.12
19 x 22	LRSQHDB1922	3.36
22 x 25	LRSQHDB2225	4.50



Self Colour High Tensile Square Head Dee Shackle Self Colour

Body x Pin mm	Code	£/Each
16 x 16	LRSQHDDHT16	POA
19 x 19	LRSQHDDHT19	POA




Electro-Galvanised Tube Thimble - Heavy Duty

Max Wire Dia. mm	Code	Standard £/Each	Code	With Gusset £/Each
10	LRTUBE10	2.06	-	-
12	LRTUBE12	4.26	-	-
14	LRTUBE14	4.76	LRTUBEG14	4.98
16	LRTUBE16	6.46	LRTUBEG16	7.08
18	LRTUBE18	7.22	LRTUBEG18	7.66
22	LRTUBE22	11.12	LRTUBEG22	15.24
24	LRTUBE24	14.48	LRTUBEG24	15.98
26	LRTUBE26	19.80	LRTUBEG26	21.70
32	LRTUBE32	20.64	LRTUBEG32	27.92




Grade 80 Long Link Fishing Chain - Tested

Chain Dia. mm	Code	£/m
9	LRG80LLC9	4.90
11	LRG80LLC11	7.48
13	LRG80LLC13	9.80
16	LRG80LLC16	14.50



Grade 80 Mid Link Fishing Chain - Tested

Chain Dia. mm	Code	£/m
10	LRG80MLFC10	POA
13	LRG80MLFC13	POA
16	LRG80MLFC16	POA
19	LRG80MLFC19	POA
20	LRG80MLFC20	POA



Grade 80 Short Link Fishing Chain - Tested

Chain Dia. mm	Code	£/m
7	LRG80SLFC7	POA
10	LRG80SLFC10	POA
13	LRG80SLFC13	POA
16	LRG80SLFC16	POA
20	LRG80SLFC20	POA

COBRA
SAFE WORKING SYSTEMS



Grade 80 Component Connector

Chain Dia. mm	Code	£/Each
7-8	LRG80CC8	5.41
10	LRG80CC10	7.34
13	LRG80CC13	10.46
16	LRG80CC16	15.81
20	LRG80CC20	20.39



Grade 80 Connecting Link for Fishing - Tested

Chain Dia. mm	Code	£/Each
7-8	LRG80CCF7	POA
10	LRG80CCF10	POA
13	LRG80CCF13	POA
16	LRG80CCF16	POA
20	LRG80CCF20	POA
22	LRG80CCF22	POA



'G' Hook

WLL tonnes	Code	£/Each
2	LRGH2	POA
4.2	LRGH4.2	POA
6.4	LRGH6.4	POA



Recessed Link

WLL tonnes	Code	£/Each
1	LRRL1	1.46
1.4	LRRL1.4	2.86
3	LRRL3	5.74
3.2	LRRL3.2	6.46
10	LRRL10	POA
12	LRRL12	POA
15	LRRL15	POA
20	LRRL20	POA



Viking Link

WLL tonnes	Code	£/Each
3	LRVL3	6.61
5	LRVL5	POA
8	LRVL8	POA



Turnbuckle Hot Dip Galvanised

Meets the WLL performance requirements of ASTM F1145-05 Type 1 Grade 1 - formerly US FED SPEC FF-T-791b

Dia. Inch	Take-up Inch	WLL tonnes	Jaw/Jaw Code	£/Each	Eye/Eye Code	£/Each	Jaw/Eye Code	£/Each
3/8	x 6	0.54	LRTBJJ10X6	3.58	LRTBEE10X6	2.77	LRTBJE10X6	3.08
1/2	x 6	1.00	LRTBJJ12X6	5.71	LRTBEE12X6	4.04	LRTBJE12X6	4.87
1/2	x 9	1.00	LRTBJJ12X9	6.92	LRTBEE12X9	5.62	LRTBJE12X9	6.27
1/2	x 12	1.00	LRTBJJ12X12	8.36	LRTBEE12X12	6.91	LRTBJE12X12	7.64
5/8	x 6	1.59	LRTBJJ16X6	8.65	LRTBEE16X6	7.79	LRTBJE16X6	8.13
5/8	x 9	1.59	LRTBJJ16X9	10.38	LRTBEE16X9	8.50	LRTBJE16X9	9.09
5/8	x 12	1.59	LRTBJJ16X12	11.68	LRTBEE16X12	9.95	LRTBJE16X12	10.99
3/4	x 6	2.36	LRTBJJ19X6	14.13	LRTBEE19X6	11.33	LRTBJE19X6	12.73
3/4	x 9	2.36	LRTBJJ19X9	15.66	LRTBEE19X9	12.69	LRTBJE19X9	14.42
3/4	x 12	2.36	LRTBJJ19X12	19.18	LRTBEE19X12	15.00	LRTBJE19X12	17.54
3/4	x 18	2.36	LRTBJJ19X18	24.05	LRTBEE19X18	20.19	LRTBJE19X18	22.12
7/8	x 12	3.27	LRTBJJ22X12	29.45	LRTBEE22X12	23.48	LRTBJE22X12	26.46
7/8	x 18	3.27	LRTBJJ22X18	36.77	LRTBEE22X18	30.57	LRTBJE22X18	33.67
1	x 6	4.54	LRTBJJ25X6	30.00	LRTBEE25X6	26.53	LRTBJE25X6	28.27
1	x 12	4.54	LRTBJJ25X12	39.66	LRTBEE25X12	31.73	LRTBJE25X12	35.69
1	x 18	4.54	LRTBJJ25X18	45.86	LRTBEE25X18	40.09	LRTBJE25X18	42.97
1	x 24	4.54	LRTBJJ25X24	66.34	LRTBEE25X24	63.45	LRTBJE25X24	66.70
1.1/4	x 12	6.90	LRTBJJ32X12	76.43	LRTBEE32X12	62.01	LRTBJE32X12	69.22
1.1/4	x 18	6.90	LRTBJJ32X18	83.64	LRTBEE32X18	67.78	LRTBJE32X18	76.79
1.1/4	x 24	6.90	LRTBJJ32X24	109.60	LRTBEE32X24	90.56	LRTBJE32X24	102.49
1.1/2	x 12	9.71	LRTBJJ38X12	108.16	LRTBEE38X12	84.80	LRTBJE38X12	97.67
1.1/2	x 18	9.71	LRTBJJ38X18	138.44	LRTBEE38X18	108.16	LRTBJE38X18	125.41
1.1/2	x 24	9.71	LRTBJJ38X24	184.59	LRTBEE38X24	143.09	LRTBJE38X24	163.84
1.3/4	x 18	12.7	LRTBJJ44X18	193.62	LRTBEE44X18	179.28	LRTBJE44X18	186.45
1.3/4	x 24	12.7	LRTBJJ44X24	227.85	LRTBEE44X24	216.55	LRTBJE44X24	230.92
2	x 24	16.78	LRTBJJ50X24	409.64	LRTBEE50X24	349.19	LRTBJE50X24	379.42
2.1/2	x 24	27.22	LRTBJJ63X24	765.76	LRTBEE63X24	706.63	LRTBJE63X24	736.00
2.3/4	x 24	34.02	LRTBJJ70X24	999.38	LRTBEE70X24	872.47	LRTBJE70X24	940.00



Rigging Screw Galvanised

Dia. mm	WLL tonnes	Jaw/Jaw Code	£/Each	Eye/Eye Code	£/Each	Jaw/Eye Code	£/Each
6	0.20	LRRSJJ6	3.25	LRRSEE6	2.80	LRRSJE6	3.01
8	0.32	LRRSJJ8	3.94	LRRSEE8	3.40	LRRSJE8	3.65
10	0.50	LRRSJJ10	5.57	LRRSEE10	4.80	LRRSJE10	5.16
12	0.70	LRRSJJ12	8.80	LRRSEE12	7.59	LRRSJE12	8.15
16	1.20	LRRSJJ16	16.38	LRRSEE16	14.12	LRRSJE16	15.16
20	1.50	LRRSJJ20	26.17	LRRSEE20	22.56	LRRSJE20	24.23
22	2.20	LRRSJJ22	33.31	LRRSEE22	28.72	LRRSJE22	30.85
24	3.20	LRRSJJ24	46.17	LRRSEE24	39.80	LRRSJE24	40.73
33	4.80	LRRSJJ33	96.74	LRRSEE33	83.39	LRRSJE33	89.57
39	6.00	LRRSJJ39	117.88	LRRSEE39	101.62	LRRSJE39	109.15



Robur Straining Screw Galvanised

Dia. mm	Hook/Hook Code	£/Each	Eye/Eye Code	£/Each	Hook/Eye Code	£/Each
6	LRSSGHH6	POA	LRSSGEE6	POA	LRSSGHE6	POA
8	LRSSGHH8	POA	LRSSGEE8	POA	LRSSGHE8	POA
10	LRSSGHH10	POA	LRSSGEE10	POA	LRSSGHE10	POA
12	LRSSGHH12	POA	LRSSGEE12	POA	LRSSGHE12	POA
16	LRSSGHH16	POA	LRSSGEE16	POA	LRSSGHE16	POA
20	LRSSGHH20	POA	LRSSGEE20	POA	LRSSGHE20	POA
24	LRSSGHH24	POA	LRSSGEE24	POA	LRSSGHE24	POA



Straining Screw Galvanised


generally to DIN 1480

Dia. mm	Hook/Hook Code	£/Each	Eye/Eye Code	£/Each	Hook/Eye Code	£/Each
6	LRSSGDINHH6	POA	LRSSGDINEE6	POA	LRSSGDINHE6	POA
8	LRSSGDINHH8	POA	LRSSGDINEE8	POA	LRSSGDINHE8	POA
10	LRSSGDINHH10	POA	LRSSGDINEE10	POA	LRSSGDINHE10	POA
12	LRSSGDINHH12	POA	LRSSGDINEE12	POA	LRSSGDINHE12	POA
16	LRSSGDINHH16	POA	LRSSGDINEE16	POA	LRSSGDINHE16	POA
20	LRSSGDINHH20	POA	LRSSGDINEE20	POA	LRSSGDINHE20	POA
24	LRSSGDINHH24	POA	LRSSGDINEE24	POA	LRSSGDINHE24	POA



Rectangular Base Deck Plate - Tested

Size mm	Proof Load tonnes	Code	£/Each
10	2	LRDP10	1.68
12.5	3.5	LRDP12	2.67
16	5.5	LRDP16	4.90
19	7.5	LRDP19	6.57
22	9.6	LRDP22	10.44
25	13	LRDP25	14.03
28	15.75	LRDP28	21.20
32	20	LRDP32	29.24
38	29	LRDP38	62.44
44	38.25	LRDP44	POA
50	50	LRDP50	189.00



Painted Hand Test Weight Calibrated & Certified

Capacity kgs	Code	£/Each
20	LRTW20	55.90

Other sizes available upon request.
Disc weights and holders also available.



Painted Stillage to suit GT Hand Test Weight

Code	£/Each
LRTWS	230.00

Painted Trolley to suit GT Stillage


Code	£/Each
LRTWT	320.00



Carbine Hooks Electro-Galvanised - Untested

Dia. mm	Code	£/Each
5	LRCARB5	0.38
6	LRCARB6	0.43
7	LRCARB7	0.49
8	LRCARB8	0.63
9	LRCARB9	0.74
10	LRCARB10	0.95
11	LRCARB11	0.98
12	LRCARB12	1.55
13	LRCARB13	2.56
14	LRCARB14	3.72

Available with Eyelet and/or Screw Gate



Grade 80 Long Link Lashing Chain - Tested

Chain Dia. mm	Code	£/m
9	LRG80LLC9	4.90
11	LRG80LLC11	7.48
13	LRG80LLC13	9.80
16	LRG80LLC16	14.50



GT Cobra Grade 80 Weld On Pivoting 'D' Ring with Spring

WLL tonnes	Code	£/Each
1.12	LRG80WDR1	8.25
2.00	LRG80WDR2	10.10
3.15	LRG80WDR3	12.20
5.30	LRG80WDR5	21.50
8.00	LRG80WDR8	31.95
15.00	LRG80WDR15	62.25



GT Cobra Grade 80 Weld On Hook

WLL tonnes	Code	£/Each
2.00	LRG80WH2	12.39
3.00	LRG80WH3	14.68
5.00	LRG80WH5	28.25
8.00	LRG80WH8	34.76
10.00	LRG80WH10	44.64



Hamburgers (for lashing purposes) - Untested


Dia. mm	Code	£/Each
24	LRHB24	POA
28	LRHB28	POA
30	LRHB30	POA



Quicklinks Electro-Galvanised - Untested


Dia. mm	Code	£/Each
3.5	LRQL3	0.37
4	LRQL4	0.38
5	LRQL5	0.40
6	LRQL6	0.50
7	LRQL7	0.65
8	LRQL8	0.70
9	LRQL9	0.98
10	LRQL10	1.27
12	LRQL12	1.96

Stainless Steel Short Link Chain - Din 766 - Tested & Certified



Chain Dia. mm	WLL Kgs	GRADE 50		WLL Kgs	GRADE 30	
		Code	£/m		Code	£/m
4	315	LRSSSLCG504	POA	175	LRSSSLCG304	5.39
5	490	LRSSSLCG505	POA	295	LRSSSLCG305	8.15
6	700	LRSSSLCG506	POA	420	LRSSSLCG306	12.89
8	1260	LRSSSLCG508	POA	750	LRSSSLCG308	22.56
10	1960	LRSSSLCG5010	POA	1170	LRSSSLCG3010	35.49

Stainless Steel Long Link Chain - Din 763 - Tested & Certified




Chain Dia. mm	WLL Kgs	GRADE 50		WLL Kgs	GRADE 30	
		Code	£/m		Code	£/m
4	210	LRSSLLCG504	POA	100	LRSSLLCG304	4.49
6	470	LRSSLLCG506	POA	224	LRSSLLCG306	10.06
8	840	LRSSLLCG508	POA	400	LRSSLLCG308	17.60
10	1310	LRSSLLCG5010	POA	630	LRSSLLCG3010	27.99




High Tensile Dee Shackle Screw Pin

WLL tonnes	Code	£/Each
1	LRSSHTDS1	24.12
2	LRSSHTDS2	27.36
3	LRSSHTDS3	34.13
5	LRSSHTDS5	55.12
7	LRSSHTDS7	93.14
9	LRSSHTDS9	145.14
11	LRSSHTDS11	211.78
13	LRSSHTDS13	373.18
15	LRSSHTDS15	513.13



Twisted Shackle Screw Pin

Body x Pin mm	Code	£/Each
5 x 5	LRSSTS5	1.48
6 x 6	LRSSTS6	1.61
8 x 8	LRSSTS8	3.45
10 x 10	LRSSTS10	6.38
12 x 12	LRSSTS12	11.04



Dee Shackle - Screw Pin

Body x Pin mm	Code	£/Each
4 x 4	LRSSDS4	0.95
5 x 5	LRSSDS5	1.13
6 x 6	LRSSDS6	1.47
8 x 8	LRSSDS8	2.51
10 x 10	LRSSDS10	4.40
12 x 12	LRSSDS12	7.91
16 x 16	LRSSDS16	17.71



Thimble

Rope Dia. mm	Code	£/Each
2.5	LRSST2.5	0.21
3	LRSST3	0.26
4	LRSST4	0.32
5	LRSST5	0.38
6	LRSST6	0.52
8	LRSST8	0.86
10	LRSST10	1.67
12	LRSST12	1.99
16	LRSST16	5.46
18	LRSST18	6.10
20	LRSST20	10.35
22	LRSST22	11.96
24	LRSST24	18.72



Bow Shackle - Screw Pin

Body x Pin mm	Code	£/Each
4 x 4	LRSSBS4	0.95
5 x 5	LRSSBS5	1.13
6 x 6	LRSSBS6	1.47
8 x 8	LRSSBS8	2.51
10 x 10	LRSSBS10	4.40
12 x 12	LRSSBS12	7.91
16 x 16	LRSSBS16	17.71



Wire Rope Clip

Rope Dia. mm	Code	£/Each
3	LRSSG3	0.82
4	LRSSG4	0.92
5	LRSSG5	1.01
6.5	LRSSG6.5	1.13
8	LRSSG8	1.70
10	LRSSG10	2.74
13	LRSSG13	3.76
16	LRSSG16	3.97
19	LRSSG19	4.98
22	LRSSG22	6.50



Long Dee Shackle - Screw Pin

Body x Pin mm	Code	£/Each
4 x 4	LRSSLDS4	1.56
5 x 5	LRSSLDS5	1.61
6 x 6	LRSSLDS6	1.96
8 x 8	LRSSLDS8	3.43
10 x 10	LRSSLDS10	6.70
12 x 12	LRSSLDS12	10.87




Eyebolt
(sizes generally to DIN 580)

Dia. mm	Code	£/Each
6	LRSSBDIN6	1.85
8	LRSSBDIN8	2.30
10	LRSSBDIN10	4.40
12	LRSSBDIN12	7.34
16	LRSSBDIN16	11.33



Eynut
(sizes generally to DIN 582)

Dia. mm	Code	£/Each
6	LRSSENDIN6	1.67
8	LRSSENDIN8	2.16
10	LRSSENDIN10	3.74
12	LRSSENDIN12	5.92
16	LRSSENDIN16	8.95



Long Eyebolt with Nut & Washer

Dia. mm	Code	£/Each
6	LRSSBL6	2.39
8	LRSSBL8	3.47
10	LRSSBL10	5.18
12	LRSSBL12	9.03



Open Body Rigging Screw, Hook & Eye

Dia. mm	Code	£/Each
5	LRSSRSHE5	4.46
6	LRSSRSHE6	5.12
8	LRSSRSHE8	7.25
9	LRSSRSHE9	10.52
12	LRSSRSHE12	20.45



Closed Body Rigging Screw c/w Lock Nuts, Jaw & Jaw

Dia. mm	Code	£/Each
5	LRSSRSJJ5	5.55
6	LRSSRSJJ6	6.12
8	LRSSRSJJ8	10.15
10	LRSSRSJJ10	16.54
13	LRSSRSJJ13	23.67
16	LRSSRSJJ16	37.87



Closed Body Rigging Screw c/w Lock Nuts, Jaw and Swage Terminal

Thread	Wire			
Dia. mm	Size mm	Code	£/Each	
6	3	LRSSRSJS6	9.07	
8	4	LRSSRSJS8	12.95	
10	5	LRSSRSJS10	15.64	
12	6	LRSSRSJS12	25.58	
16	8	LRSSRSJS16	41.06	
20	10	LRSSRSJS20	82.32	



Available with Eyelet and/or Screw Gate

Carbine Hook

Dia. mm	Code	£/Each
4	LRSSCH4	0.97
5	LRSSCH5	1.08
6	LRSSCH6	1.20
7	LRSSCH7	1.67
8	LRSSCH8	2.07
10	LRSSCH10	3.62
11	LRSSCH11	5.04
12	LRSSCH12	6.19



Available with Enlarged Opening


Quick Link - Standard Opening

Dia. mm	Code	£/Each
3.5	LRSSQL3	1.50
4	LRSSQL4	1.62
5	LRSSQL5	1.78
6	LRSSQL6	2.07
8	LRSSQL8	2.56
10	LRSSQL10	4.46



Swivel - Eye/Eye

Dia. mm	Code	£/Each
5	LRSSSEE5	3.08
6	LRSSSEE6	3.16
8	LRSSSEE8	4.98
10	LRSSSEE10	10.21
13	LRSSSEE13	22.98
16	LRSSSEE16	37.87



Round Ring

Dia. x Inside Width mm	Code	£/Each
3 x 35	LRSSRR3X35	0.40
4 x 40	LRSSRR4X40	0.61
5 x 50	LRSSRR5X50	0.98
6 x 60	LRSSRR6X60	1.67
8 x 80	LRSSRR8X80	3.94
10 x 50	LRSSRR10X50	4.12
10 x 80	LRSSRR10X80	6.13
12 x 80	LRSSRR12X80	9.00
12 x 100	LRSSRR12X100	11.02



Stainless Steel Swage Stud

Thread	Wire			
Dia. mm	Size mm	Code	£/Each	
6	3	LSSSTUD6	1.53	
8	4	LSSSTUD8	2.10	
10	5	LSSSTUD10	2.93	
12	6	LSSSTUD12	6.13	
16	8	LSSSTUD16	13.32	
20	10	LSSSTUD20	19.58	



Stainless Steel Swage Eyes & Jaw

Wire	Eye	Jaw		
Size mm	Code	£/Each	Code	£/Each
3	LRSSSEYE3	1.53	LRSSSJAW3	2.42
4	LRSSSEYE4	2.10	LRSSSJAW4	4.14
5	LRSSSEYE5	2.93	LRSSSJAW5	5.61
6	LRSSSEYE6	6.13	LRSSSJAW6	9.78
8	LRSSSEYE8	13.32	LRSSSJAW8	20.18
10	LRSSSEYE10	19.57	LRSSSJAW10	33.21



Single Acting Cylinder

Capacity tonne	Stroke mm	Code	£/Each
10	50	LRTS105	192.49
10	100	LRTS1010	231.00
10	150	LRTS1015	299.74
10	200	LRTS1020	159.49
20	50	LRTS205	338.25
20	100	LRTS2010	425.14
20	150	LRTS2015	519.75
20	200	LRTS2020	272.25
30	100	LRTS3010	384.98
30	150	LRTS3015	507.64
30	200	LRTS3020	582.98
50	50	LRTS505	384.98
50	100	LRTS5010	431.74
50	150	LRTS5015	533.48
50	200	LRTS5020	693.00
100	100	LRTS10010	1056.00
100	150	LRTS10015	1157.74



Shorty Cylinder

Capacity tonne	Stroke mm	Code	£/Each
10	44	LRTSSC1044	241.99
20	44	LRTSSC2044	302.48
30	44	LRTSSC3044	397.72
50	50	LRTSSC5050	423.49
100	50	LRTSSC10050	761.74



Low Profile Pad Cylinder

Capacity tonne	Stroke mm	Code	£/Each
5	6	LRTSLC56	167.74
10	11	LRTSLC1011	181.50
20	11	LRTSLC2011	228.23
30	13	LRTSLC3013	272.25
50	16	LRTSLC5016	318.98
100	16	LRTSLC10016	761.74



Single Acting Hollow Centre Cylinder

Capacity tonne	Stroke mm	Code	£/Each
10	41	LRTCH1041	412.50
20	50	LRTCH2050	495.00
30	63	LRTCH3063	549.98
50	75	LRTCH5075	1,099.99
100	75	LRTCH10075	1,924.99

Spare parts for the above items available on request



Hydraulic Hand Pump

Capacity cc	Model	Code	£/Each
800	1B	LRTHPA1B	214.50
1600	1C	LRTHPA1C	274.99
2300	2B	LRTHP2B	343.76
3000	3A	LRTHP3A	505.99



Hydraulic Nut Splitter

Capacity cc	Model	Code	£/Each
14	15mm stroke	LRTNS1415	560.74
32.5	20mm stroke	LRTNS32520	962.48



Manifold

Model	Code	£/Each
Two way splitter block	LRTMF2522	60.49
Four way splitter block	LRTMF2544	151.24



Gauges / Gauge Block


Model	Code	£/Each
Hydraulic pressure gauge 64mm dia face size 1000 bar	LRTPG64	54.98
Hydraulic pressure gauge 100mm dia face size 1000 bar	LRTPG100	137.48
Hydraulic pressure gauge block	LRTGA7001	46.73
Hydraulic pressure gauge adaptor	LRTGA7002	30.23



Hoses & Coupler

Model	Code	£/Each
Hydraulic hose 1.8m capacity 700 bar	LRTHS70018	47.59
Hydraulic hose 1.8m capacity 700 bar c/w male coupler	LRTHS70018-TBC382M	67.65
Hydraulic hose 3.0m capacity 700 bar	LRTHS70030	60.49
Hydraulic hose coupler 3/8" dia thread male ball bearing	LRTBC382M	20.06
Hydraulic cylinder coupler 3/8" dia thread female ball bearing	LRTBC382F	24.75

Harnesses & Belts



Part No. & Description	Price £/Each
LRFA 10 101 00 FLY'IN 1 - 2 point luxury full body harness with quick connect buckles Size S - L	153.67
LRFA 10 101 01 FLY'IN 1 - 2 point luxury full body harness with quick connect buckles Size L - XXL	153.67
LRFA 10 102 00 Single point full body harness - basic	28.31
LRFA 10 103 00 2 Point full body harness - basic	32.56
LRFA 10 104 00 2 Point full body harness	46.28
LRFA 10 105 00 2 Point full body harness	43.03
LRFA 10 105 00 A 2 Point full body harness with quick connect buckles	61.87
LRFA 10 106 00 Rescue full body harness	53.80
LRFA 10 107 00 2 Point elasticated full body harness	90.46
LRFA 10 107 01 MOVE 3 - Scaffolders 2 point elasticated full body harness	110.05
LRFA 10 108 00 Single point full body harness	32.92
LRFA 10 109 00 ATEX - 2 Point full body harness	128.18
LRFA 10 110 00 2 Point flame resistant full body harness	237.44
LRFA 10 111 00 3 Point full body harness Size S - L	66.00
LRFA 10 111 01 3 Point full body harness Size L - XXL	66.00
LRFA 10 112 00 SPEED AIR - 2 point full body harness Size S - L	113.21
LRFA 10 112 01 SPEED AIR - 2 point full body harness Size L - XXL	113.21
LRFA 10 113 00 REVOLTA - 2 point full body harness Size S - L	163.17
LRFA 10 113 01 REVOLTA - 2 point full body harness Size L - XXL	163.17
LRFA 10 114 00 2 Point sit harness for confined space Size S - L	116.83
LRFA 10 114 01 2 Point sit harness for confined space Size L - XXL	116.83
LRFA 10 201 00 FLY'IN 2 - 4 point luxury full body harness with quick connect buckles Size S - L	240.68


LRFA 10 201 01 FLY'IN 2 - 4 point luxury full body harness with quick connect buckles Size L - XXL	240.68
LRFA 10 202 00 FLY'IN 3 - 5 point luxury full body harness with quick connect buckles Size S - L	283.15
LRFA 10 202 01 FLY'IN 3 - 5 point luxury full body harness with quick connect buckles Size L - XXL	283.15
LRFA 10 203 00 4 Point full body harness - basic	49.48
LRFA 10 204 01 4 Point full body harness	131.56
LRFA 10 205 00 4 Point comfort full body harness	81.27
LRFA 10 206 00 5 Point comfort full body harness	169.89
LRFA 10 207 00 2 Point full body harness with quick connect buckles Size S - L	134.49
LRFA 10 207 01 4 Point full body harness with quick connect buckles Size L - XXL	134.49
LRFA 10 208 00 4 Point elasticated full body harness	120.27
LRFA 10 210 00 WINDMILL - 5 Point luxury full body harness Size S - L	308.94
LRFA 10 210 01 WINDMILL - 5 Point luxury full body harness Size L - XXL	308.94
LRFA 10 211 00 4 Point flame resistant full body harness	373.68
LRFA 10 212 00 DIELECTRIC - 4 point full body harness	165.66
LRFA 10 213 00 5 Point full body harness - basic	125.87
LRFA 10 214 00 REVOLTA - 4 point full body harness Size S - L	173.57
LRFA 10 214 00 REVOLTA - 4 point full body harness Size L - XXL	173.57
LRFA 10 215 00 HYBRID AIRTECH - 5 point full body harness Size S - L	272.98
LRFA 10 215 01 HYBRID AIRTECH - 5 point full body harness Size L - XXL	272.98
LRFA 10 301 00 2 Point full body harness, incorporated into a multi pocket grey work vest	112.03
LRFA 10 302 00 2 Point full body harness, incorporated into high visibility yellow work vestal pad	111.38
LRFA 10 303 00 2 Point full body harness, incorporated into high visibility orange work vest	112.04
LRFA 10 401 00 2 Point full body harness with quick connect buckles and extension strap	28.25
LRFA 10 402 00 Work positioning belt	24.04
LRFA 10 404 00 FLY'IN 4 - luxury work positioning belt Size S - L	137.18
LRFA 10 404 01 FLY'IN 4 - luxury work positioning belt Size L - XXL	137.18
LRFA 10 500 00 BAMBOU - lower body climbing harness	46.48

Tool Lanyards & Accessories



Part No. & Description	Price £/Each
LRTS 90 001 00 Stretch lanyard for connecting tools	9.45
LRTS 90 001 01 Stretch lanyard for connecting heavy tools	10.71
LRTS 90 001 02 Forked stretch lanyard for connecting tools	11.97
LRTS 90 001 03 Wristband with lanyard for connecting tools	7.50
LRTS 90 001 04 Attachment 'D' ring	12.57
LRTS 90 001 05 Self-merging silicone tape	18.82
LRTS 90 001 06 Stretch lanyard for connecting tools with integrated karabiners	11.97
LRTS 90 001 07 Aluminium karabiner for connecting tools	8.19
LRTS 90 001 08 Retractable tool lanyard	44.65
LRFA 10 901 00 Suspension trauma strap	12.68
LRFA 10 902 00 Dorsal pad	38.51
LRFA 10 903 00 Removable extension strap	23.57
LRFA 10 904 00 Lanyard keeper	2.68
LRFA 10 905 00 Removable abrasion resistant shoulder pad	9.47
LRFA 10 906 00 Removable shoulder pad	5.30
LRFA 10 907 00 Webbing end clips - 4 pack	8.32

Fall Arresters



Part No. & Description	Price £/Each
LRFA 20 100 00 A Fall arrester to suit 14-16mm polyamide twisted rope	75.03
LRFA 20 100 00 B Fall arrester to suit 14-16mm polyamide twisted rope with shock absorber	78.79
LRFA 20 100 10 Flexible anchorage line for LRFA 20 100 00 (A or B) - 10m	55.49
LRFA 20 100 20 Flexible anchorage line for LRFA 20 100 00 (A or B) - 20m	89.90
LRFA 20 100 30 Flexible anchorage line for LRFA 20 100 00 (A or B) - 30m	132.38
LRFA 20 100 40 Flexible anchorage line for LRFA 20 100 00 (A or B) - 40m	175.56
LRFA 20 100 50 Flexible anchorage line for LRFA 20 100 00 (A or B) - 50m	218.02
LRFA 20 100 97 Flexible anchorage line for LRFA 20 100 00 (A or B) - 200m	862.89
LRFA 20 100 98 Flexible anchorage line for LRFA 20 100 00 (A or B) - 100m	432.78
LRFA 20 100 99 Polyamide twisted rope 14mm (200m)	842.36
LRFA 20 102 10 Captive type fall arrester on kernmantle rope with energy absorber - 10m	74.33
LRFA 20 102 20 Captive type fall arrester on kernmantle rope with energy absorber - 20m	106.18
LRFA 20 102 30 Captive type fall arrester on kernmantle rope with energy absorber - 30m	109.97
LRFA 20 102 40 Captive type fall arrester on kernmantle rope with energy absorber - 40m	133.79
LRFA 20 102 50 Captive type fall arrester on kernmantle rope with energy absorber - 50m	154.17
LRFA 20 103 00 A Compact fall arrester - rope grab only	64.05
LRFA 20 103 00 B Compact fall arrester - rope grab only	65.39
LRFA 20 103 10 10m anchor line made up of 12mm kernmantle rope, thimble eye one end and stop knot the other end	51.42
LRFA 20 103 20 20m anchor line made up of 12mm kernmantle rope, thimble eye one end and stop knot the other end	100.84
LRFA 20 103 30 30m anchor line made up of 12mm kernmantle rope, thimble eye one end and stop knot the other end	146.25
LRFA 20 103 40 40m anchor line made up of 12mm kernmantle rope, thimble eye one end and stop knot the other end	197.00

LRFA 20 103 50 50m anchor line made up of 12mm kernmantle rope, thimble eye one end and stop knot the other end	247.75	LRFA 20 400 07 Retractable wire rope fall arrest block 7m - polymer casing	327.22
LRFA 20 104 00 Fall arrester - rope grab only to suit 12mm kernmantle rope	78.30	LRFA 20 400 10 Retractable wire rope fall arrest block 10m - polymer casing	396.41
LRFA 20 104 10 12mm kernmantle rope to suit LRFA 20 104 00 - 10m	25.04	LRFA 20 400 10 A ATEX - retractable wire rope fall arrest block 10m - polymer casing	421.38
LRFA 20 104 20 12mm kernmantle rope to suit LRFA 20 104 00 - 20m	44.96	LRFA 20 400 15 A ATEX - retractable wire rope fall arrest block 15m - polymer casing	494.23
LRFA 20 104 30 12mm kernmantle rope to suit LRFA 20 104 00 - 30m	65.84	LRFA 20 400 2 0A ATEX - retractable wire rope fall arrest block 20m - polymer casing	594.60
LRFA 20 104 40 12mm kernmantle rope to suit LRFA 20 104 00 - 40m	86.36	LRFA 20 400 15 Retractable wire rope fall arrest block 15m - polymer casing	467.20
LRFA 20 104 50 12mm kernmantle rope to suit LRFA 20 104 00 - 50m	106.90	LRFA 20 400 20 Retractable wire rope fall arrest block 20m - polymer casing	566.29
LRFA 20 113 30 Fall arrest & evacuation kit - 30m	475.20	LRFA 20 400 25 Retractable wire rope fall arrest block 25m - polymer casing	729.10
LRFA 20 113 50 Fall arrest & evacuation kit - 50m	547.40	LRFA 20 400 30 Retractable wire rope fall arrest block 30m - polymer casing	743.26
LRFA 20 200 00 Rope grab on stainless steel wire rope with energy absorber	63.71	LRFA 20 401 20 Retractable wire rope fall arrest block 20m - polymer casing c/w integrated recovery system	899.96
LRFA 20 200 01 Rope grab for rigid stainless steel cable system without energy absorber	50.97	LRFA 20 401 30 Retractable wire rope fall arrest block 30m - polymer casing c/w integrated recovery system	1240.77
LRFA 20 200 02 Rope grab with shock absorber for KS6000 system	84.55	LRFA 20 402 03 HELIXON - retractable wire rope fall arrest block 3.5m polymer casing	272.40
LRFA 20 200 97 Aluminium cap for wire rope ends	1.89	LRFA 20 402 03 B HELIXON - retractable wire rope fall arrest block 3.5m polymer casing - vertical use only	249.28
LRFA 20 200 98 First meter of wire rope with thimble and U-Bolt	42.47	LRFA 20 402 07 HELIXON - retractable wire rope fall arrest block 7m polymer casing	338.60
LRFA 20 200 99 Stainless steel wire rope 8mm 7x19 (price per metre)	8.83	LRFA 20 402 07 B HELIXON - retractable wire rope fall arrest block 7m polymer casing - vertical use only	332.00
LRFA 20 201 00 Mounting brackets	245.86	LRFA 20 402 10 HELIXON - retractable wire rope fall arrest block 10m - polymer casing	436.50
LRFA 20 202 00 Intermediate cable guide	67.95	LRFA 20 402 10 A HELIXON - ATEX retractable wire rope fall arrest block 10m polymer casing - vertical use only	474.05
LRFA 20 203 00 End clamp for wire rope flexible system	41.77	LRFA 20 402 10 B HELIXON - retractable wire rope fall arrest block 10m polymer casing - vertical use only	414.50
LRFA 20 204 00 Dead weight of 6kg for wire rope flexible system	56.62	LRFA 20 402 15 HELIXON - retractable wire rope fall arrest block 15m polymer casing - vertical use only	509.25
LRFA 20 205 00 Tensioner for wire rope rigid system	97.69	LRFA 20 402 15 A HELIXON - ATEX retractable wire rope fall arrest block 15m polymer casing - vertical use only	534.70
LRFA 20 206 00 Shock absorber for rigid system	219.44	LRFA 20 402 20 HELIXON - retractable wire rope fall arrest block 20m polymer casing - vertical use only	607.00
LRFA 20 207 00 Cable extremity	91.85	LRFA 20 402 20 A HELIXON - ATEX retractable wire rope fall arrest block 20m polymer casing - vertical use only	638.00
LRFA 20 208 00 Set of a thimble and 2 wire grips	19.98	LRFA 20 410 10 TRITON - sealed retractable stainless steel wire rope fall arrest block 10m	1999.00
LRFA 20 209 00 Extremity plate for two ladder rungs	70.43	LRFA 20 500 02 Twin retractable webbing fall arrest block 2m - aluminium casing	396.41
LRFA 20 210 19 Top extension for KS2001, KS6000 & KS7000 systems	498.96	LRFA 20 500 03 Retractable webbing fall arrest block 3.5m - polymer casing	257.24
LRFA 20 300 02 Retractable webbing fall arrest block 2.5m with karabiner	75.74	LRFA 20 500 12 Retractable webbing fall arrest block 12m - polymer casing	396.41
LRFA 20 301 02 Retractable webbing fall arrest block 2.5m with steel snap hook	75.74	LRFA 20 501 02 Retractable wire rope fall arrest block 2m - polymer casing	181.52
LRFA 20 302 02 Factor 2 retractable webbing fall arrest block 2.5m with steel snap hook	108.01		
LRFA 20 303 02 Retractable webbing fall arrest block 2.5m with scaffold hook	88.92		
LRFA 20 400 03 Retractable wire rope fall arrest block 3.5m - polymer casing	261.92		
LRFA 20 400 06 Retractable wire rope fall arrest block 6m - polymer casing	353.93		

LRFA 20 501 06 Retractable wire rope fall arrest block 6m - polymer casing	251.03
LRFA 20 502 00 A Mono retractable block connector	25.14
LRFA 20 502 00 B Twin retractable block connector	17.51
LRFA 20 502 02 Compact lightweight retractable 2m webbing fall arrest block with aluminium snap hook	145.58
LRFA 20 503 02 Compact lightweight retractable 2m webbing fall arrest block with aluminium scaffold hook	149.59
LRFA 20 504 03 HELIXON - retractable webbing rope fall arrest block 3.5m polymer casing	264.20
LRFA 20 504 03 B HELIXON - retractable webbing rope fall arrest block 3.5m polymer casing - vertical use only	242.90
LRFA 20 504 06 HELIXON - retractable webbing rope fall arrest block 6m polymer casing	273.88
LRFA 20 504 06 B HELIXON - retractable webbing rope fall arrest block 6m polymer casing - vertical use only	254.72
LRFA 20 504 12 HELIXON - retractable webbing rope fall arrest block 12m polymer casing - vertical use only	382.25
LRFA 20 505 02 Twin retractable fall arrester 2 x 2m	419.90
LRFA 20 600 06 Retractable wire rope fall arrest block 6m - aluminium casing	368.10
LRFA 20 600 10 Retractable wire rope fall arrest block 10m - aluminium casing	382.25
LRFA 20 600 15 Retractable wire rope fall arrest block 15m - aluminium casing	481.35
LRFA 20 700 00 Vertical trolley	464.94
LRFA 20 701 00 Aluminium top extension	87.57
LRFA 20 702 00 Aluminium rail intermediate	66.98
LRFA 20 703 00 Aluminium rail extremity	146.85
LRFA 20 704 00 Connecting junction	40.29
LRFA 20 705 00 Rung Clamp	20.89
LRFA 20 706 00 Mounting brackets	122.85
LRFA 20 707 00 Ladder rung	33.96
LRFA 20 708 00 Mounting nut	10.68
LRFA 20 903 00 Protective case for fall arrest block - small	15.98
LRFA 20 903 01 Protective case for fall arrest block - medium	19.94
LRFA 20 903 02 Protective case for fall arrest block - large	21.98
LRFA 20 904 06 Tag line for 6m fall arrest block	5.98
LRFA 20 904 07 Tag line for 7m fall arrest block	6.58
LRFA 20 904 10 Tag line for 10m fall arrest block	8.24
LRFA 20 904 12 Tag line for 12m fall arrest block	9.16

LRFA 20 904 15 Tag line for 15m fall arrest block	9.80
LRFA 20 904 20 Tag line for 20m fall arrest block	11.96
LRFA 20 904 25 Tag line for 25m fall arrest block	14.59
LRFA 20 904 30 Tag line for 30m fall arrest block	18.90

Shock Absorbing Lanyards




Part No. & Description	Price £/Each
LRFA 30 000 35 Shock absorber only 35mm	14.87
LRFA 30 000 45 Shock absorber only 45mm	17.89
LRFA 30 103 20 Shock absorbing twisted rope lanyard 2m with a steel snap hook and a steel scaffold hook	45.02
LRFA 30 200 15 Shock absorbing forked twisted rope lanyard 1.5m with 2 steel scaffold hooks and a steel screw locking karabiner	63.57
LRFA 30 300 15 Shock absorbing webbing lanyard length 1.5m	32.56
LRFA 30 300 20 Shock absorbing webbing lanyard length 1.8m	35.25
LRFA 30 303 15 Shock absorbing webbing lanyard 1.5m with a steel snap hook and a scaffold hook	50.50
LRFA 30 303 20 Shock absorbing webbing lanyard 2m with a steel snap hook and a steel scaffold hook	51.67
LRFA 30 304 18 Shock absorbing webbing lanyard 1.8m with a steel screw locking karabiner and a steel scaffold hook	47.67
LRFA 30 305 10 Flame resistant shock absorbing webbing lanyard 1.0m	56.86
LRFA 30 305 15 Flame resistant shock absorbing webbing lanyard 1.5m	60.86
LRFA 30 305 20 Flame resistant shock absorbing webbing lanyard 2.0m	62.57
LRFA 30 306 20 ATEX shock absorbing webbing lanyard 2.0m	80.07
LRFA 30 307 20 DIELECTRIC shock absorbing webbing lanyard 1.8m	100.55
LRFA 30 308 20 DIELECTRIC - shock absorbing webbing lanyard 2m with a snap hook and a rebar hook	104.50
LRFA 30 309 20 REVOLTA - shock absorbing webbing lanyard 2.0m	99.29
LRFA 30 400 18 Forked shock absorber 35mm with webbing lanyards 1.8m with 2 steel scaffold hooks and a steel screw locking karabiner	73.16

LRFA 30 402 10 Flame resistant shock absorbing forked webbing lanyard 1.0m	82.82
LRFA 30 402 15 Flame resistant shock absorbing forked webbing lanyard 1.5m	84.87
LRFA 30 403 15 ATEX shock absorbing forked webbing lanyard 1.5mtr	120.07
LRFA 30 404 15 DIELECTRIC shock absorbing forked webbing lanyard 1.5mtr	170.60
LRFA 30 405 15 DIELECTRIC shock absorbing forked webbing lanyard 1.5m with a snap hook and 2 rebar hook	216.80
LRFA 30 406 20 REVOLTA shock absorbing expandable forked webbing lanyard 2.0mtr	181.76
LRFA 30 500 15 Shock absorbing kernmantle rope lanyard length 1.5m	31.85
LRFA 30 500 20 Shock absorbing kernmantle rope lanyard length 1.8m	33.63
LRFA 30 502 15 Shock absorbing kernmantle rope lanyard 1.5m with a steel scaffold hook	49.40
LRFA 30 502 20 Shock absorbing kernmantle rope lanyard 1.8m with a steel scaffold hook	51.67
LRFA 30 503 15 Shock absorbing kernmantle rope lanyard 1.5m with a steel snap hook and a steel scaffold hook	59.18
LRFA 30 503 20 Shock absorbing kernmantle rope lanyard 2m with a steel snap hook and a steel scaffold	61.59
LRFA 30 512 12 Shock absorbing kernmantle rope lanyard 1.2m with an aluminium screw karabiner and an aluminium scaffold hook	58.30
LRFA 30 512 20 Shock absorbing kernmantle rope lanyard 1.8m with a green aluminium scaffold hook	62.04
LRFA 30 513 20 Shock absorbing kernmantle rope lanyard 2m with a green aluminium snap hook and a green aluminium scaffold hook	72.14
LRFA 30 514 20 Shock absorbing kernmantle rope lanyard maximum 2m with a ring adjuster and 1 green aluminium screw karabiner and 1 green aluminium scaffold hook	78.90
LRFA 30 600 10 Shock absorbing forked webbing lanyard 1.0m with 2 steel scaffold hooks and a steel screw locking karabiner	74.28
LRFA 30 600 15 Shock absorbing forked webbing lanyard 1.5m with 2 steel scaffold hooks and a steel screw locking karabiner	82.11
LRFA 30 610 15 Shock absorbing forked webbing lanyard 1.5m with 2 green aluminium scaffold hooks and 1 green aluminium screw karabiner	118.86
LRFA 30 614 20 Shock absorbing forked webbing lanyard maximum 2m with 2 ring adjusters and 1 green aluminium screw karabiner and 2 green aluminium scaffold hooks	144.91
LRFA 30 702 20 Shock absorbing expandable webbing lanyard 1.8m with a steel scaffold hook	53.80
LRFA 30 703 20 Shock absorbing expandable webbing lanyard 2m with a steel snap hook and a steel scaffold hook	63.71
LRFA 30 712 20 Shock absorbing expandable webbing lanyard 1.8m with a green aluminium scaffold hook	65.13

LRFA 30 713 20 Shock absorbing expandable webbing lanyard 2m with a green aluminium snap hook and a green aluminium scaffold hook	83.39
LRFA 30 722 20 Shock absorbing expandable webbing lanyard 1.8m with an aluminium scaffold hook - 140kg capacity	78.94
LRFA 30 723 20 Shock absorbing expandable webbing lanyard 2m with an aluminium screw karabiner and an aluminium scaffold hook - 140kg capacity	96.88
LRFA 30 800 15 Shock absorbing forked expandable webbing lanyard 1.5m with 2 steel scaffold hooks and a steel screw locking karabiner	86.36
LRFA 30 810 15 Shock absorbing forked expandable webbing lanyard 1.5m with 2 green aluminium scaffold hooks and 1 green aluminium screw karabiner	149.60
LRFA 30 820 15 Shock absorbing forked expandable webbing lanyard 1.5m with an aluminium screw karabiner and 2 aluminium scaffold hook 140kg capacity	130.34
LRFA 30 900 20 Shock absorbing expandable webbing lanyard maxi length 2m with a green aluminium scaffold hook and a green aluminium screw karabiner	74.08
LRFA 30 1000 20 Shock absorbing forked expandable webbing lanyard maximum length 2m with 2 green aluminium scaffold hooks and 1 green aluminium screw karabiner	146.03


Restraint & Work Positioning Lanyards



Part No. & Description	Price £/Each
LRFA 40 300 15 Webbing lanyard length 1.5m	10.87
LRFA 40 302 15 Webbing lanyard 1.5m with a steel scaffold hook	27.12
LRFA 40 303 15 Webbing lanyard 1.5m with a steel snap hook steel scaffold hook	33.48
LRFA 40 304 15 Horizontal webbing lanyard	23.73
LRFA 40 400 15 Flame resistant forked webbing lanyard 1.5m with 2 scaffolding hooks and 1 screw karabiner	77.16
LRFA 40 500 10 Kernmantle rope lanyard length 1m	12.18
LRFA 40 500 15 Kernmantle rope lanyard length 1.5m	13.29
LRFA 40 500 20 Kernmantle rope lanyard length 1.8m	14.52
LRFA 40 502 10 Kernmantle rope lanyard 1m with a steel scaffold hook	22.96

LRFA 40 502 15	25.88
Kernmantle rope lanyard 1.5m with a steel scaffold hook	
LRFA 40 502 20	27.92
Kernmantle rope lanyard 1.8m with a steel scaffold hook	
LRFA 40 503 10	26.15
Kernmantle rope lanyard 1m with a steel snap hook and a steel scaffold hook	
LRFA 40 503 15	27.02
Kernmantle rope lanyard 1.5m with a steel snap hook and a steel scaffold hook	
LRFA 40 503 20	27.94
Kernmantle rope lanyard 2m with a steel snap hook and a steel scaffold hook	
LRFA 40 600 10	36.15
Forked kernmantle lanyard 1m with a steel snap hook and 2 steel scaffold hooks	
LRFA 40 600 15	38.93
Forked kernmantle lanyard 1.5m with a steel snap hook and 2 steel scaffold hooks	
LRFA 40 900 20	26.20
Twisted work positioning lanyard 2m with a ring adjuster and 2 steel screw karabiners	
LRFA 40 901 20	27.14
Webbing work positioning lanyard 2m with a ring adjuster, steel screw karabiner and a snap hook	
LRFA 40 902 20	31.85
Kernmantle rope work positioning lanyard 2m with a ring adjuster, steel screw karabiner and a snap hook	
LRFA 40 903 20	44.74
Kernmantle rope work positioning lanyard 2m with a grip adjuster and 2 steel screw karabiners	
LRFA 40 903 40	55.43
Kernmantle rope work positioning lanyard 4m with a grip adjuster and 2 steel screw karabiners	
LRFA 40 904 20	65.66
Twisted rope work positioning lanyard 2m with a grip adjuster and 2 steel screw karabiners	
LRFA 40 905 20	33.20
Flame resistant adjustable work positioning webbing lanyard 2m	
LRFA 40 906 50	96.39
Work positioning kernmantle rope lanyard with grip adjuster 5m	
LRFA 40 907 20	65.90
REVOLTA - adjustable work positioning lanyard 2m	

Connectors



Part No. & Description	Price £/Each
LRFA 50 101 17	6.93
Steel screw locking karabiner opening 17mm	
LRFA 50 101 17 B	7.12
Steel screw locking karabiner opening 17mm - keylock version	

LRFA 50 102 17	8.47
Steel screw locking karabiner opening 17mm with captive pin	
LRFA 50 103 22	12.68
Aluminum screw locking karabiner opening 22.5mm	
LRFA 50 104 24	14.09
Aluminium screw locking snap hook opening 24mm	
LRFA 50 105 22	15.84
Green aluminum screw locking karabiner opening 22.5mm	
LRFA 50 106 22	33.35
Stainless steel karabiner	
LRFA 50 107 15 B	13.24
Aluminium screw locking karabiner opening 15mm - keylock version	
LRFA 50 201 22	16.85
Aluminium quarter turn locking karabiner opening 22mm	
LRFA 50 201 22 B	17.70
Aluminium quarter turn locking karabiner opening 22mm - keylock version	
LRFA 50 202 17	9.19
Steel snap hook opening 17mm	
LRFA 50 203 11	21.52
Steel swivel snap hook opening 11mm with load indicator	
LRFA 50 203 20	21.98
Steel swivel snap hook opening 20mm with load indicator	
LRFA 50 207 55	15.94
Steel scaffold Hook opening 55mm	
LRFA 50 208 11	51.08
Aluminum rebar hook with 110mm large gate	
LRFA 50 208 60	21.13
Aluminum scaffold hook opening 60mm	
LRFA 50 209 14	25.41
Stainless steel anchorage connector opening 140mm	
LRFA 50 210 11	24.00
Stainless steel anchorage connector opening 110mm	
LRFA 50 211 75	22.58
Stainless steel anchorage connector opening 75mm	
LRFA 50 212 21	28.72
Aluminium snap hook opening 21mm	
LRFA 50 213 80	43.82
Steel tower hook opening 80mm	
LRFA 50 214 60	41.34
Aluminum rebar hook opening 60mm	
LRFA 50 215 50	38.08
Steel quarter turn locking tower hook opening 50mm	
LRFA 50 216 55	43.65
Steel quarter turn locking tower hook opening 55mm	
LRFA 50 217 22 B	17.58
Green aluminium quarter turn locking snap hook opening 22mm - keylock version	
LRFA 50 218 60	26.56
Green aluminium scaffold hook 60mm	
LRFA 50 219 14 B	15.75
Aluminium quarter turn locking karabiner - keylock version	
LRFA 50 220 21	25.36
Aluminium quarter turn locking snap hook	
LRFA 50 222 55	67.03
DIELECTRIC - scaffold hook	
LRFA 50 223 15	49.86
DIELECTRIC - snap hook opening 15mm	
LRFA 50 223 15	49.86
DIELECTRIC - snap hook opening 15mm	
LRFA 50 224 18	8.80
Steel quarter turn locking karabiner opening 18mm	
LRFA 50 225 23 B	11.79
Steel quarter turn locking karabiner opening 23mm - keylock version	
LRFA 50 301 23 B	13.36
Steel triple action locking karabiner opening 23mm - keylock version	

LRFA 50 302 22 Aluminium triple action locking karabiner opening 22mm	15.30
LRFA 50 302 22 B Aluminium triple action locking karabiner opening 22mm keylock version	15.37
LRFA 50 304 22 B Green aluminium triple action locking karabiner opening 21mm keylock version	21.35
LRFA 50 400 16 Oval quick link opening 18mm	11.60
LRFA 50 401 10 DELTA - quick link opening 10mm	12.10
LRFA 50 900 00 Karabiner holder for lanyard - 10 pack	9.76

Anchorage




Part No. & Description	Price £/Each
LRFA 60 001 00 Tripod - 7 ft	757.42
LRFA 60 001 02 Bracket assembly for tripod kit to fit FA2040130	128.08
LRFA 60 001 03 Bracket assembly for tripod kit to fit FA2040120	132.89
LRFA 60 002 00 Tripod - 10 ft	937.92
LRFA 60 002 01 Foot Ladder	54.90
LRFA 60 003 00 Rescue & work winch - 20m wire rope	686.64
LRFA 60 004 15 Anchorage webbing sling length 1.5m	18.76
LRFA 60 005 08 Anchorage round sling 0.8m	9.84
LRFA 60 005 12 Anchorage round sling 1.2m	11.26
LRFA 60 005 15 Anchorage round sling 1.5m	12.68
LRFA 60 005 30 Anchorage round sling 3.0m	16.35
LRFA 60 006 10 Anchorage steel wire rope sling 1m	30.44
LRFA 60 006 20 Anchorage steel wire rope sling 2m	37.81
LRFA 60 007 00 Horizontal temporary lifeline 20m 2 users	169.89
LRFA 60 007 01 Horizontal temporary lifeline 25m 4 users	724.90
LRFA 60 007 02 Horizontal temporary lifeline 25m 4 users complete with crossover attachments	918.96

LRFA 60 008 00 Beam anchor	258.12
LRFA 60 008 01 Compact beam anchor	227.23
LRFA 60 008 02 Beam anchor trolley suits beam width 80 to 250mm Type B	375.97
LRFA 60 008 03 Beam anchor with steel D ring	375.97
LRFA 60 010 00 Anchorage point WALLUTION for parapets	305.42
LRFA 60 011 00 Stainless steel anchorage point	64.02
LRFA 60 012 00 Hinged steel roof anchor (reusable)	10.97
LRFA 60 013 00 Concrete anchor strap	20.19
LRFA 60 014 00 Vertical anchorage D-bolt	36.10
LRFA 60 015 00 Door anchor	258.12
LRFA 60 016 00 Telescopic pole 2 - 8m	579.60
LRFA 60 016 01 Extension section of the telescopic pole	59.47
LRFA 60 016 02 Aluminium anchorage hook	59.10
LRFA 60 016 03 Hanging hook	42.41
LRFA 60 016 04 Head of the telescopic pole	64.41
LRFA 60 016 05 Telescopic pole set	532.85
LRFA 60 016 06 Steel anchorage hook	124.11
LRFA 60 017 15 Flame resistant anchorage web sling 1.5m	21.02
LRFA 60 018 00 Concrete anchor	64.98
LRFA 60 019 00 Toggle anchor 200mm	40.35
LRFA 60 019 01 Toggle anchor 500mm	67.81
LRFA 60 022 00 MultiSafeWay	1795.00
LRFA 60 022 01 Floor mount to suit MultiSafeWay	498.00
LRFA 60 022 02 Wall mount to suit MultiSafeWay	488.00
LRFA 60 022 03 Adaption kit for LRFA 20 401 30 to suit MultiSafeWay	156.87
LRFA 60 022 04 Adaption kit for LRFA 20 401 20 to suit MultiSafeWay	156.87
LRFA 60 023 00 Rescue & work winch - 30m wire rope	859.32
LRFA 60 026 00 Aluminium edge anchor	247.00
LRFA 60 027 10 Flange anchor 10mm	9.01
LRFA 60 027 12 Flange anchor 12mm	9.01
LRFA 60 026 00 Aluminium edge anchor	247.00
LRFA 60 028 14 Flange anchor - large opening	20.52
LRFA 60 029 10 Adjustable webbing anchorage lanyard 10m	56.26

LRFA 60 030 04 Tile anchor	26.59
LRFA 60 032 00 Anchor post for container	375.00
LRFA 60 033 18 Retractable wire rope temporary horizontal lifeline 18m	1955.90
LRFA 60 034 00 Aluminium anchor for standing seam roof	74.20
LRFA 60 036 03 Rigging plate - 3 holes for anchorage	22.60
LRFA 60 036 05 Rigging plate - 5 holes for anchorage	26.80

Rescue & Rope Access




Part No. & Description	Price £/Each
LRFA 70 001 00 Grip descender	102.64
LRFA 70 002 00 Ascender handle (left)	44.16
LRFA 70 003 00 Ascender handle (right)	44.16
LRFA 70 004 00 Figure of 8	13.44
LRFA 70 005 00 Evacuation triangle	77.30
LRFA 70 006 00 Easy seat	100.45
LRFA 70 007 00 Bosun's chair	184.05
LRFA 70 007 01 Spreader bar	35.39
LRFA 70 008 00 Single pulley	14.01
LRFA 70 008 01 Opening single pulley	23.12
LRFA 70 008 02 Opening double pulley	82.55
LRFA 70 009 20 9.6mm kernmantle rope semi-static 20m for use with RES-Q & LIFT RES-Q	229.98
LRFA 70 009 40 9.6mm kernmantle rope semi-static 40m for use with RES-Q & LIFT RES-Q	355.20
LRFA 70 009 98 End kit for rope with special length, supplied with loop & connectors (x2) for use with RES-Q & LIFT RES-Q	103.50
LRFA 70 009 99 9.6mm kernmantle rope semi-static for use with RES-Q & LIFT RES-Q (price per metre)	5.96
LRFA 70 010 99 Kernmantle rope semi-static 10.5mm (price per metre)	3.16

LRFA 70 011 99 Kernmantle rope semi-static 11mm (price per metre)	3.49
LRFA 70 012 99 Kernmantle rope semi-static 12mm (price per metre)	3.99
LRFA 70 013 00 Pedal foot loop	15.22
LRFA 70 014 00 Asymmetric lanyard in Y	16.28
LRFA 70 015 00 Ventral rope clamp	53.10
LRFA 70 016 00 Simple pulley with moveable flange	39.61
LRFA 70 016 01 Simple pulley	54.04
LRFA 70 017 00 Double pulley with moveable flanges	63.71
LRFA 70 018 00 Stretcher	912.37
LRFA 70 019 00 Rescue strap	14.84
LRFA 70 020 00 Telescopic rescue pole	439.06
LRFA 70 021 00 Grip descender for kernmantle rope	112.01
LRFA 70 022 00 Simple pulley with moveable flange	43.72
LRFA 70 023 01 Double tandem pulley - small	100.71
LRFA 70 024 01 Double tandem pulley - large	163.30
LRFA 70 028 11 Anchorage and evacuation strap	37.44
LRFA 70 101 20 RES-Q System for rescue, self evacuation & descent 20m	1295.00
LRFA 70 101 40 RES-Q System for rescue, self evacuation & descent 40m	1415.00
LRFA 70 201 00 LIFT RES-Q System for rescue, self evacuation, descent & retrieval without rope	1950.00
LRFA 70 201 20 LIFT RES-Q System for rescue, self evacuation, descent & retrieval 20m	2150.00
LRFA 70 201 40 LIFT RES-Q System for rescue, self evacuation, descent & retrieval 40m	2260.00
LRFA 90 002 00 Protection sleeve for lanyards	4.95
LRFA 90 004 00 Opening protective sleeve	11.69
LRFA 90 005 00 Edge protector	53.17




Oil & Dirt Repellant Products




Part No. & Description	Price £/Each
LRFA 10 113 00 REVOLTA - 2 point full body harness - Size S - L	163.77
LRFA 10 113 01 REVOLTA - 2 point full body harness - Size L - XXL	163.77
LRFA 10 214 00 REVOLTA - 4 point full body harness - Size S - L	173.56
LRFA 10 214 01 REVOLTA - 4 point full body harness - Size L - XXL	173.56
LRFA 30 309 20 REVOLTA - shock absorbing webbing lanyard maximum length 2m	99.29
LRFA 30 406 20 REVOLTA - shock absorbing expandable forked webbing lanyard 2m	181.76
LRFA 40 907 20 REVOLTA - adjustable work positioning lanyard maximum length 2m	65.90

Dielectric Products




Part No. & Description	Price £/Each
LRFA 10 212 00 DIELECTRIC - 4 point full body harness - Size S - L	177.16
LRFA 10 212 01 DIELECTRIC - 4 point full body harness - Size L - XXL	177.16
LRFA 30 307 20 DIELECTRIC - shock absorbing webbing lanyard 1.8m	100.55
LRFA 30 308 20 DIELECTRIC - shock absorbing webbing lanyard 2m with a snap hook and a rebar hook	104.50
LRFA 30 404 15 DIELECTRIC - shock absorbing forked webbing lanyard 1.5m	170.60
LRFA 30 405 15 DIELECTRIC - shock absorbing forked webbing lanyard 1.5m with a snap hook and 2 rebar hooks	216.80
LRFA 50 222 55 DIELECTRIC - scaffolding hook	67.03
LRFA 50 223 15 DIELECTRIC - snap hook opening 15mm	49.86

ATEX Products



Part No. & Description	Price £/Each
LRFA 10 109 00 ATEX - 2 point full body harness	128.18
LRFA 30 306 20 ATEX - shock absorbing webbing lanyard 2m	80.07
LRFA 20 400 10 A ATEX - retractable wire rope fall arrest block 10m - polymer casing	421.38
LRFA 20 400 15 A ATEX - retractable wire rope fall arrest block 15m - polymer casing	494.23
LRFA 20 400 20 A ATEX - retractable wire rope fall arrest block 20m - polymer casing	594.60
LRFA 20 402 10 A HELIXON - ATEX retractable wire rope fall arrest block 10m polymer casing - vertical use only	474.05
LRFA 20 402 15 A HELIXON - ATEX retractable wire rope fall arrest block 15m polymer casing - vertical use only	534.70
LRFA 20 402 20 A HELIXON - ATEX retractable wire rope fall arrest block 20m polymer casing - vertical use only	638.00
LRFA 30 403 15 ATEX - shock absorbing forked webbing lanyard 1.5m	120.07
LRFA 50 103 22 ATEX - aluminum screw locking karabiner opening 22.5mm	12.68
LRFA 50 103 22 B ATEX - aluminum screw locking karabiner opening 22.5mm keylock version	13.97


Fire Resistant Products



Part No. & Description	Price £/Each
LRFA 10 110 00 Flame resistant 2 point full body harness	261.97
LRFA 10 211 00 Flame resistant 2 Point full body harness	410.62
LRFA 30 305 10 Flame resistant shock absorbing webbing lanyard 1m with a steel screw karabiner and a steel scaffold hook	56.86

LRFA 30 305 15 Flame resistant shock absorbing webbing lanyard 1.5m with a steel screw karabiner and a steel scaffold hook	60.86
LRFA 30 305 20 Flame resistant shock absorbing webbing lanyard 2m with a steel screw karabiner and a steel scaffold hook	62.57
LRFA 30 402 10 Flame resistant shock absorbing forked webbing lanyard 1m with 2 steel scaffold hooks and a steel screw karabiner	82.82
LRFA 30 402 15 Flame resistant shock absorbing forked webbing lanyard 1.5m with 2 steel scaffold hooks and a screw karabiner	84.87
LRFA 40 400 15 Flame resistant shock absorbing forked webbing lanyard 1.5m with a screw karabiner and 2 steel scaffold hooks	77.16
LRFA 40 905 20 Flame resistant work positioning webbing lanyard 2m with a ring adjuster	33.20
LRFA 60 017 15 Flame resistant anchorage webbing sling length 1.5m	21.02

Kit Bags & Rucksacks



Part No. & Description	Price £/Each
LRFA 90 101 00 Multi pocket backpack - 26 litres	34.97
LRFA 90 102 00 Kit bag - 24 litres	16.42
LRFA 90 103 00 Large kit bag - 29 litres	20.03
LRFA 90 104 00 Large storage bag - 44 litres	57.46
LRFA 90 105 00 Cylindrical backpack - 41 litres	47.82
LRFA 90 106 00 Large cylindrical backpack - 58 litres	69.30
LRFA 90 108 00 Tripod bag - to suit 7ft tripod	88.82
LRFA RUCKSACK Rucksack - 3 zip compartments	18.67
LRFA KIT BAG Nylon drawstring bag	2.67

Harness Kits



Part No. & Description	Price £/Each
LRFAKIT 1 Scaffolders kit comprising of: 1 x FA1010800, FA3030418 & FAES3116	84.12
LRFAKIT 2 Restraint kit comprising of: 1 x FA1010800, FA4090220 & FAES3116	68.30
LRFAKIT 3 Standard kit comprising of: 1 x FA1010200, FA3030418 & FAES3116	90.46
LRFAKIT 4 Premium kit comprising of: 1 x FA1010100, FA3050220, FA5010117, FA4090220, FA1090100 & rucksack or kit bag	254.53
LRFAKIT 5 Scaffolders kit comprising of: 1 x FA1010500, FA3030418 & rucksack or kit bag	86.15
LRFAKIT 6 2 Point restraint kit comprising of: 1 x FA1010500, FA4090120 & rucksack or kit bag	75.74
LRFAKIT 7 2 Point restraint kit comprising of: 1 x FA1010500, FA4090220 & rucksack or kit bag	80.49
LRFAKIT 9 HI-VIS restraint kit comprising of: 1 x FA1030200, FA4090120 & rucksack or kit bag	145.58
LRFAKIT 10 3 Point scaffolders kit comprising of: 1 x FA1011100 or FA1011101, FA3030418 & rucksack or kit bag	137.14
LRFAKIT 11 3 Point restraint kit comprising of: 1 x FA1011100 or FA1011101, FA4090120 & rucksack or kit bag	116.61

Head Protection



Part No. & Description	Price £/Each
LRHP 10 200 00 B FOX safety helmet - black	86.31
LRHP 10 200 00 W FOX safety helmet - white	86.31
LRHP 10 200 01 FOX safety helmet visor	51.60

Load Arresters



Part No. & Description	Price £/Each
LRLA 10 250 10 Load retractable fall arrester 250 kg length 10m	530.90
LRLA 10 300 10 Load retractable fall arrester 300 kg length 10m	601.69
LRLA 10 300 15 Load retractable fall arrester 300 kg length 15m	630.00
LRLA 10 400 10 Load retractable fall arrester 400 kg length 10m	672.47
LRLA 10 400 20 Load retractable fall arrester 400 kg length 20m	722.03
LRLA 10 500 10 Load retractable fall arrester 500 kg length 10m	778.65
LRLA 10 500 15 Load retractable fall arrester 500 kg length 15m	799.76
LRLA 10 1000 11 Load retractable fall arrester 1000 kg length 11m	3815.28



Inspection/Service/Repair

We can arrange the inspection and examination of all Kratos Safety items in line with current legislation through a fully approved network of personnel within the UK.

Giving full written details of the findings in line with the legislative requirements and clearly outlining if the product is fit for ongoing use.

This information would also include any suggested recommendations and options to maintain the equipment correctly.

We can source a large stock of spare parts to ensure we can assist with the full service package for all Kratos Safety Fall Arrest Blocks.

This includes :- complete strip down, recalibration of the braking system and other repairs if required. This will be carried out by approved service agents.

Training

LRLT can arrange for authorised Kratos Safety authorised training courses in the UK and overseas.

With this authorised training our customers will gain the knowledge and skills required to enable them to carry out all their servicing needs. We currently can arrange different courses to suit the clients needs.

The inspectors course gives the successful candidate the ability to inspect and re-certify all Kratos Safety equipment in line with European regulations EN 365: 2004.

The full service engineers course offers the candidate an opportunity to become certified to service all Kratos safety fall arrest blocks under their responsibility. This in turn creates a full service agent of Kratos safety equipment.

Please contact our Sales Team for further details.

LRFA 10 215 00 - LRFA 10 215 01
HYBRID AIRTECH Harness



LRFA 10 500 00
BAMBOU Climbing/Tree Climbing



LRFA 20 402 03 - LRFA 20 402 07
HELIXON-S Wire Rope Fall Arrester



LRFA 20 505 02
OLYMPE-S2 Twin Webbing Fall Arrester



LRFA 20 410 10
TRITON Stainless Steel Fall Arrester



LRFA 30 722 20 - LRFA 30 723 20
Shock Absorbing Expandable Lanyard



LRFA 60 035 01
HEXAPOD



LRFA 70 101 20 - LRFA 70 201 20
RES-Q/LIFT RES-Q Rescue Descenders



LRFA 60 032 00
Anchor Post for Container



LRFA 60 033 18
Retractable Temporary Horizontal Lifeline



LRFA 60 007 02 - 25m
4 User Horizontal Temporary Lifeline



LRFA 60 005 30
Anchorage Webbing Sling 3m





www.lloyds-rlt.com

Lloyds Rigging Lifting Testing Ltd

Head Office

SO 98 Building, HM Naval Base, Devonport, Plymouth PL2 2BG UK

T +44 (0)1752 367296 **E** sales@lloyds-rlt.com

Lloyds Rigging Loft

Unit 3, Eurotech House, Burrington Way Plymouth PL5 3LZ UK

M +44 (0)7517 328807 **E** riggers@lloyds-rlt.com

Cornwall Sales Office

Courtvollard, Trematon, Saltash, Cornwall, PL12 4RX

T +44 (0)1752 316351 **E** saltash@lloyds-rlt.com